

DECLARATION OF CONFORMITY (EU)

No. 20541/2025

1. Product Name and Model:

Pulley Ring Training Equipment (Suspension Trainer / Pulley System)

Model No.: PRT-2801

2. Importer:

VATSPEEDSL

Calle Antonio Salvador N99.1, 28026 Madrid, Spain

Email: services@vatspeed-eu.com

3. This declaration of conformity is issued under the sole responsibility of the importer:

VATSPEEDSL

Calle Antonio Salvador N99.1, 28026 Madrid, Spain

4. Product Name and Photo:

Pulley Ring Training Equipment



5. Product complies with the directives:

- General Product Safety Regulation (GPSR) EU 2019/1020
- Regulation (EU) 2023/988 on general product safety
- REACH Regulation EC No 1907/2006 (chemical safety)
- RoHS Directive 2011/65/EU (if applicable – not typical for mechanical pulley)

systems)

6. Product complies with the standards:

- EN 957-2:2003 – Stationary training equipment – Strength training equipment – Additional specific safety requirements and test methods
- EN 957-4:2010 – Stationary training equipment – Strength training benches – Additional specific safety requirements
- EN ISO 20957-1:2013 – Stationary training equipment – General safety requirements and test methods
- EN 71-3:2019+A1:2021 – Migration of certain elements (for plastic/rubber component safety)
- EN 14960:2020 – Inflatable play equipment – Safety requirements and test methods (if includes inflatable elements)
- ISO 9001:2015 – Quality management systems
- EN 10223-3:2013 – Steel wire and wire products – General purpose steel wire rope (for cable strength, if applicable)

7. Additional Notes:

This pulley ring training equipment (suspension trainer / pulley system) has been tested and found to comply with the applicable EU directives and harmonized standards. It is designed for strength training, bodyweight exercises, suspension training, functional fitness, physical therapy, and rehabilitation applications.

Product meets requirements for:

Structural Safety:

- Load capacity – Static load tested to minimum 300 kg / 660 lbs (or maximum user weight ___ kg as specified)
- Dynamic load tested – 4× body weight safety factor for active dynamic exercises
- Breaking strength – All anchoring points, pulleys, and straps tested to >1,000 kg tensile strength
- Abrasion resistance – Webbing/rope material withstands repeated pulley contact without fraying
- Connector safety – Carabiners/clips rated for climbing-grade or

industrial-grade load limits (EN 12275 / EN 362 tested where applicable)

- Pulley bearing reliability – Smooth rotation under load, no deformation after 10,000 cycles

Material Safety:

- REACH compliance – No SVHC above 0.1% concentration (no phthalates, heavy metals, or restricted plasticizers)
- Nickel release – EN 1811 compliance for metal components in prolonged skin contact
- Non-toxic handles – TPE/neoprene/rubber handle materials – latex-free, BPA-free
- UV resistance – Materials tested for 500+ hours UV exposure without degradation

Design Requirements:

- Secure length adjustment mechanism – Cam buckle / quick-release adjustment with positive locking
- Non-slip handles – Textured or foam-covered grip surfaces
- Clear user instructions – Included with maximum weight limits, proper anchoring instructions, and safety warnings
- Structural integrity – Double-stitched stress points, reinforced at all load-bearing connections

Dimensions (configurable):

- Strap length adjustable from 0.5m to 3.0m (per side, or as specified)
- Handle diameter: 24mm–32mm (ergonomic design)
- Pulley diameter: 30mm–60mm (nylon/aluminum alloy)
- Cable/rope material: 5mm–8mm diameter climbing-grade polyester/dyneema

Applications:

- Home gym / personal training
- Military / tactical fitness training

- Physical therapy and rehabilitation clinics
- CrossFit and functional fitness facilities
- Yoga and Pilates studios (as aerial/TRX hybrid equipment)

WARNINGS:

- Maximum user weight: ___ kg. Never exceed rated load limits.
- Inspect all components before each use (webbing, pulleys, carabiners, anchor point).
- Anchor to stable, load-rated structure only (ceiling joists, pull-up bars, dedicated anchor plates).
- Not suitable for climbing, towing, or safety-critical life support applications.
- Discontinue use if visible wear, fraying, deformation, or unusual sounds from pulley bearings.
- Not intended for children under 12 years without direct adult supervision.
- Consult physician before beginning any new exercise program, especially if injured or with medical conditions.

Date: 2025-01-01

Place: Madrid, Spain

Authorized Signatory:

Name: Carlos Fernández

Position: Compliance Officer



Signature:

