# IPC-610-L/IPC-611

# 4U 15-Slot Rackmount Chassis with Front-Accessible Fan



### **Features**

- Supports an ATX motherboard or a backplane with up to 15 slots
- Shock-resistant disk drive bay design holds up to three 5.25" and one 3.5" disk drives
- Special hold-down clamp design with rubber cushions protects the cards from shocks and vibrations
- Power and HDD activity notification improves system availability
- Front-accessible air filter for easy system maintenance
- Lockable front door prevents unauthorized access


# C € FCC


# **Specifications**

=			
		External	
Drive Bay	3.5"	1	
	5.25"	3	
Cooling	Fan	1 (12 cm / 85 CFM)	
	Air Filter	Yes	
Miscellaneous	LED Indicators	Power and HDD activity	
	Control	Power switch and system reset button	
	Rear Panel	Backplane version: One 9-pin D-Sub opening Motherboard version: Five 9-pin D-Sub & one 25-pin D-sub openings	
Environment		Operating	Non-Operating
	Temperature	0 ~ 40 °C (32 ~ 104 °F)	-20 ~ 60 °C (-4 ~ 140 °F)
	Humidity	10 ~ 85 % @ 40 °C, non-condensing	10 ~ 95 % @ 40 °C, non-condensing
	Vibration (5 ~ 500 Hz)	1 Grms	2 G
	Shock	10 G (with 11 ms duration, 1/2 sine wave)	
Physical Characteristics	Color / Logo	IPC-610-L: Beige / Advantech Logo IPC-611: Black / No Logo	
	Dimensions (W x H x D)	482 x 177 x 479 mm (19" x 7" x 18.9")	
	Weight	14.5 kg (31.9 lb) / 14.2 kg (31.2 lb)	

### **Front View**


### IPC-610-L





### IPC-611





# **Ordering Information**

Part Number	Power Supply	Wattage	Switch type	
Backplane Version				
IPC-610BP-00LBE	-	-	ATX	
IPC-610BP-50LBE	PS8-500ATX-ZE	500W	ATX	
IPC-611BP-00XBE	-	-	ATX	
Motherboard Version				
IPC-610MB-00LBE	-	-	ATX	
IPC-610MB-40LBE	PS8-400ATX-ZE	400W	ATX	
IPC-611MB-00XBE	-	-	ATX	

# **Power Supply Options**

(For detailed power supply specs, please refer to Chapter 13)

Part Number	80 Plus Grade	Wattage	Туре	Input
PS8-250ATX-ZE	Bronze	250W	Single	AC 100 ~ 240 (full range)
PS8-300ATX-ZBE	Bronze	300W	Single	AC 100 ~ 240 (full range)
PS8-400ATX-ZE	Bronze	400W	Single	AC 100 ~ 240 (full range)
PS8-500ATX-ZE	Bronze	500W	Single	AC 100 ~ 240 (full range)
RPS8-500ATX-XE	Bronze	500W	1+1 Redundant	AC 100 ~ 240 (full range)

# **Optional Accessories**

Part Number	Description
IPC-DT-5230E	Mobile rack for converting dual 5.25" drive bays to three 3.5" SATA HDD trays
1700029268-01	Power cable for GPU card (Two 4-pin 12V connectors to one 6+2 pins PCIe power connector)
1700024754-01	Power cable for GPU card (Two B4P Molex connectors to one 6+2 pins PCle power connector)

<sup>\*\*</sup> If GPU card with 2 power connectors, please use 1700029268-01\*1 + 1700024754-

# **Spare Parts**

•	
Part Number	Description
2130006149S000	Fan filter 127 x 127 x 5 mm
21300048025000	Door filter 142 x 97 x 5 mm

<sup>01\*1;</sup>If GPU card with 1 power connector, please use 1700029268-01.

\* Only 500W or higher wattage PSU support 1700029268-01 and 1700024754-01 for high-end GPU card.