Base R
Cheat Sheet

Getting Help

Accessing the help files

?mean
Get help of a particular function.

help.search('weighted mean')
Search the help files for a word or phrase.

help(package = 'dplyr')
Find help for a package.

More about an object

str(iris)
Get a summary of an object's structure.

class(iris)
Find the class an object belongs to.

Using Libraries

install.packages('dplyr')
Download and install a package from CRAN.

library(dplyr)
Load the package into the session, making all its functions available to use.

dplyr::select
Use a particular function from a package.

data(iris)
Load a built-in dataset into the environment.

Working Directory

getwd()
Find the current working directory (where inputs are found and outputs are sent).

setwd('C://file/path')
Change the current working directory.

Use projects in RStudio to set the working directory to the folder you are working in.

Vectors

Creating Vectors

`c(2, 4, 6)`	`2 4 6`	Join elements into a vector
`2:6`	`2 3 4 5 6`	An integer sequence
`seq(2, 3, by=0.5)`	`2.0 2.5 3.0`	A complex sequence
`rep(1:2, times=3)`	`1 2 1 2 1 2`	Repeat a vector
`rep(1:2, each=3)`	`1 1 1 2 2 2`	Repeat elements of a vector

Vector Functions

sort(x)
Return x sorted.

rev(x)
Return x reversed.

table(x)
See counts of values.

unique(x)
See unique values.

Selecting Vector Elements

By Position

`x[4]`	The fourth element.
`x[-4]`	All but the fourth.
`x[2:4]`	Elements two to four.
`x[-(2:4)]`	All elements except two to four.
`x[c(1, 5)]`	Elements one and five.

By Value

`x[x == 10]`	Elements which are equal to 10.
`x[x < 0]`	All elements less than zero.
`x[x %in% c(1, 2, 5)]`	Elements in the set 1, 2, 5.

Named Vectors

`x['apple']`	Element with name 'apple'.

Programming

For Loop

```
for (variable in sequence){
   Do something
}
```

Example

```
for (i in 1:4){
   j <- i + 10
   print(j)
}
```

While Loop

```
while (condition){
   Do something
}
```

Example

```
while (i < 5){
   print(i)
   i <- i + 1
}
```

If Statements

```
if (condition){
   Do something
} else {
   Do something different
}
```

Example

```
if (i > 3){
   print('Yes')
} else {
   print('No')
}
```

Functions

```
function_name <- function(var){
   Do something
   return(new_variable)
}
```

Example

```
square <- function(x){
   squared <- x*x
   return(squared)
}
```

Reading and Writing Data

Input	Ouput	Description
`df <- read.table('file.txt')`	`write.table(df, 'file.txt')`	Read and write a delimited text file.
`df <- read.csv('file.csv')`	`write.csv(df, 'file.csv')`	Read and write a comma separated value file. This is a special case of read.table/ write.table.
`load('file.RData')`	`save(df, file = 'file.Rdata')`	Read and write an R data file, a file type special for R.

Conditions

`a == b`	Are equal	`a > b`	Greater than	`a >= b`	Greater than or equal to	`is.na(a)`	Is missing
`a != b`	Not equal	`a < b`	Less than	`a <= b`	Less than or equal to	`is.null(a)`	Is null

Types

Converting between common data types in R. Can always go from a higher value in the table to a lower value.

`as.logical`	`TRUE, FALSE, TRUE`	Boolean values (TRUE or FALSE).
`as.numeric`	`1, 0, 1`	Integers or floating point numbers.
`as.character`	`'1', '0', '1'`	Character strings. Generally preferred to factors.
`as.factor`	`'1', '0', '1', levels: '1', '0'`	Character strings with preset levels. Needed for some statistical models.

Maths Functions

`log(x)`	Natural log.	`sum(x)`	Sum.
`exp(x)`	Exponential.	`mean(x)`	Mean.
`max(x)`	Largest element.	`median(x)`	Median.
`min(x)`	Smallest element.	`quantile(x)`	Percentage quantiles.
`round(x, n)`	Round to n decimal places.	`rank(x)`	Rank of elements.
`signif(x, n)`	Round to n significant figures.	`var(x)`	The variance.
`cor(x, y)`	Correlation.	`sd(x)`	The standard deviation.

Variable Assignment

```
> a <- 'apple'
> a
[1] 'apple'
```

The Environment

`ls()`	List all variables in the environment.
`rm(x)`	Remove x from the environment.
`rm(list = ls())`	Remove all variables from the environment.

You can use the environment panel in RStudio to browse variables in your environment.

Matrixes

`m <- matrix(x, nrow = 3, ncol = 3)`
Create a matrix from x.

`m[2, ]` - Select a row

`m[ , 1]` - Select a column

`m[2, 3]` - Select an element

`t(m)`
Transpose

`m %*% n`
Matrix Multiplication

`solve(m, n)`
Find x in: m * x = n

Lists

`l <- list(x = 1:5, y = c('a', 'b'))`
A list is collection of elements which can be of different types.

`l[[2]]`	`l[1]`	`l$x`	`l['y']`
Second element of l.	New list with only the first element.	Element named x.	New list with only element named y.

Also see the **dplyr** library.

Data Frames

`df <- data.frame(x = 1:3, y = c('a', 'b', 'c'))`
A special case of a list where all elements are the same length.

x	y
1	a
2	b
3	c

List subsetting

`df$x` `df[[2]]`

Understanding a data frame

`View(df)`	See the full data frame.
`head(df)`	See the first 6 rows.

Matrix subsetting



`df[ , 2]`

`df[2, ]`

`df[2, 2]`

`nrow(df)`
Number of rows.

`ncol(df)`
Number of columns.

`dim(df)`
Number of columns and rows.

`cbind` - Bind columns.



`rbind` - Bind rows.

Strings

Also see the **stringr** library.

`paste(x, y, sep = ' ')`	Join multiple vectors together.
`paste(x, collapse = ' ')`	Join elements of a vector together.
`grep(pattern, x)`	Find regular expression matches in x.
`gsub(pattern, replace, x)`	Replace matches in x with a string.
`toupper(x)`	Convert to uppercase.
`tolower(x)`	Convert to lowercase.
`nchar(x)`	Number of characters in a string.

Factors

`factor(x)`
Turn a vector into a factor. Can set the levels of the factor and the order.

`cut(x, breaks = 4)`
Turn a numeric vector into a factor but 'cutting' into sections.

Statistics

`lm(x ~ y, data=df)`
Linear model.

`glm(x ~ y, data=df)`
Generalised linear model.

`summary`
Get more detailed information out a model.

`t.test(x, y)`
Preform a t-test for difference between means.

`pairwise.t.test`
Preform a t-test for paired data.

`prop.test`
Test for a difference between proportions.

`aov`
Analysis of variance.

Distributions

	Random Variates	Density Function	Cumulative Distribution	Quantile
Normal	`rnorm`	`dnorm`	`pnorm`	`qnorm`
Poison	`rpois`	`dpois`	`ppois`	`qpois`
Binomial	`rbinom`	`dbinom`	`pbinom`	`qbinom`
Uniform	`runif`	`dunif`	`punif`	`qunif`

Plotting

Also see the **ggplot2** library.

`plot(x)`
Values of x in order.

`plot(x, y)`
Values of x against y.

`hist(x)`
Histogram of x.

Dates

See the **lubridate** library.

R Markdown : : CHEAT SHEET

What is R Markdown?

.Rmd files • An R Markdown (.Rmd) file is a record of your research. It contains the code that a scientist needs to reproduce your work along with the narration that a reader needs to understand your work.

Reproducible Research • At the click of a button, or the type of a command, you can rerun the code in an R Markdown file to reproduce your work and export the results as a finished report.

Dynamic Documents • You can choose to export the finished report in a variety of formats, including html, pdf, MS Word, or RTF documents; html or pdf based slides, Notebooks, and more.

Workflow



1. **Open a new .Rmd file** at File ▶ New File ▶ R Markdown. Use the wizard that opens to pre-populate the file with a template
2. **Write document** by editing template
3. **Knit document to create report**; use knit button or **render()** to knit
4. **Preview Output** in IDE window
5. **Publish** (optional) to web server
6. **Examine build log** in R Markdown console
7. **Use output file** that is saved along side .Rmd



.rmd Structure

YAML Header
Optional section of render (e.g. pandoc) options written as key:value pairs (YAML).

At start of file

Between lines of `---`

Text
Narration formatted with markdown, mixed with:

Code Chunks
Chunks of embedded code. Each chunk:

Begins with ```` ```{r} ````

ends with ```` ``` ````

R Markdown will run the code and append the results to the doc.

It will use the location of the .Rmd file as the **working directory**

Parameters

Parameterize your documents to reuse with different inputs (e.g., data, values, etc.)

1. **Add parameters** • Create and set parameters in the header as sub-values of params

2. **Call parameters** • Call parameter values in code as params$<name>

3. **Set parameters** • Set values wth Knit with parameters or the params argument of render():

render("doc.Rmd", params = list(n = 1, d = as.Date("2015-01-01"))

```
---
params:
  n: 100
  d: !r Sys.Date()
---
```

Today's date is `r params$d`



render

Use rmarkdown::**render()** to render/knit at cmd line. Important args:

input - file to render **output_format**	**output_options** - List of render options (as in YAML)	**output_file** **output_dir**	**params** - list of params to use	**envir** - environment to evaluate code chunks in	**encoding** - of input file

Interactive Documents

Turn your report into an interactive Shiny document in 4 steps

1. Add runtime: shiny to the YAML header.
2. Call Shiny input functions to embed input objects.
3. Call Shiny render functions to embed reactive output.
4. Render with rmarkdown::run or click Run Document in RStudio IDE

```
---
output: html_document
runtime: shiny
---

```{r, echo = FALSE}
numericInput("n",
  "How many cars?", 5)

renderTable({
  head(cars, input$n)
})
```
```



Embed a complete app into your document with shiny::**shinyAppDir()**

NOTE: *Your report will rendered as a Shiny app, which means you must choose an html output format, like **html_document**, and serve it with an active R Session.*

Embed code with knitr syntax

INLINE CODE

Insert with **`r <code>`**. Results appear as text without code.

Built with `` `r getRversion()` `` ▶ Built with 3.2.3

CODE CHUNKS

One or more lines surrounded with ```` ```{r} ```` and ```` ``` ````. Place chunk options within curly braces, after **r**. Insert with

```
```{r echo=TRUE}
getRversion()
```
```

GLOBAL OPTIONS

Set with knitr::**opts_chunk$set()**, e.g.

```
```{r include=FALSE}
knitr::opts_chunk$set(echo = TRUE)
```
```

IMPORTANT CHUNK OPTIONS

cache - cache results for future knits (default = FALSE)

cache.path - directory to save cached results in (default = "cache/")

child - file(s) to knit and then include (default = NULL)

collapse - collapse all output into single block (default = FALSE)

comment - prefix for each line of results (default = '##')

dependson - chunk dependencies for caching (default = NULL)

echo - Display code in output document (default = TRUE)

engine - code language used in chunk (default = 'R')

error - Display error messages in doc (TRUE) or stop render when errors occur (FALSE) (default = FALSE)

eval - Run code in chunk (default = TRUE)

fig.align - 'left', 'right', or 'center' (default = 'default')

fig.cap - figure caption as character string (default = NULL)

fig.height, fig.width - Dimensions of plots in inches

highlight - highlight source code (default = TRUE)

include - Include chunk in doc after running (default = TRUE)

message - display code messages in document (default = TRUE)

results (default = 'markup')
'asis' - passthrough results
'hide' - do not display results
'hold' - put all results below all code

tidy - tidy code for display (default = FALSE)

warning - display code warnings in document (default = TRUE)

Options not listed above: R.options, aniopts, autodep, background, cache.comments, cache.lazy, cache.rebuild, cache.vars, dev, dev.args, dpi, engine.opts, engine.path, fig.asp, fig.env, fig.ext, fig.keep, fig.lp, fig.path, fig.pos, fig.process, fig.retina, fig.scap, fig.show, fig.showtext, fig.subcap, interval, out.extra, out.height, out.width, prompt, purl, ref.label, render, size, split, tidy.opts

Pandoc's Markdown

Write with syntax on the left to create effect on right (after render)

```
Plain text
End a line with two spaces
to start a new paragraph.
*italics* and **bold**
`verbatim code`
sub/superscript^2^~2~
~~strikethrough~~
escaped: \* \_ \\
endash: --, emdash: ---
equation: $A = \pi*r^{2}$
equation block:

$$E = mc^{2}$$

> block quote

# Header1  {#anchor}

## Header 2  {#css_id}

### Header 3  {.css_class}

#### Header 4

##### Header 5

###### Header 6

<!--Text comment-->

\textbf{Tex ignored in HTML}
<em>HTML ignored in pdfs</em>

<http://www.rstudio.com>
[link](www.rstudio.com)
Jump to [Header 1](#anchor)
image:

![Caption](smallorb.png)

* unordered list
  + sub-item 1
  + sub-item 2
    - sub-sub-item 1

* item 2

    Continued (indent 4 spaces)

1. ordered list
2. item 2
   i) sub-item 1
      A.  sub-sub-item 1

(@)  A list whose numbering

continues after

(@)  an interruption

Term 1

:   Definition 1

| Right | Left | Default | Center |
|------:|:-----|---------|:------:|
|  12 |  12 |  12 |  12 |
| 123 | 123 | 123 | 123 |
|   1 |   1 |   1 |   1 |

- slide bullet 1
- slide bullet 2

(>- to have bullets appear on click)

horizontal rule/slide break:

***

A footnote [^1]

[^1]: Here is the footnote.
```

Set render options with YAML

When you render, R Markdown

1. runs the R code, embeds results and text into .md file with knitr
2. then converts the .md file into the finished format with pandoc

Set a document's default output format in the YAML header:

```
---
output: html_document
---
# Body
```

output value	creates
html_document	html
pdf_document	pdf (requires Tex)
word_document	Microsoft Word (.docx)
odt_document	OpenDocument Text
rtf_document	Rich Text Format
md_document	Markdown
github_document	Github compatible markdown
ioslides_presentation	ioslides HTML slides
slidy_presentation	slidy HTML slides
beamer_presentation	Beamer pdf slides (requires Tex)

Customize output with sub-options (listed to the right):

Indent 2 spaces — Indent 4 spaces

```
---
output: html_document:
  code_folding: hide
  toc_float: TRUE
---
# Body
```

html tabsets

Use tablet css class to place sub-headers into tabs

```
# Tabset {.tabset .tabset-fade .tabset-pills}
## Tab 1
text 1
## Tab 2
text 2
### End tabset
```

Tabset

Tab 1 | Tab 2

text 1

End tabset

sub-option	description	html	pdf	word	odt	rtf	md	github	ioslides	slidy	beamer
citation_package	The LaTeX package to process citations, natbib, biblatex or none		X				X				X
code_folding	Let readers to toggle the display of R code, "none", "hide", or "show"	X									
colortheme	Beamer color theme to use										X
css	CSS file to use to style document	X							X	X	
dev	Graphics device to use for figure output (e.g. "png")	X	X				X	X	X	X	X
duration	Add a countdown timer (in minutes) to footer of slides									X	
fig_caption	Should figures be rendered with captions?	X	X	X	X				X	X	X
fig_height, fig_width	Default figure height and width (in inches) for document	X	X	X	X	X	X	X	X	X	X
highlight	Syntax highlighting: "tango", "pygments", "kate","zenburn", "textmate"	X	X	X						X	X
includes	File of content to place in document (in_header, before_body, after_body)	X	X		X		X	X	X	X	X
incremental	Should bullets appear one at a time (on presenter mouse clicks)?								X	X	X
keep_md	Save a copy of .md file that contains knitr output	X		X	X	X			X	X	
keep_tex	Save a copy of .tex file that contains knitr output		X								X
latex_engine	Engine to render latex, "pdflatex", "xelatex", or "lualatex"		X								X
lib_dir	Directory of dependency files to use (Bootstrap, MathJax, etc.)	X							X	X	
mathjax	Set to local or a URL to use a local/URL version of MathJax to render equations	X							X	X	
md_extensions	Markdown extensions to add to default definition or R Markdown	X	X	X	X	X	X	X	X	X	X
number_sections	Add section numbering to headers	X	X								
pandoc_args	Additional arguments to pass to Pandoc	X	X	X	X	X	X	X	X	X	X
preserve_yaml	Preserve YAML front matter in final document?						X				
reference_docx	docx file whose styles should be copied when producing docx output			X							
self_contained	Embed dependencies into the doc	X							X	X	
slide_level	The lowest heading level that defines individual slides										X
smaller	Use the smaller font size in the presentation?								X		
smart	Convert straight quotes to curly, dashes to em-dashes, … to ellipses, etc.	X							X	X	
template	Pandoc template to use when rendering file quarterly_report.html).	X	X		X					X	X
theme	Bootswatch or Beamer theme to use for page	X									X
toc	Add a table of contents at start of document	X	X	X		X	X	X			X
toc_depth	The lowest level of headings to add to table of contents	X	X	X		X	X	X			
toc_float	Float the table of contents to the left of the main content	X									

Create a Reusable Template

1. **Create a new package** with a inst/rmarkdown/templates directory
2. In the directory, **Place a folder** that contains:
   template.yaml (see below)
   skeleton.Rmd (contents of the template)
   any supporting files
3. **Install the package**
4. **Access template** in wizard at File ▶ New File ▶ R Markdown

template.yaml

```
---
name: My Template
—
```



Table Suggestions

Several functions format R data into tables







```
data <- faithful[1:4, ]
```

```
```{r results = 'asis'}
knitr::kable(data, caption = "Table with kable")
```
```

```
```{r results = "asis"}
print(xtable::xtable(data, caption = "Table with xtable"),
      type = "html", html.table.attributes = "border=0"))
```
```

```
```{r results = "asis"}
stargazer::stargazer(data, type = "html", title = "Table
                     with stargazer")
```
```

Learn more in the **stargazer, xtable**, and **knitr** packages.

Citations and Bibliographies

Create citations with .bib, .bibtex, .copac, .enl, .json, .medline, .mods, .ris, .wos, and .xml files

1. **Set bibliography file** and CSL 1.0 Style file (optional) in the YAML header
2. **Use citation keys in text**

```
---
bibliography: refs.bib
csl: style.csl
---
```

```
Smith cited [@smith04].
Smith cited without author [-@smith04].
@smith04 cited in line.
```

3. **Render.** Bibliography will be added to end of document

```
Smith cited (Joe Smith 2004).
Smith cited without author (2004).
Joe Smith (2004) cited in line.
```

RStudio IDE : : **CHEAT SHEET**

Documents and Apps

Open Shiny, R Markdown, knitr, Sweave, LaTeX, .Rd files and more in Source Pane



RStudio recognizes that files named **app.R**, **server.R**, **ui.R**, and **global.R** belong to a shiny app



Write Code



R Support

Pro Features



PROJECT SYSTEM

File > New Project

RStudio saves the call history, workspace, and working directory associated with a project. It reloads each when you re-open a project.

RStudio opens plots in a dedicated Plots pane

GUI Package manager lists every installed package



RStudio opens documentation in a dedicated Help pane



Viewer Pane displays HTML content, such as Shiny apps, RMarkdown reports, and interactive visualizations



View(<data>) opens spreadsheet like view of data set



Debug Mode

Open with **debug(), browser(),** or a breakpoint. RStudio will open the debugger mode when it encounters a breakpoint while executing code.



Version Control with Git or SVN

Turn on at **Tools > Project Options > Git/SVN**



Package Writing



File > New Project > New Directory > R Package

Turn project into package,
Enable roxygen documentation with
Tools > Project Options > Build Tools

Roxygen guide at
Help > Roxygen Quick Reference

RStudio

1 LAYOUT

	Windows/Linux	Mac
Move focus to Source Editor	Ctrl+1	Ctrl+1
Move focus to Console	Ctrl+2	Ctrl+2
Move focus to Help	Ctrl+3	Ctrl+3
Show History	Ctrl+4	Ctrl+4
Show Files	Ctrl+5	Ctrl+5
Show Plots	Ctrl+6	Ctrl+6
Show Packages	Ctrl+7	Ctrl+7
Show Environment	Ctrl+8	Ctrl+8
Show Git/SVN	Ctrl+9	Ctrl+9
Show Build	Ctrl+0	Ctrl+0

2 RUN CODE

	Windows/Linux	Mac
Search command history	**Ctrl+↑**	**Cmd+↑**
Navigate command history	↑/↓	↑/↓
Move cursor to start of line	Home	Cmd+←
Move cursor to end of line	End	Cmd+→
Change working directory	Ctrl+Shift+H	Ctrl+Shift+H
Interrupt current command	**Esc**	**Esc**
Clear console	**Ctrl+L**	**Ctrl+L**
Quit Session (desktop only)	Ctrl+Q	Cmd+Q
Restart R Session	**Ctrl+Shift+F10**	**Cmd+Shift+F10**
Run current line/selection	**Ctrl+Enter**	**Cmd+Enter**
Run current (retain cursor)	Alt+Enter	Option+Enter
Run from current to end	Ctrl+Alt+E	Cmd+Option+E
Run the current function	Ctrl+Alt+F	Cmd+Option+F
Source a file	Ctrl+Alt+G	Cmd+Option+G
Source the current file	**Ctrl+Shift+S**	**Cmd+Shift+S**
Source with echo	Ctrl+Shift+Enter	Cmd+Shift+Enter

3 NAVIGATE CODE

	Windows /Linux	Mac
Goto File/Function	**Ctrl+.**	**Ctrl+.**
Fold Selected	Alt+L	Cmd+Option+L
Unfold Selected	Shift+Alt+L	Cmd+Shift+Option+L
Fold All	Alt+O	Cmd+Option+O
Unfold All	Shift+Alt+O	Cmd+Shift+Option+O
Go to line	Shift+Alt+G	Cmd+Shift+Option+G
Jump to	Shift+Alt+J	Cmd+Shift+Option+J
Switch to tab	Ctrl+Shift+.	Ctrl+Shift+.
Previous tab	Ctrl+F11	Ctrl+F11
Next tab	Ctrl+F12	Ctrl+F12
First tab	Ctrl+Shift+F11	Ctrl+Shift+F11
Last tab	Ctrl+Shift+F12	Ctrl+Shift+F12
Navigate back	Ctrl+F9	Cmd+F9
Navigate forward	Ctrl+F10	Cmd+F10
Jump to Brace	Ctrl+P	Ctrl+P
Select within Braces	Ctrl+Shift+Alt+E	Ctrl+Shift+Option+E
Use Selection for Find	Ctrl+F3	Cmd+E
Find in Files	Ctrl+Shift+F	Cmd+Shift+F
Find Next	Win: F3, Linux: Ctrl+G	Cmd+G
Find Previous	W: Shift+F3, L:	Cmd+Shift+G
Jump to Word	Ctrl+ ←/→	Option+ ←/→
Jump to Start/End	Ctrl+↑/↓	Cmd+↑/↓
Toggle Outline	Ctrl+Shift+O	Cmd+Shift+O

4 WRITE CODE

	Windows /Linux	Mac
Attempt completion	**Tab or Ctrl+Space**	**Tab or Cmd+Space**
Navigate candidates	↑/↓	↑/↓
Accept candidate	Enter, Tab, or →	Enter, Tab, or →
Dismiss candidates	Esc	Esc
Undo	Ctrl+Z	Cmd+Z
Redo	Ctrl+Shift+Z	Cmd+Shift+Z
Cut	Ctrl+X	Cmd+X
Copy	Ctrl+C	Cmd+C
Paste	Ctrl+V	Cmd+V
Select All	Ctrl+A	Cmd+A
Delete Line	Ctrl+D	Cmd+D
Select	Shift+[Arrow]	Shift+[Arrow]
Select Word	Ctrl+Shift+ ←/→	Option+Shift+ ←/→
Select to Line Start	Alt+Shift+←	Cmd+Shift+←
Select to Line End	Alt+Shift+→	Cmd+Shift+→
Select Page Up/Down	Shift+PageUp/Down	Shift+PageUp/Down
Select to Start/End	Shift+Alt+↑/↓	Cmd+Shift+↑/↓
Delete Word Left	Ctrl+Backspace	Ctrl+Opt+Backspace
Delete Word Right		Option+Delete
Delete to Line End		Ctrl+K
Delete to Line Start		Option+Backspace
Indent	Tab (at start of line)	Tab (at start of line)
Outdent	Shift+Tab	Shift+Tab
Yank line up to cursor	Ctrl+U	Ctrl+U
Yank line after cursor	Ctrl+K	Ctrl+K
Insert yanked text	Ctrl+Y	Ctrl+Y
Insert <-	**Alt+-**	**Option+-**
Insert %>%	**Ctrl+Shift+M**	**Cmd+Shift+M**
Show help for function	F1	F1
Show source code	F2	F2
New document	Ctrl+Shift+N	Cmd+Shift+N
New document (Chrome)	Ctrl+Alt+Shift+N	Cmd+Shift+Opt+N
Open document	Ctrl+O	Cmd+O
Save document	Ctrl+S	Cmd+S
Close document	Ctrl+W	Cmd+W
Close document (Chrome)	Ctrl+Alt+W	Cmd+Option+W
Close all documents	Ctrl+Shift+W	Cmd+Shift+W
Extract function	Ctrl+Alt+X	Cmd+Option+X
Extract variable	Ctrl+Alt+V	Cmd+Option+V
Reindent lines	Ctrl+I	Cmd+I
(Un)Comment lines	**Ctrl+Shift+C**	**Cmd+Shift+C**
Reflow Comment	Ctrl+Shift+/	Cmd+Shift+/
Reformat Selection	Ctrl+Shift+A	Cmd+Shift+A
Select within braces	Ctrl+Shift+E	Ctrl+Shift+E
Show Diagnostics	Ctrl+Shift+Alt+P	Cmd+Shift+Opt+P
Transpose Letters		Ctrl+T
Move Lines Up/Down	Alt+↑/↓	Option+↑/↓
Copy Lines Up/Down	Shift+Alt+↑/↓	Cmd+Option+↑/↓
Add New Cursor Above	Ctrl+Alt+Up	Ctrl+Option+Up
Add New Cursor Below	Ctrl+Alt+Down	Ctrl+Option+Down
Move Active Cursor Up	Ctrl+Alt+Shift+Up	Ctrl+Option+Shift+Up
Move Active Cursor Down	Ctrl+Alt+Shift+Down	Ctrl+Opt+Shift+Down
Find and Replace	Ctrl+F	Cmd+F
Use Selection for Find	Ctrl+F3	Cmd+E
Replace and Find	Ctrl+Shift+J	Cmd+Shift+J

WHY RSTUDIO SERVER PRO?

RSP extends the the open source server with a commercial license, support, and more:

- open and run multiple R sessions at once
- tune your resources to improve performance
- edit the same project at the same time as others
- see what you and others are doing on your server
- switch easily from one version of R to a different version
- integrate with your authentication, authorization, and audit practices

Download a free 45 day evaluation at
www.rstudio.com/products/rstudio-server-pro/

5 DEBUG CODE

	Windows/Linux	Mac
Toggle Breakpoint	Shift+F9	Shift+F9
Execute Next Line	F10	F10
Step Into Function	Shift+F4	Shift+F4
Finish Function/Loop	Shift+F6	Shift+F6
Continue	Shift+F5	Shift+F5
Stop Debugging	Shift+F8	Shift+F8

6 VERSION CONTROL

	Windows/Linux	Mac
Show diff	Ctrl+Alt+D	Ctrl+Option+D
Commit changes	Ctrl+Alt+M	Ctrl+Option+M
Scroll diff view	Ctrl+↑/↓	Ctrl+↑/↓
Stage/Unstage (Git)	Spacebar	Spacebar
Stage/Unstage and move to next	Enter	Enter

7 MAKE PACKAGES

	Windows/Linux	Mac
Build and Reload	Ctrl+Shift+B	Cmd+Shift+B
Load All (devtools)	**Ctrl+Shift+L**	**Cmd+Shift+L**
Test Package (Desktop)	**Ctrl+Shift+T**	**Cmd+Shift+T**
Test Package (Web)	Ctrl+Alt+F7	Cmd+Opt+F7
Check Package	Ctrl+Shift+E	Cmd+Shift+E
Document Package	**Ctrl+Shift+D**	**Cmd+Shift+D**

8 DOCUMENTS AND APPS

	Windows/Linux	Mac
Preview HTML (Markdown, etc.)	Ctrl+Shift+K	Cmd+Shift+K
Knit Document (knitr)	**Ctrl+Shift+K**	**Cmd+Shift+K**
Compile Notebook	Ctrl+Shift+K	Cmd+Shift+K
Compile PDF (TeX and Sweave)	Ctrl+Shift+K	Cmd+Shift+K
Insert chunk (Sweave and Knitr)	Ctrl+Alt+I	Cmd+Option+I
Insert code section	Ctrl+Shift+R	Cmd+Shift+R
Re-run previous region	Ctrl+Shift+P	Cmd+Shift+P
Run current document	Ctrl+Alt+R	Cmd+Option+R
Run from start to current line	**Ctrl+Alt+B**	**Cmd+Option+B**
Run the current code section	**Ctrl+Alt+T**	**Cmd+Option+T**
Run previous Sweave/Rmd code	Ctrl+Alt+P	Cmd+Option+P
Run the current chunk	Ctrl+Alt+C	Cmd+Option+C
Run the next chunk	Ctrl+Alt+N	Cmd+Option+N
Sync Editor & PDF Preview	Ctrl+F8	Cmd+F8
Previous plot	Ctrl+Alt+F11	Cmd+Option+F11
Next plot	Ctrl+Alt+F12	Cmd+Option+F12
Show Keyboard Shortcuts	**Alt+Shift+K**	**Option+Shift+K**

RStudio