
a
Participant flow
NHANES 2011-2014 accelerometry participants (N = 14,693)
Excluded (n = 1,666): <4 valid days or <10 h/day wear
Valid accelerometry (>=4 valid days, >=10 h/day wear) N = 13,027
Excluded (n = 5,173): aged < 25 years
Adults aged >= 25 years N = 7,854
Excluded (n = 847): missing covariates or follow-up
Complete covariates and follow-up N = 7,007
b
Meets WHO guideline (weighted): 61.7%
600 MET-min/wk
Weighted density
Self-reported activity, log10(MET-min/week + 1)
Below TMREL (weighted): 51.1%
TMREL
Weighted density
Device-measured activity (MIMS/day)
c
Row percentages (weighted)
Self-reported activity
High (>=1200) 9.4% (96) 19.9% (166) 30.0% (241) 40.8% (347)
Moderate (600-1199) 14.9% (108) 27.6% (204) 23.8% (204) 33.7% (272)
Low (1-599) 20.5% (660) 26.5% (763) 29.1% (813) 23.9% (734)
Inactive (0 MET-min/wk) 33.0% (1,100) 27.4% (830) 21.6% (705) 18.0% (611)
Q1 Q2 Q3 Q4
Device-measured activity quartile (MIMS/day)