
a
Scenario forest: Global 2022; ranges span the eight study locations
Primary analysis (device-scale RR, absolute TMREL)
Upper bound: TMREL at 85th pct + no calibration convolution
GBD-aligned: RR magnitude only
GBD-aligned: full (TMREL definition + RR magnitude)
Sensitivity: TMREL at 70th percentile
Sensitivity: TMREL at 85th percentile (GBD definition)
Sensitivity: convolution sigma 3335 -> 1600
Sensitivity: convolution sigma 3335 -> 800
Sensitivity: sigma -> 100 (~no convolution)
Sensitivity: RR magnitude scaled to GBD level
Sensitivity: rank-preserving mapping (absolute TMREL)
Sensitivity: rank-preserving mapping (85th pct TMREL)
5.72
11.54
0.64
0.99
9.03
12.43
6.64
fold = 1
(GBD 2023 reported)
8.15
11.05
0.65
4.51
12.40
1
2
5
10
Fold: recomputed / GBD 2023 reported attributable deaths (log scale)


b
Leave-one-study-out: effect of dropping each contributing study
Base: all 5 studies
minus Ekelund2019 (hip; anchors device curve)
minus Tarp2024 (mixed; anchors device curve)
minus PURE2017 (self-report)
minus UKB (wrist)
minus Moore2012 (self-report)
5.67 (+0%)
3.80 (-33%)
6.38 (+13%)
5.69 (+0%)
5.75 (+1%)
5.69 (+0%)
2.5
5.0
7.5
Fold: recomputed / GBD 2023 reported attributable deaths