

XXX System Software Architecture Specification

Yu Liu

Revision Record

Revision	Date	Author	Content
V1	9/24/2018	Yu Liu	Lateral controller design at Conception Ready on September 20, 2018

Contents

1	Introduction	4
1.1	Purpose	4
1.2	Scope	4
1.3	Expected Readers and Reading Suggestions	4
1.4	Terms and Acronyms	4
1.5	References	4
2	Production Introduction	5
2.1	Function Introduction	5
2.2	Operating Environment and Context	5
2.3	Condition and Constraints	5
2.3.1	Hardware Constraints	5
2.3.2	Operating System	5
2.4	Design Principal and Policy	5
2.4.1	Design Policy	5
2.4.2	Coding Specification	5
2.4.3	Other	5
3	Static Design	6
3.1	Software Flowchart	6
3.2	Software Architecture	6
3.3	List of Components	6
3.4	Component Deployment	6
4	Dynamic Design	7
4.1	Software Mode and Status	7
4.2	Sequence Diagram	7
4.3	Scheduler Design	7
4.4	Timing Design	7
5	Software Component	8
5.1	Component XXX	8
5.1.1	Component Function Description	8
5.1.2	Component Interface	8
5.2	Component YYY	8

5.2.1	Component Function Description	8
5.2.2	Component Interface	8
6	Resources	9
7	Interface Design	10
8	Application Parameters and Calibration	11
9	Non-Functional Requirements	12
9.1	Scalability	12
9.2	Performance	12
9.3	Safety	12
9.4	Security	12

Chapter 1

Introduction

1.1 Purpose

1.2 Scope

1.3 Expected Readers and Reading Suggestions

1.4 Terms and Acronyms

1.5 References

Chapter 2

Production Introduction

2.1 Function Introduction

2.2 Operating Environment and Context

2.3 Condition and Constraints

2.3.1 Hardware Constraints

2.3.2 Operating System

2.4 Design Principal and Policy

2.4.1 Design Policy

2.4.2 Coding Specification

2.4.3 Other

Chapter 3

Static Design

- 3.1 Software Flowchart
- 3.2 Software Architecture
- 3.3 List of Components
- 3.4 Component Deployment

Chapter 4

Dynamic Design

4.1 Software Mode and Status

4.2 Sequence Diagram

4.3 Scheduler Design

4.4 Timing Design

Chapter 5

Software Component

5.1 Component XXX

5.1.1 Component Function Description

5.1.2 Component Interface

5.2 Component YYY

5.2.1 Component Function Description

5.2.2 Component Interface

Chapter 6

Resources

Chapter 7

Interface Design

Chapter 8

Application Parameters and Calibration

Chapter 9

Non-Functional Requirements

9.1 Scalability

9.2 Performance

9.3 Safety

9.4 Security

Bibliography

- [1] J. M. Miller, “Hybrid electric vehicle propulsion system architectures of the e-cvt type,” *IEEE Transactions on Power Electronics*, vol. 21, no. 3, pp. 756–767, May 2006.
- [2] M. Kuang, “Power split system HEV 101,” Ford Internal Presentation, 2008.
- [3] W. Liang, X. Wang, T. Chrostowski, R. McGee, J. Doering, and M. Kuang, “Modeling and control of power split hybrid vehicle transaxle system using enhanced lever diagram,” Ford Technical Report, SRR-2012-0155, 2012.
- [4] W. Liang, C. Okubo, T. Chrostowski, and M. Kuang, “Engine speed control of a power split HEV,” Ford Technical Report, SRR-2012-0156, 2012.
- [5] J. Meyer, et al., “Advanced Power Split Transaxle Controls R2 Review,” APSTC project TDR presentation.
- [6] W. Liang, et al., “Advanced Power Split Transaxle Controls R3 Review,” APSTC project TDR presentation.
- [7] J. V. Alcantar, R. Johri, and M. Kuang, “Minimizing Vibration of the Power Split Drivetrain During Engine Starts and Stops via Cranking Torque Estimation and Compensation,” Ford Technical Report, SRR-2015-0151.