
Home About Test Automation v Performance Testing v DevOps v More v Contact Q







< Previous Next >

I Tutorial - Learn API Testing Step by

# Rail Webinars in May

introductory webinars "Meet TestRail" and "Starting to Tes . TestRail

e of the most popular libraries which is highly used in on in most of the companies. In this Rest Assured tutorial, n Rest API, API Testing, API Automation, REST, and SOAP

### **Tutorial Outline**

explain what is **API** and **API testing**, what is the n **SOAP** and **REST** services, and how to test REST APIs **Library**.

lication **P**rogramming Interface. It comprises of a set of be accessed and executed by another software system. In **interface** between different software systems and interaction and data exchange.

## esting?

elopment world, many web applications are designed **r** architecture model. These are:

er - User Interface (UI)

siness logic is written in this tier. It is also called )

e information and data is stored and retrieved from a

e layers (tiers) should not know anything about the gy, and structure of each other. We can test **UI with GUI** we can test **logic tier (API) with API testing tools**. Logic ll of the **business logic** and it has **more complexity than** the **test executed on this tier is called as API Testing**.

ricial to test application logic.





Search...




# Join our Newsletter! Tag Cloud

> Uncategorized

lag Cloud	
Enter your email agile(3) algorithms(3) allure(2)	
appium (13) aws(3) azure(4) capybara(	(2)
cucumber(5) device farm(3) docker(5)	
elasticsearch(2) espresso(2) extent report  Categories gatling(6) git(4) github(2) gitlab(3)	ts(3)
> in the state of	s(8)
imeter(12) junit(14) karate(2) locust(2)	2)
log4j(1) logging(2) mocha(1) mockito > Interview Questions node.js(2) octopus deploy(2) packer(1)	(1)
> Performance Testing powershell(2) rest assured(3)	

Performance Testing v DevOps v More v



ia get output (responses). These APIs are generally KESI services with JSON or XML message payloads being sent JMS, and MQ.

into theory so much in this post. If you want to learn I testing, you can visit below websites.

ii.org/testing-dojo/world-of-api-testing/what-makes-api-

i.com/api-testing.html (Very introductive article.) a.org/wiki/API\_testing

### :ational State Transfer)

ctural style that uses simple HTTP calls for inter-machine EST does not contain an additional messaging layer and rules for creating stateless services. A client can access the unique URI and a representation of the resource is h new resource representation, the client is said to le accessing RESTful resources with HTTP protocol, the e serves as the resource identifier and GET, PUT, DELETE, e the standard HTTP operations to be performed on that

## pject Access Protocol)

y on XML, and together with schemas, defines a very ssaging framework. Every operation the service provides d, along with the XML structure of the request and peration. Each input parameter is similarly defined and or example, an integer, a string, or some other complex s codified in the WSDL - Web Service Description (or versions) Language. The WSDL is often explained as a the provider and the consumer of the service. SOAP uses protocols, such as HTTP and SMTP. The standard kes it easier for SOAP model to tunnel across firewalls at any modifications to the SOAP protocol. [3][4][6]

chtarget.com/definition/REST [1] ight.com/representational-state-transfer-tips [2] ii.org/testing-dojo/world-of-api-testing/soap-vs-rest-] http://blog.smartbear.com/apis/understanding-soaphttp://spf13.com/post/soap-vs-rest [5] chtarget.com/tip/REST-vs-SOAP-How-to-choose-the-

## ting with Rest Assured

### ured?

(Subjective void exampleRestTest() {

ured(3) .contentType(ContentType.JSON)

.pathParam("id", "AskJsd8Sd")

given()

ST APIs, I found **REST Assured library** so useful. It is 'ay Company and it is a really powerful catalyzer for of REST-services. REST-assured provides a lot of nice SL-like syntax, XPath-Validation, Specification Reuse, nd with those features we will handle automated API

gherkin type syntax which is shown in below code. If )D (Behavior Driven Development), I believe that you will



Contact O



Search...





Enter your email

Interview Questions


S. Gatling Tutorials

Performance Testing powershell(2) rancher(1)

node.js(2)

rest

octopus deploy(2)








Search..



Home About Test Automation v Performance Testing v DevOps v More v Contact Q



sponse was successful and relevant to given video id

additional video entries were returned along with the

ndsets", "Connected Devices", "Computers") & time duration

iere is no duplicate in related videos

itle, permittedDeviceTypes status (for

一个SDK 一套极简AF 视频通话 全互动直播



Search...



octopus deploy(2)

javascript(4)

karate(2)

mocha(1)

> iavale 5tutoriavafx(2)

imeter(12) junit(14)

DevOps Tutorials

Interview Questions

S. Gatling Tutorials

logging(2)

Performance Testing powershell(2) rancher(1)

log4j(1)

node.js(2)


jenkins(8)

locust(2)

mockito(1)

packer(1)

rest assured(3)



视频通话 每月1万分钟免费 立即 agora.io声网



Search...



imeter(12) junit(14)

DevOps Tutorials

Interview Questions node.js(2)

S. Gatling Tutorials

logging(2)

Performance Testing powershell(2) rancher(1)

octopus deploy(2)

log4j(1)

karate(2)

mocha(1)

locust(2)

mockito(1)

packer(1)


rest assured(3)

- For assertion methods

ured library - It is our REST API testing library

test from command prompt with maven I also added

at the end of the pom.xml. We can run all tests with









Search...



Home About Test Automation v Performance Testing v DevOps v More v Contact Q

```
17
                            wiremo 18
tesults(3) vagrant(3).

Programming futorials
                                             public static void setBaseURI (String baseURI){
                                     19
                                                 RestAssured.baseURI = baseURI;
 zed attack proxy(2)
                                     20
  Java Tutorials
                                     21
                                     22
                                             ***Sets base path***
                                     23
> Security Testing Tutorials
                                     24
                                             Before starting the test, we should set the RestAssured.basePath
                                     25
Recent Posts
                                     26
                                             public static void setBasePath(String basePathTerm){
> Software Conferences
                                                 RestAssured.basePath = basePathTerm;
                                     28
> AWS Device Farm for Selenium
> Test Automation
                                             ***Reset Base URI (after test)***
> Selenium reCAPTCHA Automatic 32
                                             After the test, we should reset the RestAssured.baseURI
                                             public static void resetBaseURI (){
> Request Rewrite with Charles Pr 35
                                                 RestAssured.baseURI = null;
> Charles Proxy for Capturing Netv 3/38
                                        k Traffic
                                             ***Reset base path (after test)***
> RIP Legend 8 - 24 mambamei 40 tty # the test, we should reset the RestAssured.basePath
                                             public static void resetBasePath(){
                                                 RestAssured.basePath = null;
     > Espresso Tutorials
                                     44
                                     45
  > Robot Framework
                                             ***Sets ContentType***
                                     47
                                     48
                                             We should set content type as JSON or XML before starting the test
                                     49
  > Test Reporting
                                     50
                                             public static void setContentType (ContentType Type){
                                     51
                                                 given().contentType(Type);
    > Allure Report
                                     53
                                     54
                                             ***search query path of first example***
    > Extent Reports
                                     56
57
                                             It is equal to "barack obama/videos.json?num_of_videos=4"
*/
  > Testing Frameworks
                                             public static void createSearchQueryPath(String searchTerm, String js
                                     59
                                                 path = searchTerm + "/" + jsonPathTerm + "?" + param +
                                     60
    > JUnit Tutorials
                                     62
                                     63
                                             ***Returns response***
     > TestNG Tutorials
                                             We send "path" as a parameter to the Rest Assured'a "get" method
and—"get" method returns response of API
                                     65
                                     66
  > UI Automation
                                             public static Response getResponse() {
                                     68
                                                 //System.out.print("path: " + path +"\n");
                                     69
                                                 return get(path);
    > Selenium Tutorials
                                     70
                                     71
  > Visual Testing
                                     72
                                     73
                                             ***Returns JsonPath object***
                                     74
                                             * First convert the API's response to String type with "asString()" me
                                             * Then, send this String formatted json response to the JsonPath class
                                     75
> Test Masters
                                     76
                                     77
                                             public static JsonPath getJsonPath (Response res) {
> Testing Tutorials
                                     78
                                                 String json = res.asString();
                                     79
                                                 //System.out.print("returned json: " + json +"\n");
                                     80
                                                 return new JsonPath(json);
> Tools and Technologies
                                     81
```






Join our Newsletter! Tag Cloud

> Uncategorized

class for our example1 and example 2. It contains ample1 and example2. We created this class for creating ture and prevent code replication.



Search..



```
Home About Test Automation > Performance Testing > DevOps > More > Contact Q
```

```
wiremo 28
tesults(3) vagrant(3)
Programming futorials
                                                          public static ArrayList getVideoIdList (JsonPath jp) {
   ArrayList videoIdList = jp.get("items.id");
                                               29
  zed attack proxy(2)
                                                30
   Java Tutorials
                                                               return videoIdList;
                                                31
                                                32
                                                33
> Security Testing Tutorials
                                                35
                                                          Get Related Video Ids (For example 2)
Recent Posts
                                                36
                                                          Structure of response is shown below:
> Software Conferences
                                                               "related": [{
                                                38
> AWS Device Farm for Selenium
Test Automation
                                               39
                                                      "id": 519148754.
                                                      In order to get all id's under related tag,
We can use JsonPath's get method like "jp.get("items.related.id");"
It will give us all id's under related tag.
> Selenium reCAPTCHA Automatic 42
> Request Rewrite with Charles Pr 45
                                                          > Charles Proxy for Capturing Netv 47 Y Mobile Automation
                                                               Result of relatedVideosList: [[519148754, 519115214, 519235328, 51
                                                   ity #kobe I have to convert above result in this format: [519148754, 5191152]
In order to split first element of "relatedVideosList" and assign
I did below operation.
> RIP Legend 8 – 24 #mambame
                                                51
                                                52
       > Espresso Tutorials
                                                               ArrayList splittedRelatedVideoList = (ArrayList) relatedVideoList.
                                                54
                                                55
                                                               return splittedRelatedVideoList;
   > Robot Framework
                                                57
                                                         //Merge videoIdList and relatedVideoIdList as mergedVideoList
public static ArrayList mergeLists (ArrayList videoList, ArrayList re
    ArrayList mergedVideoList = new ArrayList(videoList);
    mergedVideoList.addAll(relatedVideoList);
                                                58
   > Test Reporting
                                                60
                                                61
                                                               return mergedVideoList;
                                                62
      > Allure Report
                                                63
                                                64
                                                          //Find Duplicate Videos
                                                65
      > Extent Reports
                                                         public static boolean findDuplicateVideos (List<Integer> videoIdList)
for (int i=0; ic videoIdList.size(); i++) {
    if(Collections.frequency(videoIdList, videoIdList.get(i)) > 1)
        System.out.println("This video id is duplicated: " + video return false;
                                                66
67
   > Testing Frameworks
                                                69
                                                70
      > JUnit Tutorials
                                                72
                                                73
                                                               return true;
      > TestNG Tutorials
   > UI Automation
      > Selenium Tutorials
                                                                        de line by line below.
   > Visual Testing
                                                Example1Test
> Test Masters
                                                    package ApiTests;
> Testing Tutorials
                                                     import com.jayway.restassured.http.ContentType;
                                                    import com.jayway.restassured.path.json.JsonPath;
import com.jayway.restassured.response.Response;
> Tools and Technologies
                                                     import org.junit.*;
                                                    import org.junit.runners.MethodSorters;
                                                    import static org.junit.Assert.assertTrue;
> Uncategorized
                                                11
                                                    @FixMethodOrder(MethodSorters.NAME ASCENDING) //For Ascending order test &
                                                12
                                                    public class Example1Test {
Join our Newsletter!
                                                14
Tag Cloud
                                                15
                                                          //First, I declared Response and JsonPath objects.
                                                          private Response res = null; //Response object
                                                          private JsonPath jp = null; //JsonPath object
   Enter your email
                                                18
                                      allure( 19
                algorithms(3)
  agile(3)
                                                   Second, we should do setup operations, get JSON response from the API
Then we will do query and manipulations with JsonPath class's methods.

apybore and do all of the preparation operations after @Before Junit annota
                                                20
                                                21
  applium(13)
                                                22
                                                23
                                              ( 24 er(5) @Before
  cucumber(5)
                      device farm(3)
                                                         public void setup (){
                                                   nt reports/%[est Setup
RestUtil.setBaseURI("http://api.5min.com"); //Setup Base URI
RestUtil.setBasePath("search"); //Setup Base Path
  elasticsearch(2)
                           espresso(2)
Categories
gatling(6)
                                                     ab(3)
RestUtil.setContentType(ContentType, ISON); //Setup Content Type
RestUtil.createSearchQueryPath("barack obama", "videos.json", "
jenkins(%)s = RestUtil.getResponse(); //Get response
jp = RestUtil.getJsonPath(res); //Get JsonPath
                  git(4)
                               github(2)
                                               29 lab(3)
                                                30
                                 javascript(· 31
> iavale 5tutoriavafx(2)
                                    karate(2, 34
                                                    locust(2)
imeter(12) junit(14)

DevOps Tutorials
                                   mocha(1) 36 mockito(1)c void T01_StatusCodeTest() {
  log4j(1)
              logging(2)
                                                                //Verify the http response status returned. Check Status Code is 2
Interview Questions
                                                               HelperMethods.checkStatusIs200(res);
  node.js(2)
                  octopus deploy(2)
                                                   ker(1)
  Performance Testing powershell(2) rancher(1)
                                          rest 41 ured(3) est
                                                         public void T02_SearchTermTest() {
                                               42
```





Search...



About Test Automation > Performance Testing > DevOps > More >

Home

```
wiremo 48
tesults(3) vagrant(3)
Programming futorials
                                         49
                                                   public void T03_verifyOnlyFourVideosReturned() {
  zed attack proxy(2)
                                          50
                                                       //Verify that only 4 video entries were returned
   Java Tutorials
                                                       Assert.assertEquals("Video Size is not equal to 4", 4, HelperMetho
                                          51
                                          52
                                          53
> Security Testing Tutorials
                                          55
                                                   public void T04_duplicateVideoVerification() {
Recent Posts
                                                       //Verify that there is no duplicate video
assertTrue("Duplicate videos exist!", HelperMethods.findDuplicate\
                                          56
> Software Conferences
                                          58
> AWS Device Farm for Selenium
First Automation
                                          59
                                                   public void T05_printAttributes() {
> Selenium reCAPTCHA Automatic 62
                                                       //Print video title, pubDate & duration
printTitlePubDateDuration(jp);
> Request Rewrite with Charles Pr 65
                                            void afterTest (){
> Charles Proxy for Capturing Net 68
                                                       //Reset Values
RestUtil.resetBaseURI();
                                             ity #kobe<sup>RestUtil.resetBasePath();</sup>
> RIP Legend 8 – 24 #mambame
      > Espresso Tutorials
                                                   //***Local Methods***
//*************
                                          75
                                                   //Prints Attributes
                                                  > Robot Framework
                                          77
                                          78
  > Test Reporting
                                          80
                                          81
                                                            System.out.print("\n");
     > Allure Report
                                          83
                                          84
                                          85 }
     > Extent Reports
   > Testing Frameworks
     > JUnit Tutorials
                                                               de line by line.
     > TestNG Tutorials
                                         Example2Test.iava
                                                                                                                              Java
                                            package ApiTests;
  > UI Automation
                                               import Utils.*:
                                               import com.jayway.restassured.http.ContentType;
                                               import com.jayway.restassured.path.json.JsonPath;
     > Selenium Tutorials
                                               import com.jayway.restassured.response.Response;
import org.junit.*;
  > Visual Testing
                                               import org.junit.runners.MethodSorters;
                                               import java.util.ArrayList;
> Test Masters
                                           11
                                           12
                                               import static org.junit.Assert.assertEquals;
                                               import static org.junit.Assert.assertTrue;
                                           13
> Testing Tutorials
                                           14
                                               @FixMethodOrder(MethodSorters.NAME ASCENDING) //For Ascending order test
                                           15
                                               public class Example2Test {
                                           16
> Tools and Technologies
                                                   private Response res = null; //Response
private JsonPath jp = null; //JsonPath
                                           18
                                           19
> Uncategorized
                                           20
                                           21
                                                    We should do setup operations, get JSON response from the API and put
                                           22
                                           23
                                                    Then we will do query and manipulations with JsonPath class's methods
Join our Newsletter!
                                           24
                                                   We can do all of the preparation operations after @Before Junit annot
Tag Cloud
                                           25
                                                    public void setup (){
                                           27
  Enter your email
                                           28
                                                        //Test Setup
                                              RestUtil.setBaseURI("http://api.5min.com"); //Setup Base URI
RestUtil.setBasePath("video"); //Setup Base Path

pybara(2)/In this example, I assigned full path manually in below code li

pybara(2)RestUtil.path = "list/info.json?video_ids=519218045&num_related_r
              algorithms(3)
                                 allure(
  agile(3)
                                           30
                                           31
  applium(13)
                                                        RestUtil.setContentType(ContentType.JSON); //Setup Content Type res = RestUtil.getResponse(); //Get response
                                           33
                   device farm(3)
  cucumber(5)
                                           34 r(5)
                                                        jp = RestUtil.getJsonPath(res); //Set JsonPath
                                           36
  elasticsearch(2)
                       espresso(2)
                                              t reports(3)
Categories
gatling(6)
               git(4)
                           github(2)
                                           39 1b(3) public void T01_StatusCodeTest() {
                                                        //Verify the http response status returned. Check Status Code is
                                           40
                                              jenkins(8)elperMethods.checkStatusIs200(res);
                                          41
                             javascript(-
> iavale 5tutoriavafx(2)
                                           43
                                          44 locust(2)<sub>st</sub>
imeter(12) junit(14)
> DevOps Tutorials
                               karate(2
                                           45
                                                    public void T02_SearchTermTest() {
                                          46 nockito(1)/Verify the response contained the relevant search term (5192186
47 assertEquals("Id does not match!", "519218045", HelperMethods.get
  log4j(1)
             logging(2)
                              mocha(1)
Interview Questions
                                           48
                                              er(1) }
  node.js(2)
                octopus deploy(2)
                                           49
 Performance Testing powershell(2) rancher(1)
```

51 red(3)ublic void T03\_verifyExtraFourVideosReturned() {

//Verify that extra 4 video entries were returned as related vide



Contact O




Search...



S. Gatling Tutorials

rest

52








Search...











## Join our Newsletter! Tag Cloud

> Tools and Technologies

> Testing Tutorials

> Uncategorized



://github.com/swtestacademy/RestAssuredExample


s not working anymore. I wrote a new project for an also check that example

b.com/swtestacademy/api-automation-rest-assured-


cs in JAVA anced in JAVA /thon orting

Search...





About Test Automation ~ Performance Testing V DevOps V More v Contact Q Home







# Tag Cloud

Enter your email algorithms(3) allure(2) agile(3) appium(13) azure(4) capybara(2) cucumber(5) device farm(3) docker(5) elasticsearch(2) espresso(2) extent reports(3) Categories gatling(6) git(4) github(2) gitlab(3) javascript(4) jenkins(8) > iavale 5tutoriavafx(2) karate(2) locust(2) imeter(12) junit(14) > DevOps Tutorials log4j(1) logging(2) mockito(1) mocha(1) Interview Questions node.js(2) octopus deploy(2) packer(1) Performance Testing powershell(2) rancher(1) rest assured(3)

id a search and found below articles. I hope this helps. :p://www.ontestautomation.com/creating-data-driveni-tests-with-rest-assured-and-testng/ :p://james-willett.com/2015/06/going-further-with-restsured-part-2-parameterised-testing-with-junitparams/

Amit May 8, 2018 at 10:50 am - Reply

https://www.linkedin.com/pulse/rest-api-automationusing-http-client-amit-tayade/


Onur Baskirt May 9, 2018 at 12:33 am - Reply

Nice post Amit.

Search...



About Test Automation ~ Performance Testing V DevOps V Contact Q Home More v







nave any working example that you can illustrate on quest passing the data dynamically (read JSON file and est script).

ur Baskirt April 20, 2017 at 8:42 pm - Reply

ank you. I do not have that example but I found this :icle for you.

:ps://semaphoreci.com/community/tutorials/testing-restdpoints-using-rest-assured Please check "Sending Test ON Data with POST Calls" section.

5, 2017 at 6:39 pm - Reply

I'm thinking of using Rest Assured for my API testing, w RunScope online where you can monitor tests and run Search...



octopus deploy(2)

Enter your email

agile(3)

appium(13)

cucumber(5)

Categories gatling(6)

elasticsearch(2)

> iavale 5tutoriavafx(2)

imeter(12) junit(14)

DevOps Tutorials

log4j(1) logging(2)

Interview Questions node.js(2)

S. Gatling Tutorials

Performance Testing powershell(2) rancher(1)

algorithms(3)

aws(3)

git(4)

device farm(3)

espresso(2)

github(2)

javascript(4)

karate(2)

mocha(1)

allure(2)

capybara(2)

extent reports(3)

jenkins(8)

locust(2)

mockito(1)

docker(5)


gitlab(3)

packer(1)

rest assured(3)

azure(4)

About Test Automation ~ Performance Testing V DevOps V More ~ Home Contact O







Search...



# Tag Cloud

S. Gatling Tutorials

Enter your email algorithms(3) allure(2) agile(3) appium(13) azure(4) capybara(2) cucumber(5) device farm(3) docker(5) elasticsearch(2) espresso(2) extent reports(3) Categories gatling(6) git(4) github(2) gitlab(3) javascript(4) jenkins(8) > iavale 5tutoriavafx(2) karate(2) locust(2) imeter(12) junit(14)

DevOps Tutorials logging(2) log4j(1) mockito(1) mocha(1) Interview Questions node.js(2) octopus deploy(2) packer(1) Performance Testing powershell(2) rancher(1) rest assured(3)

Baskirt, Thanks alot.

earned too much about restful api testing through your could you please help me out for connecting database to ectedresult in below script:


oid test 07(){ e resp = given(). ıserid","40"). ıser\_id", "72"). oken", "any toekn").

)://iloverestapitesting"); :tualUserReport = resp.

ype(ContentTypeJSON).

er\_detail.email");

About Test Automation ~ Performance Testing v DevOps v Contact Q Home More v



每月1万分钟免费 立即 agora.io声网



Serhat Özdursun September 13, 2017 at 9:37 am - Reply

Onur thanks for answering. I had been different problem. But i was find correct reason. Json Schema i used was incorrect.

incorrect schema:

"installment": { "id": "/properties/installment", "type": "integer" },

correct schema need to use:

"installment": { "id": "/properties/installment", "type": ["integer","null"] },

Onur Baskirt September 13, 2017 at 12:14 pm - Reply

It's great to hear that you solved the problem. Good luck on your project. 😉

ober 7, 2017 at 3:43 am - Reply

you please let me can i Connect to Jenkins for CI? I need y APi every 10 mins and genrate reports and get email

Search...



octopus deploy(2)

> Selenium Tutorials

> Visual Testing

> Test Masters

> Testing Tutorials

> Uncategorized

Tag Cloud

agile(3)

appium(13)

cucumber(5)

Categories gatling(6)

elasticsearch(2)

> iavale 5tutoriavafx(2)

imeter(12) junit(14)

DevOps Tutorials

log4j(1) logging(2)

Interview Questions node.js(2)

S. Gatling Tutorials

Performance Testing powershell(2) rancher(1)

Enter your email

> Tools and Technologies

Join our Newsletter!

algorithms(3)

git(4)

device farm(3)

espresso(2)

github(2)

javascript(4)

karate(2)

mocha(1)

allure(2)

capybara(2)

extent reports(3)

jenkins(8)

locust(2)

mockito(1)

docker(5)


gitlab(3)

packer(1)

rest assured(3)

azure(4)

Test Automation ~ Performance Testing V DevOps V More V Home About Contact O







Enter your email algorithms(3) allure(2) agile(3) appium(13) azure(4) capybara(2) cucumber(5) device farm(3) docker(5) elasticsearch(2) espresso(2) extent reports(3) Categories gatling(6) git(4) github(2) gitlab(3) javascript(4) jenkins(8) > iavale 5tutoriavafx(2) karate(2) locust(2) imeter(12) junit(14)

DevOps Tutorials mockito(1) log4j(1) logging(2) mocha(1) Interview Questions node.js(2) octopus deploy(2) packer(1) Performance Testing powershell(2) rancher(1) rest assured(3)

ur Baskirt January 24, 2018 at 1:17 am - Reply

Gökçe, of course, there is a smart way to combine setup ethods. ① One of the most common ways is to write a seTest class and then extend it in test classes like Page ject Model. There are some problems in my code.


Test classes should have only test methods. It is better to write common setup and teardown ethods in BaseTest class.

legaddi January 30, 2018 at 6:38 am - Reply

great article on API testing. Also went through your f articles and they are very handy.

Search...





视频诵话 每月1万分钟免费 立即 agora.io声网



Search...



about karate here:

http://www.swtestacademy.com/karate-webservice-testing/

Swapnali February 20, 2018 at 12:47 pm - Reply

I followed above step, got following

Swagger Petstore

[ Base URL:

virtserver.swaggerhub.com/hub4/Test/1.0.0 ]

octopus deploy(2)

device farm(3)

espresso(2)

github(2)

javascript(4)

karate(2)

mocha(1)

docker(5)

gitlab(3)

packer(1)

rest assured(3)

extent reports(3)

jenkins(8)

locust(2)

mockito(1)

cucumber(5)

Categories gatling(6)

elasticsearch(2)

> iavale 5tutoriavafx(2)

imeter(12) junit(14)

DevOps Tutorials

log4j(1) logging(2)


Interview Questions node.js(2)

S. Gatling Tutorials

Performance Testing powershell(2) rancher(1)

git(4)

Performance Testing v DevOps v More v



## Join our Newsletter! Tag Cloud



nttp://swagger.io or on

irc.freenode.net, #swagger.

Could you plz help me on this? Which link i can use as URL.

Onur Baskirt February 20, 2018 at 1:38 pm - Reply

I got HTTP ERROR 404

Swapnali Patil February 20, 2018 at 1:43 pm

could you please tell whats wrong?

Thanks

Onur Baskirt February 20, 2018 at 2:00 pm

1) Go to http://petstore.swagger.io/#/pet/addPet this address. (POST /pet Add a new pet to the store)

- 2) Click try it out button.
- 3) Execute below code:

```
{
"id": 2,
"category": {
"id": 2,
"name": "string"
},
"name": "test-swtestacademy-dog",
"photoUrls": [
"string"
],
"tags": [
{
"id": 0,
"name": "swtest-academy-test-tag"
}
],
"status": "available"
```

- 4) Go to "/pet/{petId}Find pet by ID"
- 5) Click try it out.
- 6) type 2 as id.
- 7) click execute.

Then you will see the results that you added at first step.

The URL will be: http://petstore.swagger.io/v2/pet/2

Swapnali Patil February 21, 2018 at 1:05 am

Thanks Onur.
geting response in XML. How to get response in JSON in browser?

Thanks





Contact Q



Search...














Search...



octopus deploy(2)

github(2)

javascript(4)

karate(2)

mocha(1)

gitlab(3)

packer(1)

rest assured(3)

jenkins(8)

locust(2)

mockito(1)

ır Baskirt April 11, 2018 at 11:28 pm - Reply

proach in my JavaFX article.

Categories gatling(6)

log4j(1)

node.js(2)

> iavale 5tutoriavafx(2)

imeter(12) junit(14) DevOps Tutorials

Interview Questions


S. Gatling Tutorials

git(4)

logging(2)

Performance Testing powershell(2) rancher(1)

Home About Test Automation  $\lor$  Performance Testing  $\lor$  DevOps  $\lor$  More  $\lor$  Contact Q







Search..



packer(1)

rest assured(3)

at API is not working anymore I guess. You can get the


ea of the solution and apply to your API.

octopus deploy(2)

node.js(2)

Performance Testing powershell(2) rancher(1)

Home About Test Automation  $\lor$  Performance Testing  $\lor$  DevOps  $\lor$  More  $\lor$  Contact  ${\bf Q}$ 







# Join our Newsletter! Tag Cloud

Enter your email algorithms(3) allure(2) agile(3) appium(13) azure(4) capybara(2) cucumber(5) device farm(3) docker(5) elasticsearch(2) espresso(2) extent reports(3) Categories gatling(6) git(4) github(2) gitlab(3) javascript(4) jenkins(8) > iavale 5tutoriavafx(2) karate(2) locust(2) imeter(12) junit(14)

DevOps Tutorials log4j(1) logging(2) mockito(1) mocha(1) Interview Questions node.js(2) octopus deploy(2) packer(1) Performance Testing powershell(2) rancher(1) rest assured(3)

llo Prasad.

BAHIOUI November 18, 2019 at 6:06 pm - Reply

) automate API testing and i'm really confused between ired and postman as postman also provide newman to e CI/CD using scripting.

hink that Rest assured is better than postman?

วน k

ır Baskirt November 19, 2019 at 8:26 am - Reply

llo, we are using POSTMAN for exploratory testing of Is but also you can use it for automated way. On the ner hand, we are using rest assured for automation cause it gives us full flexibility and maintainability. If you Search...



