

wu.zhou001 Zw12345678

SINCE. 1967

开发环境: 192.168.26.31 1521

测试环境: 192.168.26.32 1521

rucan.cao001/Sinolife3034

ssh 172.27.1.51 -l bea

liuzhiwei-cx

SINCE. 1889

[http://dws.sino-life.com/svn4/sinopower/branches/int/PCIS\\_0/PCIS/int\\_0.1.0/PCIS/HX-](http://dws.sino-life.com/svn4/sinopower/branches/int/PCIS_0/PCIS/int_0.1.0/PCIS/HX-)

BASELINE/component/com/sinsoft/application/prpall/service/spring/GuProposalServiceSpringImpl.java' svn: E175013: Access to 'svn4/sinopower/branches/int/PCIS\_0/PCIS/int\_0.1.0/PCIS/HX-

BASELINE/component/com/sinsoft/application/prpall/service/spring/GuProposalServiceSpringImpl.java' forbidden

\\LIUZHUIWEI-CX\share

公司知识分享库

[http://172.25.1.154/wiki\\_x/pages/viewpage.action?pageId=9131068](http://172.25.1.154/wiki_x/pages/viewpage.action?pageId=9131068)

## 微服务

代码地址 <http://192.168.26.51/chinacri-o2o> root/password

仓库地址 <http://192.168.26.50:8081/nexus> admin/admin

微服务部署主机 <http://192.168.26.53:8080> admin/admin

eureka的地址 <http://192.168.26.52:8761/>

SpringBoot面板 <http://192.168.26.52:8000/#/wallboard>

任务调度系统 <http://192.168.26.52:8080/> admin/admin

测试环境的jenkins系统 <http://192.168.26.53:8080/login?from=%> admin/admin

dubbo服务治理 <http://192.168.26.53:8081/#/> --无法访问

<https://github.com/fescar-group/fescar-samples/tree/master/springboot-dubbo-fescar>

基于SpringBoot + Dubbo + Mybatis + Nacos (可以替换成zookeeper) + Fescar的分布式事务的解决方案 比传统的TCC, mq或者redis更容易去写代码

数据库: jdbc:oracle:thin:@192.168.26.112:1521:O2ODB agent/agent\_dev

基于apollo的配置文件服务 <http://192.168.26.50:9070/signin> test/test

zookeeper 注册面板 <http://192.168.26.52:9000/#/applications> --

B2B测试环境 192.168.13.30 mwuser/mwuser

接口地址 [http://192.168.13.44:8080/SL\\_PADMIN/](http://192.168.13.44:8080/SL_PADMIN/) peoplewang@qq.com 123456

[http://192.168.26.127:8080/SL\\_PADMIN/application/applicationList? NCR=0.901935448906469](http://192.168.26.127:8080/SL_PADMIN/application/applicationList? NCR=0.901935448906469)

☐ 打印机 172.16.192.20

打印外网

测试环境地址: <http://m-int.fundins.com/print/#/login>

管理员账号: [v\\_system\\_pcis@virtual.com](mailto:v_system_pcis@virtual.com) Sinolife2008

生产接口

[http://172.27.200.47/SL\\_PADMIN](http://172.27.200.47/SL_PADMIN)

[http://172.27.200.46/SL\\_PADMIN/](http://172.27.200.46/SL_PADMIN/)

[http://172.27.200.46/SL\\_UMINTF/SSO/LoginPageAction?](http://172.27.200.46/SL_UMINTF/SSO/LoginPageAction?)

[LINK\\_REQ\\_PARAM=5f4c494e4b5f544f4b454e:65613839613166392d313465352d343139352d393834662d326138343735623530656437@5f42495a5f](#)

## 营销管理系统

<http://192.168.13.40/#/login> admin / admin

日志平台 <http://lss.sino-life.com>

数据库 核心 33 sinosoftDataSource sinocore/sinocore\_211db

<http://192.168.26.51/chinacri-base/chinacri-base-tx.git> 基于redis的分布式事务

<http://192.168.26.51/chinacri-base/chinacri-base-dubbo-tx1.git> 这个是演示代码

版本提测脚本:[http://dws.sino-life.com/svn4/sinopower/branches/int/DB\\_0/020\\_CLMOP](http://dws.sino-life.com/svn4/sinopower/branches/int/DB_0/020_CLMOP)

xxx-job <http://192.168.26.57:8080> admin:123456

o2o

e保商城 <http://localhost:8085/echannel/app/index.html#/wxPortal/wxIndex?wxUserId=2018000000000027725>

<http://localhost:8085/echannel/app/urlFile.html>

本地测试环境

<http://localhost:8085/echannel/app//index.html#/wxPortal/wxIndex?>

[http://localhost:8085/echannel/app//index.html#/wxPortal/wxIndex?wxUserId=2018000000000027725&attch=null&non\\_str=0s1l77mbiv6r80ow749st0gy&sign=E7EEC5F562B1E1062222F3375F048521&times1](http://localhost:8085/echannel/app//index.html#/wxPortal/wxIndex?wxUserId=2018000000000027725&attch=null&non_str=0s1l77mbiv6r80ow749st0gy&sign=E7EEC5F562B1E1062222F3375F048521&times1)

<https://m-int.fundins.com/O20ECHANNEL/app/index.html#/wxPortal/wxIndex?>

[https://m-int.fundins.com/O20ECHANNEL/app/index.html#/wxPortal/wxIndex?wxUserId=2018000000000027725&attch=null&non\\_str=gdpnhx0i6fc0sns5zekport9&sign=A92C67580CA0737EB38FB7667184B5B1&times1](https://m-int.fundins.com/O20ECHANNEL/app/index.html#/wxPortal/wxIndex?wxUserId=2018000000000027725&attch=null&non_str=gdpnhx0i6fc0sns5zekport9&sign=A92C67580CA0737EB38FB7667184B5B1&times1)

<http://192.168.13.18:9004/O20ECHANNEL/app/integralCenter.html#/insure/new/car-brand->

[search/E58A3B93351E139BF965C57001FBB8D8C03C22D9AEB78C3C1DEBCFA62EC97F6E](http://192.168.13.18:9004/O20ECHANNEL/app/integralCenter.html#/insure/new/car-brand-search/E58A3B93351E139BF965C57001FBB8D8C03C22D9AEB78C3C1DEBCFA62EC97F6E)

测试环境esb

<http://192.168.0.158:30014/SL UM/index?>

[http://192.168.0.158:30014/SL UM/index?moduleId=&moduleName=%E4%BA%A7%E9%99%A9%E6%A0%B8%E5%BF%83%E7%B3%BB%E7%BB%9F\(PCIS\)#1c0b3052-eab1-44d1-b5f6-6d713bbf2692](http://192.168.0.158:30014/SL UM/index?moduleId=&moduleName=%E4%BA%A7%E9%99%A9%E6%A0%B8%E5%BF%83%E7%B3%BB%E7%BB%9F(PCIS)#1c0b3052-eab1-44d1-b5f6-6d713bbf2692)

规则引擎 <http://192.168.4.18:8001/res>

生产

数据库 <http://172.25.128.101/Citrix/XenApp/site/default.aspx> hxview/hxview

日志 <https://172.25.128.20/index.php?c=index&a=login>

<https://172.25.128.210/index.php?c=opermanage&a=userlist&page=1>

echannel /wls/eagle/applog/echannel/loginfo.log

ecore /wls/eagle/applog/ecore/loginfo.log

carpcip /mwbase/applogs/rtlog/CARPCIP\_O\_PRD\_O\_1\_1/catalina.out

<http://dws.sino-life.com/svn4/sinopower/branches/int/O20 ECHANNEL O/OTOECHANL/dev 0.1.0>

生产环境nacos地址 <http://pbase.nacos.china-cri.com/nacos/>

日志平台 参考

<http://dws.sino-life.com/wiki x/login.action?>

[http://dws.sino-life.com/wiki x/login.action?os\\_destination=%2Fpages%2Fviewpage.action%3FpageId%3D13665631&permissionViolation=true](http://dws.sino-life.com/wiki x/login.action?os_destination=%2Fpages%2Fviewpage.action%3FpageId%3D13665631&permissionViolation=true)

jira 地址

<http://dws.sino-life.com/jira a/secure/RapidBoard.jspa>

规范体系地址<http://dws.sino-life.com/wiki x/pages/viewpage.action?pageId=9130864>

项目开展规范指导手册地图<http://dws.sino-life.com/wiki x/pages/viewpage.action?pageId=9131289>

SCRUM操作手册地图<http://dws.sino-life.com/wiki x/pages/viewpage.action?pageId=9120572>

测试更新版本 <http://dws.sino-life.com/jira/browse/TSDVM-3042>

B2B 192.168.26.186 root/password

<http://192.168.13.40:8002/#/login> [ceshi-shenzhen@chinacriagent.com](mailto:ceshi-shenzhen@chinacriagent.com)

网络代理:

szproxy1 80 development /sln0development

\*.sino-life.com;172.\*.\*.\*;10.\*.\*.\*;\*.china-cri.com;\*.5-

star.cc;192.168.\*.\*;129.1.1.\*;\*.sinolifeamc.com;\*.fundins.com;\*.funde-ins.com;129.1.2.\*;11.\*.\*.\*;11.\*.\*.\*

[http://192.168.145.17/ac\\_portal/default/pc.html?tabs=pwd](http://192.168.145.17/ac_portal/default/pc.html?tabs=pwd)

RTX 1229 1234

npm config set registry <http://192.168.13.60:8081/nexus/content/repositories/NPM/> 配置js私服

27238

172.17.3.115

电话

客服部 4230 方立坤

88709487 湖北武汉 1307155303

行销PIMP <http://192.168.26.107:20089/pimp>

emanage <http://192.168.26.121:9001/home/homeManage.do?action=viewHome>

测试账号 湖北武汉 18682189522

富德保险控股股份有限公司 吴浩然 28298803, 18129982369

周雪梅 07558762

黄勇 07555237

数据库

mysql开发库

ecoredbint2=jdbc:mysql://192.168.26.95:3306/ecore\_dev?useUnicode=true&characterEncoding=UTF-8  
deployop=deployop123

业务员认证 15270654285 [hubceshi02@chinacriagent.com](mailto:hubceshi02@chinacriagent.com)

财务系统 [http://bep.sino-life.com/SL\\_BEP/SsoLogin.sso](http://bep.sino-life.com/SL_BEP/SsoLogin.sso)

开发地址

行销系统 <http://localhost:8089/pimp>

开发TOMCAT	ecore	8084 8005 8098 1099
	echannel	8085 8006 8099 1100
	prenew	8086 8007 8100
	emanage	8087 8008 8101
	carpcip	8088 8009 8102 1101
	pimp	8089 8010 8103 1102
	nep-admin	8090 8011 8104 1103
	pmanage	8091 8012 8105 1104
	rsbi	8092 8013 8106 1105
	ppsp	8093 8014 8107 1106

[-Dcom.chinacri.cloud.service.AuthService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PubMenuService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PubSystemService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PubCodeService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PubUserService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PubRoleService=dubbo://localhost:20880](#)

[-Dcom.chinacri.cloud.service.PermissionService=dubbo://localhost:20880](#)

weblogic 配置

-Xms1024M -Xmx2048M -XX:PermSize=512m -XX:MaxPermSize=1024m

<http://192.168.13.40:8003/#/service?filter=%2a&pattern=service>

[ceshi-shenzhen@chinacriagent.com](mailto:ceshi-shenzhen@chinacriagent.com)

前端npm的私库搭建好了 通过内网可以下载前端的相关依赖

npm config set registry <http://192.168.13.60:8081/nexus/content/groups/npm-group/>

npm config set registry <http://192.168.13.60:8081/nexus/content/repositories/NPM/>

测试总线

[http://192.168.0.158:30014/SL\\_UM/index?](http://192.168.0.158:30014/SL_UM/index?)

[moduleId=&moduleName=%E4%BA%A7%E9%99%A9%E6%A0%B8%E5%BF%83%E7%B3%BB%E7%BB%9F\(PCIS\)#1c0b3052-eab1-44d1-b5f6-6d713bbf2692](#)

生产总线:

[http://rc.sino-life.com/SL\\_RC/index#8656c713-8799-4560-98f0-39055da02a4c](http://rc.sino-life.com/SL_RC/index#8656c713-8799-4560-98f0-39055da02a4c)

PPSP

账号密码: mwuser

1190(周武) 09-09 11:08:29

DEV:192.168.26.104 TEST:192.168.26.105

172.16.133.19

```
route delete 0.0.0.0
route delete 192.0.0.0
route delete 172.0.0.0
route delete 10.0.0.0
route delete 112.0.0.0
```

```
route add 0.0.0.0 mask 0.0.0.0 192.168.255.1 -p
route add 192.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 172.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 10.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 112.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 129.0.0.0 mask 255.0.0.0 172.16.222.1 -p
```

```
route delete 0.0.0.0
route delete 192.0.0.0
route delete 172.0.0.0
route delete 10.0.0.0
route delete 112.0.0.0
```

```
route add 0.0.0.0 mask 0.0.0.0 192.168.255.1 -p
route add 192.0.0.0 mask 255.0.0.0 172.16.207.1 -p
route add 172.0.0.0 mask 255.0.0.0 172.16.207.1 -p
route add 10.0.0.0 mask 255.0.0.0 172.16.207.1 -p
route add 112.0.0.0 mask 255.0.0.0 172.16.207.1 -p
```

```
route delete 0.0.0.0
route delete 192.0.0.0
route delete 172.0.0.0
route delete 10.0.0.0
route delete 112.0.0.0
```

```
route add 0.0.0.0 mask 0.0.0.0 192.168.255.1 -p
route add 192.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 172.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 10.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 112.0.0.0 mask 255.0.0.0 172.16.222.1 -p
route add 129.0.0.0 mask 255.0.0.0 172.16.222.1 -p
```

```
route delete 0.0.0.0
route delete 192.0.0.0
route delete 172.0.0.0
route delete 10.0.0.0
route delete 112.0.0.0
```

```
route add 0.0.0.0 mask 0.0.0.0 192.168.255.1 -p
```

```
route add 192.0.0.0 mask 255.0.0.0 172.16.133.1 -p
route add 172.0.0.0 mask 255.0.0.0 172.16.133.1 -p
route add 10.0.0.0 mask 255.0.0.0 172.16.133.1 -p
```

```
java -classpath D:\daily\Weblogic\Middleware\wlserver_10.3\server\lib\weblogic.jar
weblogic.security.utils.AdminAccount weblogic weblogic123
```

zhiwei.liu003@sino-life.com Sinolife2009

zhiwei.liu003@china-cri.com



资源配置.xlsx  
48.32KB

飞秋



fei.q.txt  
127B

xshell



xshell.xts  
48.5KB

公司网址



网址导航.html  
18.94KB

6000



settings.zip  
16.16KB

打印 \\172.16.192.20

-Ddubbo.resolve.file="D:\dubbo-resolve.properties"

-Ddubbo.resolve.file="D:\dubbo-resolve-platform.properties"

```
D:\daily\java\jdk\jdk1.8.0_131\bin\java.exe ...
Connected to the target VM, address: '127.0.0.1:59299', transport: 'socket'
2020-03-23 10:03:23,369:INFO main (AppConstants.java:30) - AppConstants-----加载转码识别类:start
加载base64样本数据到map用时: 197520
加载model耗时: 790
2020-03-23 10:06:41,693:INFO main (AppConstants.java:33) - AppConstants-----加载转码识别类:end
```

17737

```
BeanPostProcessor.java:109) - The properties of bean [name : org.apache.dubbo.config.ProviderConfig] have been binding by prefix of configuration properties : dubbo.provider
der.java:237) - load ContextCore[null] extension by class[io.seata.core.c

ervice]$ tail -f common-all.log
trationDelegate.java:330) - Bean 'org.springframework.cloud.autoconfigure.ConfigurationPropertiesRebinderAutoConfiguration' of type [
ngCGLIB$$1da3249d] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)
- UT026010: Buffer pool was not set on WebSocketDeploymentInfo, the default pool will be used
.java:364) - Initializing Spring embedded WebApplicationContext
plicationContext.java:284) - Root WebApplicationContext: initialization completed in 17737 ms
urce.java:121) - No URLs will be polled as dynamic configuration sources.
urce.java:122) - To enable URLs as dynamic configuration sources, define System property archaius.configurationSource.additionalUrls
tory.java:281) - DynamicPropertyFactory is initialized with configuration sources: com.netflix.config.ConcurrentCompositeConfiguratio
BeanPostProcessor.java:109) - The properties of bean [name : org.apache.dubbo.config.ProtocolConfig#0] have been binding by prefix of
BeanPostProcessor.java:109) - The properties of bean [name : org.apache.dubbo.config.ProviderConfig#0] have been binding by prefix of
der.java:237) - load ContextCore[null] extension by class[io.seata.core.context.ThreadLocalContextCore]
BeanPostProcessor.java:109) - The properties of bean [name : org.apache.dubbo.config.spring.ConfigCenterBean#0] have been binding by
```

```

0-03-23 15:30:48,310:INFO main (NioXnio.java:55) - XNIO NIO Implementation Version 3.3.8.Final
0-03-23 15:30:48,540:INFO main (UndertowServletWebServer.java:144) - Undertow started on port(s) 9112 (http) v
0-03-23 15:30:48,543:INFO main (EurekaAutoServiceRegistration.java:145) - Updating port to 9112
0-03-23 15:30:48,601:INFO main (StartupInfoLogger.java:59) - Started CoreServiceApplication in 195.028 seconds
0-03-23 15:34:30,907:INFO main (AppConstants.java:28) - AppConstants-----加载转码识别类:start
0-03-23 15:34:38,419:INFO main (ImageUtil.java:512) - 加载base64样本数据到map用时: 7471
0-03-23 15:34:38,457:INFO main (AppConstants.java:31) - AppConstants-----加载转码识别类:end
0-03-23 15:34:38,457:INFO main (AppConstants.java:118) - AppConstants-----init:start

```

```

2020-03-24 11:01:41,789:INFO DubboServerHandler-192.168.26.111:21211-thread-84 (AuthorizationProviderFilter.java:22) - 调用接口信息: psdCoreP
terface com.chinacri.cloud.platform.service.GgCodeTransferService
2020-03-24 11:01:41,791:INFO DubboServerHandler-192.168.26.111:21211-thread-84 (DubboParamFilter.java:29) - takeTime:2 ms
2020-03-24 11:02:52,207:INFO AsyncResolver-bootstrap-executor-0 (ConfigClusterResolver.java:43) - Resolving eureka endpoints via configuration
2020-03-24 11:07:56,943:INFO main (AppConstants.java:28) - AppConstants-----加载转码识别类:start
2020-03-24 11:08:06,818:INFO main (ImageUtil.java:512) - 加载base64样本数据到map用时: 7628
2020-03-24 11:08:09,188:INFO main (SvmClassifier.java:28) - 加载model耗时: 2346
2020-03-24 11:08:09,199:INFO main (AppConstants.java:31) - AppConstants-----加载转码识别类:end

```


root/xing123.

mysql root xing1234

47.106.78.55

120.77.218.141 root Zhul8370992727

http://m-uat.fundins.com/nacos 注册中心的地址 账号名和密码 nacos nacos



现在下载js依赖不用连接外网 用我们自己搭建的js私服即可 配置文件 .npmrc  
文件地址修改: C:\Users\{用户}

mwuser sino99sino

<mirror>

<id>maven-central</id>

<mirrorOf>central</mirrorOf>

<name>Nexus repository</name>

<url>http://192.168.13.60:8081/repository/maven-central/</url>

</mirror>

node的.npmrc替换成

registry=http://192.168.13.60:8081/repository/npm-public/

sass\_binary\_site=http://192.168.13.60:8081/repository/npm-taobao-mirrors/node-sass

chromedriver\_cdnurl=http://192.168.13.60:8081/repository/npm-taobao-mirrors/chromedriver

npm install --registry=http://192.168.13.60:8081/repository/npm-public/

npm i node-sass --sass\_binary\_site=http://192.168.13.60:8081/repository/npm-taobao-mirrors/node-sass

npm install chromedriver --chromedriver\_cdnurl=<http://192.168.13.60:8081/repository/npm-taobao-mirrors/chromedriver>

npm install chromedriver --chromedriver\_cdnurl=http://cdn.npm.taobao.org/dist/chromedriver

阿里云服务器 大猩猩

root/xing123.

mysql root xing1234

47.106.78.55

测试环境行销系统工号



行销工号.txt  
825B

核心weblogic

<http://localhost:7001/>

-Xms1024M -Xmx2048M -XX:PermSize=512m -XX:MaxPermSize=1024m

C:\Oracle\Middleware\user\_projects\domains\base\_domain

mq thirdAdmin fd\_2017

SINCE.1188