Sprawozdanie z Laboratorium nr 2

Przedmiot: Integracja Systemów Informatycznych
Temat: System Blogowy
Data: 31.03.2026
Student: Oliwia Ankiewicz

---

1. Cel laboratorium

Stworzenie lokalnej wersji aplikacji 'Blog' w dowolnej technologii internetowej (wybrałam Blazor) oraz opanowanie pracy na gałęziach

2. Realizacja zadań

Największą trudnością napotkaną w trakcie realizacji zadania okazało się przygotowanie niniejszego sprawozdania. Łącznie, aby zrealizować te laboratoria utworzyłam 3 repozytoria z tą samą aplikacją. Przy jednej z prób wybrałam podejście każdej nowej zmiany na nowym branchu - następnie oczekiwałam na code review github Copilota, na końcu wprowadzałam ewentualne poprawki w kodzie.

PS. Użyłam SQLite

DODATKOWE LINKI:

-> Link do demo: https://youtu.be/iYJfto5luQA

Zadanie 1: Praca na gałęziach

- **Opis działań:** Rozpoczęłam pracę od przygotowania lokalnego środowiska i połączenia go z nowo utworzonym repozytorium na platformie GitHub.
- **Zastosowane komendy Git:**

```
git init
git remote add origin https://github.com/livcia/integration-lab-2.git
git pull origin main
```

- **Zrzuty ekranu / Fragmenty kodu:**

```
D:\blog>git init
Initialized empty Git repository in D:/blog/.git/

D:\blog>git remote add origin https://github.com/livcia/integration-lab-2.git

D:\blog>git pull origin main
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.44 KiB | 163.00 KiB/s, done.
From https://github.com/livcia/integration-lab-2
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main

D:\blog>
```

Zadanie 2: Inicjalizacja aplikacji:

- **Opis działań:** Zgodnie z zasadą Feature Branch Workflow, stworzyłam nową gałąź feature/blog-app, na której realizowana była cała funkcjonalność aplikacji.
- **Zastosowane komendy Git:**

```
git checkout -b feature/blog-app
git status
git add .
git commit -m "Add blog app to projects + add .gitignore"
```

- **Zastosowane pozostałe komendy:**

```
dotnet new blazor -n Blog
```

- **Zrzuty ekranu / Fragmenty kodu:**

```
PS D:\blog> git branch
  * feature/blog-app
    master
PS D:\blog>
PS D:\blog> git status
On branch feature/blog-app
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        Blog/

nothing added to commit but untracked files present (use "git add" to track)
PS D:\blog> git add .
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-grid.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-reboot.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap-utilities.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/css/bootstrap.rtl.min.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.bundle.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.esm.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Blog/wwwroot/lib/bootstrap/dist/js/bootstrap.min.js', LF will be replaced by CRLF the next time Git touches it
PS D:\blog> git commit -m "Add blog app to projects + add .gitignore"
```

Zadanie 3: Definicja modeli:

- **Opis działań:** W ramach tej części zadania zaprojektowałam strukturę danych aplikacji. Utworzyłam klasę User reprezentującą autorów oraz klasę Post dla wpisów blogowych.
- **Zastosowane komendy Git:**

```
git status
git add .
git commit -m "Define Post and User model"
```

- **Modele Post oraz User:**

```
public class User
{
    public int Id { get; set; }
    public string? Nickname { get; set; }
    public string? Email { get; set; }
    public string? Password { get; set; }
    public string? RegisterDate { get; set; }
    public ICollection<Post>? Posts { get; set; }
}

public class Post
{
    public int Id { get; set; }
    public string? Title { get; set; }
    public string? Content { get; set; }
    public string? Created_At { get; set; }
    public string? Published_At { get; set; }
    public string? Photo { get; set; }
    public bool is_published { get; set; } = false;
    public int author { get; set; }
    [ForeignKey(nameof(author))]
    public User? User { get; set; }
}
```

- **Zrzuty ekranu / Fragmenty kodu:**

```
D:\blog>git status
On branch feature/blog-app
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   Blog/Data/posts.cs
        new file:   Blog/Data/users.cs


D:\blog>git add .

D:\blog>git commit -m "Define Post and User model"
[feature/blog-app 90603b6] Define Post and User model
 2 files changed, 32 insertions(+)
 create mode 100644 Blog/Data/posts.cs
 create mode 100644 Blog/Data/users.cs

D:\blog>
```

Zadanie 4: Migracje i Panel Administratora:

- **Opis działań:** Aby umożliwić trwałe przechowywanie danych, do projektu dodałam pakiety NuGet dla Entity Framework Core oraz obsługi bazy SQLite.
- **Zastosowane komendy Git:**

```
git status
git add .
git commit -m "Initialize database and basic administrative access"
```

- **Zastosowane pozostałe komendy:**

```
dotnet add package Microsoft.EntityFrameworkCore
dotnet add package Microsoft.EntityFrameworkCore.Sqlite
dotnet add package Microsoft.EntityFrameworkCore.Design
dotnet add package HtmlSanitizer
dotnet ef migrations add InitialCreate
dotnet ef database update
```

- **Zrzuty ekranu / Fragmenty kodu:**



Zadanie 5: Widoki i Szablony:

- **Opis działań:** Opracowałam warstwę prezentacji aplikacji, tworząc komponenty Razor odpowiedzialne za wyświetlanie treści. Zaimplementowałam widok listy (strona główna), który dynamicznie pobiera wszystkie posty z bazy danych, oraz widok szczegółowy, wyświetlający pełną treść konkretnego wpisu na podstawie przekazanego parametru ID.
- **Zastosowane komendy Git:**

```
git status
git add .
git commit -m "Implement basic views for blog posts"
```

- **Zrzuty ekranu / Fragmenty kodu:**

```
D:\blog>git status
On branch feature/blog-app
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Blog/Components/Pages/Error.razor
        modified:   Blog/Components/Pages/Home.razor
        modified:   Blog/Components/Pages/NotFound.razor
        modified:   Blog/Data/posts.db
        modified:   Blog/wwwroot/app.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Blog/Components/Pages/EditPost/NotFound.razor.css
        Blog/Components/Pages/NotFound.razor.css
        Blog/Components/Pages/PostDetail/
        Blog/Components/Pages/Posts/

no changes added to commit (use "git add" and/or "git commit -a")

D:\blog>git add .

D:\blog>git commit -m "Implement basic views for blog posts"
[feature/blog-app 11beab3] Implement basic views for blog posts
 13 files changed, 379 insertions(+), 86 deletions(-)
 create mode 100644 Blog/Components/Pages/EditPost/NotFound.razor.css
 create mode 100644 Blog/Components/Pages/NotFound.razor.css
 create mode 100644 Blog/Components/Pages/PostDetail/PostDetail.razor
 create mode 100644 Blog/Components/Pages/PostDetail/PostDetail.razor.cs
 create mode 100644 Blog/Components/Pages/PostDetail/PostDetail.razor.css
 create mode 100644 Blog/Components/Pages/Posts/Posts.razor
 create mode 100644 Blog/Components/Pages/Posts/Posts.razor.cs
 create mode 100644 Blog/Components/Pages/Posts/Posts.razor.css
```



Zadanie 6: Zarządzanie zmianami i Merge:

- **Opis działań:** Wypchnęłam gałąź funkcjonalną feature/blog-app na serwer GitHub

- **Zastosowane komendy Git:**

```
git status
git push origin feature/blog-app
```

- **Zrzuty ekranu / Fragmenty kodu:**

```
D:\blog>git status
On branch feature/blog-app
nothing to commit, working tree clean

D:\blog>git push origin feature/blog-app
Enumerating objects: 142, done.
Counting objects: 100% (142/142), done.
Delta compression using up to 12 threads
Compressing objects: 100% (136/136), done.
Writing objects: 100% (141/141), 810.92 KiB | 4.20 MiB/s, done.
Total 141 (delta 46), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (46/46), done.
remote:
remote: Create a pull request for 'feature/blog-app' on GitHub by visiting:
remote:      https://github.com/livcia/integration-lab-2/pull/new/feature/blog-app
remote:
To https://github.com/livcia/integration-lab-2.git
 * [new branch]      feature/blog-app -> feature/blog-app

D:\blog>
```









3. Dokumentacja pracy z Gitem

- **Link do repozytorium:** Link do repo
- **Historia commitów:** Link do historii na GitHub git log --graph --oneline:

```
D:\blog>git log --graph --oneline
* 11beab3 (HEAD -> feature/blog-app, origin/feature/blog-app) Implement basic views for blog posts
* 8395192 Initialize database and basic administrative access
* 90603b6 Define Post and User model
* 381678f Add blog app to projects + add .gitignore
* 7ba274f (origin/main, master) Initial commit
```

4. Wnioski

Laboratorium było świetną okazją do przetestowania frameworka Blazor w praktyce. Ciekawym doświadczeniem było włączenie GitHub Copilota do procesu Code Review. Konsultowanie zmian z AI przed mergem do głównej gałęzi pomogło mi wyłapać drobne błędy.