

DELFT UNIVERSITY OF TECHNOLOGY

COMPUTER VISION  
IN4393

---

## Assignment 3: Image Alignment and Stitching

---

March 19th, 2018



## Image alignment

In this assignment you will write a function that takes two images as input and computes the affine transform between them. You will work with supplied boat images. The overall scheme is as follows:

1. Detect interest points in each image.
2. Characterize the local appearance of the regions around interest points.
3. Get the set of supposed matches between region descriptors in each image.
4. Perform RANSAC to discover the best transformation between images.

The first three steps can be performed using David Lowe's SIFT. You can use the functions `[frames, desc]=sift(im)` and `[matches]=siftmatch(desc1,desc2)` from Andrea Vedaldi sift implementation (to download check <http://www.vlfeat.org/vedaldi/assets/sift/versions/>, you need the latest version 0.9.19). The final stage, running RANSAC, should be performed as follows:

- Repeat  $N$  times:
- Pick  $P$  matches at random from the total set of matches  $T$ .
- Construct a matrix  $A$  and vector  $b$  using the  $P$  pairs of points and find transformation parameters  $(m_1, m_2, m_3, m_4, t_1, t_2)$  by solving the equation  $Ax = b$ . Hint: Equation  $Ax=b$  can be solved using pseudo-inverse:  $x = (A^T X)^{-1} A^T b$ , or  $x = \text{pinv}(A) * b$  in Matlab.




Figure 1: Affine transform

- Using the transform parameters, transform the locations of all  $T$  points in image 1. If the transform is correct, they should lie close to their counterparts in image 2. Plot the two images side by side with a line connecting the original  $T$  points image 1 and transformed  $T$  points over image 2.

- Count the numbers of inliers being defined as the number of transformed points from image 1 that lie within a radius of 10 pixels of their pair in image 2.
- If this count exceeds the best total so far, save the transformation parameters and the set of inliers.
- End repeat.
- Finally, transform image 1 using this final set of transformation parameters. If you display this image you should find that the pose of the object in the scene should correspond to its pose in image 2. To transform the image, use the build-in Matlab functions `imtransform` and `maketform`.

How many iterations in average are needed to find good transformation parameters? Please write the answer in your report.

## Image Stitching

In this assignment you will write a function that takes two images as input and stitch them together. You will work with supplied image *left.jpg* and *right.jpg*. The overall scheme can be summarized as follows:

1. As in previous task, you should first find the best transformation between input images.
2. Then you should estimate the size of the stitched image. Hint: calculate the transformed coordinate of corners of the *right.jpg*
3. Finally, combine the *left.jpg* with the transformed *right.jpg* in one image.

## Extra credit

For extra credits, in addition to the given task, compute projective transformation (homography) between the given images, and align them using the found homography.

## Deliverables

Two demos with images alignment and image stitching should be submitted. The code should run without any adjustments once it is unpacked (please, check all paths and make sure all files are in place). Additionally, the figures showing the initial, transformed and target boat images together with the combined *left.jpg* and *right.jpg* image should also be submitted. Provide resultant images.