

CCC '14 J3 - Double Dice

Time Limit: 2.0s **Memory Limit:** 256M

Canadian Computing Competition: 2014 Stage 1, Junior #3

Antonia and David are playing a game. Each player starts with 100 points.

The game uses standard six-sided dice and is played in rounds. During one round, each player rolls one die. The player with the lower roll loses the number of points shown on the higher die. If both players roll the same number, no points are lost by either player.

Write a program to determine the final scores.

Input Specification

The first line of input contains the integer n ($1 \leq n \leq 15$), which is the number of rounds that will be played. On each of the next n lines, will be two integers: the roll of Antonia for that round, followed by a space, followed by the roll of David for that round. Each roll will be an integer between 1 and 6 (inclusive).

Output Specification

The output will consist of two lines. On the first line, output the number of points that Antonia has after all rounds have been played. On the second line, output the number of points that David has after all rounds have been played.

Sample Input

```
4
5 6
6 6
4 3
5 2
```

Output for Sample Input

```
94
91
```

Explanation of Output for Sample Input

After the first round, David wins, so Antonia loses 6 points. After the second round, there is a tie and no points are lost. After the third round, Antonia wins, so David loses 4 points. After the fourth round, Antonia wins, so David loses 5 points. In total, Antonia has lost 6 points and David has lost 9 points.