

UISettingsAutoHideScrollBarsChangedEventArgs

UISettings

UISettings.AutoHideScrollBars

UISettings.AutoHideScrollBarsChanged

Windows.UI.ViewManagement.Core

CoreInputView

CoreInputView.GetForUIContext

Windows.UI.WindowManagement

AppWindow

AppWindow

AppWindowChangedEventArgs

AppWindowChangedEventArgs

AppWindowChangedEventArgs.DidAvailableWindowPresentationsChange

AppWindowChangedEventArgs.DidDisplayRegionsChange

AppWindowChangedEventArgs.DidFrameChange

AppWindowChangedEventArgs.DidSizeChange

AppWindowChangedEventArgs.DidTitleBarChange

AppWindowChangedEventArgs.DidVisibilityChange

AppWindowChangedEventArgs.DidWindowingEnvironmentChange

AppWindowChangedEventArgs.DidWindowPresentationChange

AppWindowClosedEventArgs

AppWindowClosedEventArgs

AppWindowClosedEventArgs.Reason

AppWindowClosedReason

AppWindowClosedReason

AppWindowCloseRequestedEventArgs

AppWindowCloseRequestedEventArgs

AppWindowCloseRequestedEventArgs.Cancel

AppWindowCloseRequestedEventArgs.GetDeferral

AppWindowFrame

AppWindowFrame

AppWindowFrameStyle

AppWindowFrameStyle

AppWindowFrame

AppWindowFrame.DragRegionVisuals

AppWindowFrame.GetFrameStyle

AppWindowFrame.SetFrameStyle

AppWindowPlacement

AppWindowPlacement

AppWindowPlacement.DisplayRegion

AppWindowPlacement.Offset

AppWindowPlacement.Size

AppWindowPresentationConfiguration

AppWindowPresentationConfiguration

AppWindowPresentationConfiguration.Kind

AppWindowPresentationKind

AppWindowPresentationKind

AppWindowPresenter

AppWindowPresenter

AppWindowPresenter.GetConfiguration

AppWindowPresenter.IsPresentationSupported
AppWindowPresenter.RequestPresentation
AppWindowPresenter.RequestPresentation

AppWindowTitleBar

AppWindowTitleBar

AppWindowTitleBarOcclusion

AppWindowTitleBarOcclusion
AppWindowTitleBarOcclusion.OccludingRect

AppWindowTitleBarVisibility

AppWindowTitleBarVisibility

AppWindowTitleBar

AppWindowTitleBar.BackgroundColor
AppWindowTitleBar.ButtonBackgroundColor
AppWindowTitleBar.ButtonForegroundColor
AppWindowTitleBar.ButtonHoverBackgroundColor
AppWindowTitleBar.ButtonHoverForegroundColor
AppWindowTitleBar.ButtonInactiveBackgroundColor
AppWindowTitleBar.ButtonInactiveForegroundColor
AppWindowTitleBar.ButtonPressedBackgroundColor
AppWindowTitleBar.ButtonPressedForegroundColor
AppWindowTitleBar.ExtendsContentIntoTitleBar
AppWindowTitleBar.ForegroundColor
AppWindowTitleBar.GetPreferredVisibility
AppWindowTitleBar.GetTitleBarOcclusions
AppWindowTitleBar.InactiveBackgroundColor
AppWindowTitleBar.InactiveForegroundColor
AppWindowTitleBar.IsVisible
AppWindowTitleBar.SetPreferredVisibility

AppWindow

AppWindow.Changed
AppWindow.ClearAllPersistedState
AppWindow.ClearPersistedState
AppWindow.CloseAsync
AppWindow.Closed
AppWindow.CloseRequested
AppWindow.Content
AppWindow.DispatcherQueue
AppWindow.Frame
AppWindow.GetDisplayRegions
AppWindow.GetPlacement
AppWindow.IsVisible
AppWindow.PersistedStateId
AppWindow.Presenter
AppWindow.RequestMoveAdjacentToCurrentView
AppWindow.RequestMoveAdjacentToWindow
AppWindow.RequestMoveRelativeToDisplayRegion
AppWindow.RequestMoveToDisplayRegion
AppWindow.RequestSize
AppWindow.Title
AppWindow.TitleBar
AppWindow.TryCreateAsync
AppWindow.TryShowAsync
AppWindow.UIContext
AppWindow.WindowingEnvironment

CompactOverlayPresentationConfiguration

CompactOverlayPresentationConfiguration
CompactOverlayPresentationConfiguration.#ctor

DefaultPresentationConfiguration

DefaultPresentationConfiguration
DefaultPresentationConfiguration.#ctor

DisplayRegion

DisplayRegion
DisplayRegion.Changed

DisplayRegion.DisplayMonitorDeviceId
DisplayRegion.IsVisible
DisplayRegion.WindowingEnvironment
DisplayRegion.WorkAreaOffset
DisplayRegion.WorkAreaSize

FullScreenPresentationConfiguration

FullScreenPresentationConfiguration
FullScreenPresentationConfiguration.#ctor
FullScreenPresentationConfiguration.IsExclusive

WindowingEnvironment

WindowingEnvironment

WindowingEnvironmentAddedEventArgs

WindowingEnvironmentAddedEventArgs
WindowingEnvironmentAddedEventArgs.WindowingEnvironment

WindowingEnvironmentChangedEventArgs

WindowingEnvironmentChangedEventArgs

WindowingEnvironmentKind

WindowingEnvironmentKind

WindowingEnvironmentRemovedEventArgs

WindowingEnvironmentRemovedEventArgs
WindowingEnvironmentRemovedEventArgs.WindowingEnvironment

WindowingEnvironment

WindowingEnvironment.Changed
WindowingEnvironment.FindAll
WindowingEnvironment.FindAll
WindowingEnvironment.GetDisplayRegions

WindowingEnvironment.IsEnabled

WindowingEnvironment.Kind

Windows.UI.WindowManagement.Preview

WindowManagementPreview

WindowManagementPreview

WindowManagementPreview.SetPreferredMinSize

Windows.UI.Xaml

UIElementWeakCollection

UIElementWeakCollection

UIElementWeakCollection.Append

UIElementWeakCollection.Clear

UIElementWeakCollection.First

UIElementWeakCollection.GetAt

UIElementWeakCollection.GetMany

UIElementWeakCollection.GetView

UIElementWeakCollection.IndexOf

UIElementWeakCollection.InsertAt

UIElementWeakCollection.RemoveAtEnd

UIElementWeakCollection.RemoveAt

UIElementWeakCollection.ReplaceAll

UIElementWeakCollection.SetAt

UIElementWeakCollection.Size

UIElementWeakCollection.#ctor

UIElement

UIElement.ActualOffset

UIElement.ActualSize

UIElement.Shadow

UIElement.ShadowProperty

UIElement.UIContext

UIElement.XamlRoot

Window

Window.UIContext

XamlRoot

XamlRoot

XamlRootChangedEventArgs

XamlRootChangedEventArgs

XamlRoot

XamlRoot.Changed

XamlRoot.Content

XamlRoot.IsHostVisible

XamlRoot.RasterizationScale

XamlRoot.Size

XamlRoot.UIContext

Windows.UI.Xaml.Controls

DatePickerFlyoutPresenter

DatePickerFlyoutPresenter.IsDefaultShadowEnabled

DatePickerFlyoutPresenter.IsDefaultShadowEnabledProperty

FlyoutPresenter

FlyoutPresenter.IsDefaultShadowEnabled

FlyoutPresenter.IsDefaultShadowEnabledProperty

InkToolbar

InkToolbar.TargetInkPresenter

InkToolbar.TargetInkPresenterProperty

MenuFlyoutPresenter

MenuFlyoutPresenter.IsDefaultShadowEnabled

MenuFlyoutPresenter.IsDefaultShadowEnabledProperty

TimePickerFlyoutPresenter

TimePickerFlyoutPresenter.IsDefaultShadowEnabled

TimePickerFlyoutPresenter.IsDefaultShadowEnabledProperty

TwoPaneView

TwoPaneView

TwoPaneViewMode

TwoPaneViewMode

TwoPaneViewPriority

TwoPaneViewPriority

TwoPaneViewTallModeConfiguration

TwoPaneViewTallModeConfiguration

TwoPaneView

TwoPaneView.MinTallModeHeight

TwoPaneView.MinTallModeHeightProperty

TwoPaneView.MinWideModeWidth

TwoPaneView.MinWideModeWidthProperty

TwoPaneView.Mode

TwoPaneView.ModeChanged

TwoPaneView.ModeProperty

TwoPaneView.Pane1

TwoPaneView.Pane1Length

TwoPaneView.Pane1LengthProperty

TwoPaneView.Pane1Property

TwoPaneView.Pane2

TwoPaneView.Pane2Length

TwoPaneView.Pane2LengthProperty

TwoPaneView.Pane2Property
TwoPaneView.PanePriority
TwoPaneView.PanePriorityProperty
TwoPaneView.TallModeConfiguration
TwoPaneView.TallModeConfigurationProperty
TwoPaneView.#ctor
TwoPaneView.WideModeConfiguration
TwoPaneView.WideModeConfigurationProperty

Windows.UI.Xaml.Controls.Maps

MapControl

MapControl.CanTiltDown
MapControl.CanTiltDownProperty
MapControl.CanTiltUp
MapControl.CanTiltUpProperty
MapControl.CanZoomIn
MapControl.CanZoomInProperty
MapControl.CanZoomOut
MapControl.CanZoomOutProperty

Windows.UI.Xaml.Controls.Primitives

AppBarTemplateSettings

AppBarTemplateSettings.NegativeCompactVerticalDelta
AppBarTemplateSettings.NegativeHiddenVerticalDelta
AppBarTemplateSettings.NegativeMinimalVerticalDelta

CommandBarTemplateSettings

CommandBarTemplateSettings.OverflowContentCompactYTranslation
CommandBarTemplateSettings.OverflowContentHiddenYTranslation
CommandBarTemplateSettings.OverflowContentMinimalYTranslation

FlyoutBase

FlyoutBase.IsConstrainedToRootBounds
FlyoutBase.ShouldConstrainToRootBounds
FlyoutBase.ShouldConstrainToRootBoundsProperty
FlyoutBase.XamlRoot

Popup

Popup.IsConstrainedToRootBounds
Popup.ShouldConstrainToRootBounds
Popup.ShouldConstrainToRootBoundsProperty

Windows.UI.Xaml.Documents

TextElement

TextElement.XamlRoot

Windows.UI.Xaml.Hosting

ElementCompositionPreview

ElementCompositionPreview.GetAppWindowContent
ElementCompositionPreview.SetAppWindowContent

Windows.UI.Xaml.Input

FocusManager

FocusManager.GetFocusedElement

Windows.UI.Xaml.Media

AcrylicBrush

AcrylicBrush.TintLuminosityOpacity
AcrylicBrush.TintLuminosityOpacityProperty

Shadow

Shadow

ThemeShadow

ThemeShadow

ThemeShadow.Receivers

ThemeShadow.#ctor

VisualTreeHelper

VisualTreeHelper.GetOpenPopupsForXamlRoot

Windows.UI.Xaml.Media.Animation

GravityConnectedAnimationConfiguration

GravityConnectedAnimationConfiguration.IsShadowEnabled

Windows.Web

Windows.Web.Http

HttpClient

HttpClient.TryDeleteAsync

HttpClient.TryGetAsync

HttpClient.TryGetAsync

HttpClient.TryGetBufferAsync

HttpClient.TryGetInputStreamAsync

HttpClient.TryGetStringAsync

HttpClient.TryPostAsync

HttpClient.TryPutAsync

HttpClient.TrySendRequestAsync

HttpClient.TrySendRequestAsync

HttpGetBufferResult

HttpGetBufferResult

HttpGetBufferResult.Close

HttpGetBufferResult.ExtendedError
HttpGetBufferResult.RequestMessage
HttpGetBufferResult.ResponseMessage
HttpGetBufferResult.Succeeded
HttpGetBufferResult.ToString
HttpGetBufferResult.Value

HttpGetInputStreamResult

HttpGetInputStreamResult
HttpGetInputStreamResult.Close
HttpGetInputStreamResult.ExtendedError
HttpGetInputStreamResult.RequestMessage
HttpGetInputStreamResult.ResponseMessage
HttpGetInputStreamResult.Succeeded
HttpGetInputStreamResult.ToString
HttpGetInputStreamResult.Value

HttpGetStringResult

GetStringResult
GetStringResult.Close
GetStringResult.ExtendedError
GetStringResult.RequestMessage
GetStringResult.ResponseMessage
GetStringResult.Succeeded
GetStringResult.ToString
GetStringResult.Value

HttpRequestResult

HttpRequestResult
HttpRequestResult.Close
HttpRequestResult.ExtendedError
HttpRequestResult.RequestMessage
HttpRequestResult.ResponseMessage
HttpRequestResult.Succeeded
HttpRequestResult.ToString

Windows.Web.Http.Filters

HttpBaseProtocolFilter

HttpBaseProtocolFilter.CreateForUser

HttpBaseProtocolFilter.User

IWebViewControl2

IWebViewControl2.AddInitializeScript

What's New in Windows 10 for developers, build 17763

Article • 10/20/2022

Windows 10 build 17763 (also known as the October 2018 Update or version 1809), in combination with Visual Studio 2019 and the updated SDK, provide the tools, features, and experiences to make remarkable Universal Windows Platform apps. [Install the tools and SDK](#) on Windows 10 and you're ready to either [create a new Universal Windows app](#) or explore how you can use your [existing app code on Windows](#).

This is a collection of new and improved features and guidance of interest to Windows developers in this release. For a full list of new namespaces added to the Windows SDK, see the [Windows 10 build 17763 API changes](#). For more information on the highlighted features of Windows 10, see [What's cool in Windows 10](#). In addition, see [Windows Developer Platform features](#) for a high-level overview of both past and future additions to the Windows platform.

Design & UI

 Expand table

Feature	Description
App icons and logos	The app icons and logos page has been rewritten, and now shows the latest Visual Studio icon tools and provides information on adding images to your app's listing in the Microsoft Store.
Design landing page	The updated Design landing page has an at-a-glance overview of UWP design areas and information on the latest additions to Fluent Design.
Fluent Design controls	The following new UI controls have been added, to enhance the Fluent Design System and the appearance of your apps: * CommandBarFlyout lets you show common user tasks in the context of an item on your UI canvas. * DropDownButton, SplitButton, and ToggleSplitButton provide button controls with specialized features to enhance your app's user interface. * MenuBar shows a set of multiple top-level menus in horizontal rows. * NavigationView now supports Top navigation, for cases in which your app has a smaller number of navigation options and requires more space for content. * TreeView has been enhanced to support data binding, item templates, and drag and drop.

Feature	Description
Fluent Design updates	Visual updates and minor changes have been made to the following Fluent Design pages: * Alignment, padding, margins * Color * Fluent Design for Windows apps * Introduction to app design * Navigation basics * Responsive design techniques * Screen sizes and breakpoints * Style overview * Writing style In addition, we've rewritten the following pages with all-new information on their content areas: * Icons now provides practical recommendations for using icons and making them clickable. * Typography consolidates information from similar articles, putting everything in a single place with updated guidance and illustrations.
Gaze input and interactions	Gaze interactions allow your app to track a user's gaze, attention, and presence based on the location and movement of their eyes. This feature can be used as an assistive technology, and provides opportunities for gaming and other interactive scenarios where traditional input devices are not available.
Handwriting view	HandwritingView is the new ink input surface for TextBox and RichEditBox. Users can tap a text control with their pen to expand the control into a writing surface. This guidance explains how to manage and customize the HandwritingView in your application.
Motion in Fluent Design	The use of motion in the Fluent Design System is evolving, built on the fundamentals of timing, easing, directionality, and gravity. Applying these fundamentals will help guide the user through your app, and connects them with their digital experience by reflecting the natural world. Learn more in these articles: * The Motion overview has been updated to reflect these fundamentals. * Motion-in-practice provides examples of how to apply these fundamentals within your app. It also contains information on Implicit Animations, which allow for easy interpolation between old and new value when a XAML element's property is changed. * Directionality and gravity solidifies the user's mental model of your app. * Timing and easing adds realism to the motion in your app. * XAML property animations allow you to directly animate properties of a XAML element, without needing to interact with the underlying composition Visual.
Page transitions	Page transitions navigate users between pages in an app. They help users understand where they are in the navigation hierarchy, and provide feedback about the relationship between pages.

Feature	Description
Text scaling	The new text scaling guidance explains how to update your applications to accommodate the new text scaling behaviors, which provide the ability for users to change relative font size across both the OS and individual applications. Instead of using a magnifier app (which typically just enlarges everything within an area of the screen and introduces its own usability issues), changing display resolution, or relying on DPI scaling (which resizes everything based on display and typical viewing distance), a user can quickly access a setting to resize just text, ranging from 100% (the default size) up to 225%.
Toolkits	The Adobe XD and Adobe Illustrator toolkits have been updated with new features. These design toolkits provide controls and layout templates for designing UWP apps.
UI commanding	Updates to the UWP commanding infrastructure include a better encapsulation of a command object (behavior, label, icon, keyboard accelerators, access key, and description) and a standard set of common commands including cut, copy, paste, exit, etc., which eliminates the need to set these properties manually. The new XamlUICommand class provides a base class for defining the command behavior of an interactive UI element that performs an action when invoked. This is the parent class for StandardUICommand , which exposes a set of standard platform commands with pre-defined properties.
Windows UI Library	The Windows UI Library is a set of NuGet packages that provide controls and other user interface elements for UWP apps. These packages are also compatible with earlier versions of Windows 10, so your app works even if your users don't have the latest OS version. For more information on what's in the Windows UI Library, see this list of API namespaces included in the NuGet package .

Develop Windows apps

 Expand table

Feature	Description
Barcode scanner	The Barcode scanner documentation has been reorganized, and improved with more detail and code snippets. We have also added a new topic, Obtain and understand barcode data , which explains how to obtain and work with data from a barcode scanner.
C++/WinRT	C++/WinRT contains many new features, changes, and fixes for this release. There are new functions and base classes to support you in implementing your own collection properties and collection types ; and you can now use the {Binding} XAML markup extension with your C++/WinRT runtime classes (for code examples, see Data binding overview). For a full description of everything new and changed in this release, see What's new in C++/WinRT .

Feature	Description
	Other new C++/WinRT content includes: XAML custom controls ; Author COM components ; Value categories ; and Strong and weak references .
C++/WinRT code examples	We've added 250 C++/WinRT code listings to topics in our documentation, accompanying existing C++/CX code examples.
Contributing guidance	We've updated our contributing guidance for our UWP documentation. This new guidance clarifies the workflow and expectations for external contributions to our docs.
DirectX Graphics Infrastructure (DXGI)	New documentation has been added for missing DXGI APIs, and we've provided an article about best practices when presenting on Windows 10. * For best performance, use DXGI flip model: Provides guidance on how to maximize performance and efficiency in the presentation stack on modern versions of Windows. * IDXGIOutput6::CheckHardwareCompositionSupport method: Notifies applications that hardware stretching is supported. * DXGI_HARDWARE_COMPOSITION_SUPPORT_FLAGS enumeration: Describes which levels of hardware composition are supported.
Get Started	Our Get Started content has been revitalized with new topics, providing information and guidance on how developers new to Windows 10 may accomplish the following common tasks: * Construct a form * Display customers in a list * Save and load settings * Work with files
Map Style Sheet Editor	Use the new Map Style Sheet Editor application to interactively customize the appearance of maps that you add to your application.
Microsoft Learn	The new Microsoft Learn site provides new hands-on learning and training opportunities to Microsoft developers. Currently, Microsoft Learn provides training and certification for Microsoft 365, Microsoft Azure, and Windows Server.
Notepad	Notepad has been updated , adding zooming, wrap-around find/replace, and support for Unix/Linux (LF) and Mac (CR) line endings.
Project Rome	Project Rome now provides a consistent programming experience across the supported platforms and SDKs. New Microsoft Graph Notifications use Project Rome to offer a people-centric, cross-platform notifications platform for your app.
Screen snipping	New URI schemes let your app programmatically open up a new snip, or launch the Snip & Sketch app with a specific image for annotation.
UWP Controls in	Windows 10 now enables you to use UWP controls in WPF, Windows Forms, and C++ Win32 desktop applications. This means that you can enhance the look, feel,

Feature	Description
desktop applications	and functionality of your existing desktop applications with the latest Windows 10 UI features that are only available via UWP controls, such as Windows Ink and controls that support the Fluent Design System. This feature is called <i>XAML islands</i>. We provide several ways to use XAML islands in your applications, depending on the application platform you are using. WPF and Windows Forms applications can use a set of controls in the Windows Community Toolkit that provide a designer-oriented development experience. C++ Win32 applications must use the <i>UWP XAML hosting API</i> in the Windows.UI.Xaml.Hosting namespace. For more information, see UWP controls in desktop applications. NOTE: The APIs and controls that enable XAML islands are currently available as a developer preview. Although we encourage you to try them out in your own prototype code now, we do not recommend that you use them in production code at this time.
Windows Machine Learning	Windows Machine Learning has now officially launched, providing features like faster evaluation and support for cutting-edge machine learning models. To support developers who want to integrate it into their applications, we have created a new documentation site with several new and updated resources: * Tutorial: Create a Windows Machine Learning Desktop application (C++): This tutorial shows how to build a simple Windows ML application for desktop. * Tutorial: Create a Windows Machine Learning UWP application (C#): Create your first UWP application with Windows ML in this step-by-step tutorial. * Windows.AI.MachineLearning Namespace: The API reference has been updated for the latest release of the Windows 10 SDK, and developers can now use this API for both Win32 and UWP applications.
Windows Mixed Reality	Developers can now request hardware-protected backbuffer textures if supported by the display hardware, allowing applications to use hardware-protected content from sources like PlayReady. Hardware protection support and setting is available for the primary layer by using new properties of Windows.Graphics.Holographic.HolographicCamera, and for Quad layers via Windows.Graphics.Holographic.HolographicQuadLayerUpdateParameters.

IoT Core

 Expand table

Feature	Description
AssignedAccessSettings	The AssignedAccessSettings class enables calls for different methods and properties to access the user's assigned access settings for a specific device.
Default App Overview	The Windows 10 IoT Core Default App has been updated with new features and capabilities, such as weather, inking, and audio.

Feature	Description
Dashboard	The Windows 10 IoT Core Dashboard now allows developers using a Dragonboard 410C or NXP to flash custom FFUs onto their device.
On-Screen Keyboard	The on-screen keyboard for IoT devices now uses the same touch keyboard components as the desktop edition of Windows. This enables features such as dictation mode, IME support, and a full set of input scopes.
Title bars for sign-in dialogs	Windows 10 IoT Core now provides the option to configure title bars for system dialog boxes .
Wake on Touch	Wake on touch enables your device's screen to turn off while not in use, while quickly turning on when a user touches its screen.
Windows.System.Update	The new Windows.System.Update namespace enables interactive control of system updates. This namespace is only available for Windows 10 IoT Core.

Web development

 Expand table

Feature	Description
EdgeHTML 18	The Windows 10 October 2018 update ships with EdgeHTML 18 , the most recent update to the Microsoft Edge browser and the JavaScript engine for UWP apps. EdgeHTML 18 brings modernized and expanded support for the Web Authentication API, new WebView control features, and more! On the tooling side, EdgeHTML 18 brings new WebDriver capabilities and automatic updates, and enhancements to the Edge DevTools and Edge DevTools Protocol. Check out What's new in EdgeHTML 18 and DevTools in the latest Windows 10 update (EdgeHTML 18) for all the details.
Progressive Web Apps	Windows 10 JavaScript apps (web apps running in a <i>WWAHost.exe</i> process) now support an optional per-application background script that starts before any views are activated and runs for the duration of the process. With this, you can monitor and modify navigations, track state across navigations, monitor navigation errors, and run code before views are activated. When specified as the StartPage in your app manifest , each of the app's views (windows) are exposed to the script as instances of the new WebUIWebView class, providing the same events, properties, and methods as a general (Win32) WebView .
Web API extensions	A list of legacy Microsoft API extensions  has been added to the Mozilla Developer Network documentation for cross-browser web development. These API extensions are unique to Internet Explorer or Microsoft Edge, and supplement existing information about compatibility and browser support in the MDN web

Feature	Description
	docs. Legacy Microsoft CSS extensions is also available, and you can find rich web API information from MDN surfaced directly in Visual Studio Code .
WebVR	We have made major updates to the WebVR Developer's Guide, including a complete redesign of the home page and reorganization of the table of contents. We have also written several new topics, including: * What is WebVR? Explains what WebVR is, why you should use it, and how to get started developing for it. * WebVR in Progressive Web Apps: Learn how to add WebVR to a Progressive Web App (PWA). * WebVR in WebView: Learn how to add WebVR to a WebView control in a Windows 10 application. * WebVR demos: Check out some WebVR demos using Microsoft Edge and a Windows Mixed Reality immersive headset.

Publish & Monetize Windows apps

 Expand table

Feature	Description
MSIX	MSIX is the new Windows app package format that provides a modern packaging experience to all Windows apps. The open-source MSIX format preserves the functionality of existing packages, while enabling modern deployment features.
MSIX Packaging Tool	The new MSIX Packaging Tool lets you repackage your existing desktop applications in the MSIX format, even if you don't have access to their source code. It can be run in the command line, or via its interactive UI.
Desktop App Converter support for MSIX	You can use the Desktop App Converter to output an MSIX package, by using the <code>-MakeMSIX</code> parameter.
MakeAppx.exe tool support for MSIX	You can use the MakeAppx.exe tool to create an MSIX package for UWP apps or traditional desktop applications. This tool is included in the Windows 10 SDK and can be used from a command prompt or a script file. For UWP apps, see Create an app package with the MakeAppx.exe tool. For desktop applications, see Package a desktop application manually.
Package Support Framework	The Package Support Framework is an open source kit that helps you apply fixes to your existing desktop application when you don't have access to the source code, so that it can run in an MSIX container.
Store Analytics API	The Microsoft Store analytics API now includes the following new methods:

Feature	Description
	* Get insights data for your UWP app * Get insights data for your desktop application * Get upgrade blocks for your desktop application * Get upgrade block details for your desktop application

Videos

The following videos have been published since the Fall Creator's Update, highlighting new and improved features in Windows 10 for developers.

C++/WinRT

C++/WinRT is a new way of authoring and consuming Windows Runtime APIs. It's implemented solely in header files, and designed to provide you with first-class access to modern app features. [Watch the video](#) to learn how it works, then [read the developer docs](#) for more info.

Get Started for Devs: Create and customize a form on Windows 10

Our [Get Started docs](#) for Windows developers now provide hands-on experience with basic app development task. This video walks you through one of those topics, and covers the basics of creating a form UI in your app. [Watch the video](#) to see the code in action, then [check out the topic yourself](#).

Enhance your Bot with Project Personality chat

Project Personality Chat lets you add a customizable persona to your chat bots. By integrating with the Microsoft Bot Framework SDK, you can add small-talk capabilities for a more conversational way to interact with the customers. [Watch the video](#) to learn how to implement it, then [try out the interactive demo](#) for a hands-on experience.

Multi-instance UWP apps

Windows now allows you to run multiple instances of your UWP app, with each in its own separate process. [Watch the video](#) to learn how to create a new app that supports this feature, then [read the developer docs](#) for more guidance on how and why to use this feature.

Xbox Live Unity plugin

The Xbox Live plugin for Unity contains support for adding Xbox Live signing, stats, friends lists, cloud storage, and leaderboards to your title. [Watch the video](#) to learn more, then [download the GitHub package](#) to get started.

One Dev Question

In the One Dev Question video series, longtime Microsoft developers cover a series of questions about Windows development, team culture, and history.

- [Raymond Chen on Windows development and history](#)
- [Larry Osterman on Windows development and history](#)
- [Aaron Gustafson on Progressive Web Apps](#)
- [Chris Heilmann on the webhint tool](#)

Samples

Customer Orders Database

The [Customers Orders Database sample](#) has been updated to use new controls like [DataGrid](#), [NavigationView](#), and [Expander](#).

Customer database tutorial

The [Customer database tutorial](#) creates a basic UWP app for managing a list of customers, and introduces concepts and practices useful in enterprise development. It walks you through implementing UI elements and adding operations against a local SQLite database, and provides loose guidance for connecting to a remote REST database if you wish to go further.

Photo Editor C++/WinRT

The [Photo Editor sample app](#) showcases development with the [C++/WinRT](#) language projection. The app allows you to retrieve photos from the **Pictures** library, and then edit an elected image with associated photo effects.

Windows Machine Learning

The [Windows-Machine-Learning](#) repository has been updated to work with the latest Windows 10 SDK, and contains samples written in C#, C++, and JavaScript.

XAML Hosting API

The [XAML Hosting API sample](#) is a Win32 desktop app that highlights assorted scenarios using the UWP XAML hosting API (also called XAML islands). The project incorporates Windows Ink, Media Player, and Navigation View controls in a gallery-style presentation. Outside of general controls usage, the sample also demonstrates handling XAML and native Windows events/messages, and basic XAML data binding.

Feedback

Was this page helpful?

 Yes

 No

[Provide product feedback](#) | [Get help at Microsoft Q&A](#)

New APIs in Windows 10 build 17763

Article • 10/20/2022

New and updated API namespaces have been made available to developers in Windows 10 build 17763 (Also known as the October 2018 Update or version 1809). Below is a full list of documentation published for namespaces added or modified in this release.

For information on APIs added in the previous public release, see [New APIs in the Windows 10 April Update](#).

Windows.AI

Windows.AI.MachineLearning

ILearningModelFeatureDescriptor

ILearningModelFeatureDescriptor
ILearningModelFeatureDescriptor.Description
ILearningModelFeatureDescriptor.IsRequired
ILearningModelFeatureDescriptor.Kind
ILearningModelFeatureDescriptor.Name

ILearningModelFeatureValue

ILearningModelFeatureValue
ILearningModelFeatureValue.Kind

ILearningModelOperatorProvider

ILearningModelOperatorProvider

ImageFeatureDescriptor

ImageFeatureDescriptor
ImageFeatureDescriptor.BitmapAlphaMode
ImageFeatureDescriptor.BitmapPixelFormat
ImageFeatureDescriptor.Description
ImageFeatureDescriptor.Height
ImageFeatureDescriptor.IsRequired

ImageFeatureDescriptor.Kind
ImageFeatureDescriptor.Name
ImageFeatureDescriptor.Width

ImageFeatureValue

ImageFeatureValue
ImageFeatureValue.CreateFromVideoFrame
ImageFeatureValue.Kind
ImageFeatureValue.VideoFrame

ITensor

ITensor
ITensor.Shape
ITensor.TensorKind

LearningModel

LearningModel
LearningModel.Author
LearningModel.Close
LearningModel.Description
LearningModel.Domain
LearningModel.InputFeatures
LearningModel.LoadFromFilePath
LearningModel.LoadFromFilePath
LearningModel.LoadFromStorageFileAsync
LearningModel.LoadFromStorageFileAsync
LearningModel.LoadFromStream
LearningModel.LoadFromStream
LearningModel.LoadFromStreamAsync
LearningModel.LoadFromStreamAsync
LearningModel.Metadata
LearningModel.Name
LearningModel.OutputFeatures
LearningModel.Version

LearningModelBinding

LearningModelBinding
LearningModelBinding.Bind
LearningModelBinding.Bind
LearningModelBinding.Clear
LearningModelBinding.First
LearningModelBinding.HasKey
LearningModelBinding.#ctor
LearningModelBinding.Lookup
LearningModelBinding.Size
LearningModelBinding.Split

LearningModelDevice

LearningModelDevice
LearningModelDevice.AdapterId
LearningModelDevice.CreateFromDirect3D11Device
LearningModelDevice.Direct3D11Device
LearningModelDevice.#ctor

LearningModelDeviceKind

LearningModelDeviceKind

LearningModelEvaluationResult

LearningModelEvaluationResult
LearningModelEvaluationResult.CorrelationId
LearningModelEvaluationResult.ErrorStatus
LearningModelEvaluationResult.Outputs
LearningModelEvaluationResult.Succeeded

LearningModelFeatureKind

LearningModelFeatureKind

LearningModelSession

LearningModelSession
LearningModelSession.Close
LearningModelSession.Device

LearningModelSession.Evaluate
LearningModelSession.EvaluateAsync
LearningModelSession.EvaluateFeatures
LearningModelSession.EvaluateFeaturesAsync
LearningModelSession.EvaluationProperties
LearningModelSession.#ctor
LearningModelSession.#ctor
LearningModelSession.Model

MapFeatureDescriptor

MapFeatureDescriptor
MapFeatureDescriptor.Description
MapFeatureDescriptor.IsRequired
MapFeatureDescriptor.KeyKind
MapFeatureDescriptor.Kind
MapFeatureDescriptor.Name
MapFeatureDescriptor.ValueDescriptor

SequenceFeatureDescriptor

SequenceFeatureDescriptor
SequenceFeatureDescriptor.Description
SequenceFeatureDescriptor.ElementDescriptor
SequenceFeatureDescriptor.IsRequired
SequenceFeatureDescriptor.Kind
SequenceFeatureDescriptor.Name

TensorBoolean

TensorBoolean
TensorBoolean.Create
TensorBoolean.Create
TensorBoolean.CreateFromArray
TensorBoolean.CreateFromIterable
TensorBoolean.GetAsVectorView
TensorBoolean.Kind
TensorBoolean.Shape
TensorBoolean.TensorKind

TensorDouble

TensorDouble

TensorDouble.Create

TensorDouble.Create

TensorDouble.CreateFromArray

TensorDouble.CreateFromIterable

TensorDouble.GetAsVectorView

TensorDouble.Kind

TensorDouble.Shape

TensorDouble.TensorKind

TensorFeatureDescriptor

TensorFeatureDescriptor

TensorFeatureDescriptor.Description

TensorFeatureDescriptor.IsRequired

TensorFeatureDescriptor.Kind

TensorFeatureDescriptor.Name

TensorFeatureDescriptor.Shape

TensorFeatureDescriptor.TensorKind

TensorFloat

TensorFloat

TensorFloat.Create

TensorFloat.Create

TensorFloat.CreateFromArray

TensorFloat.CreateFromIterable

TensorFloat.GetAsVectorView

TensorFloat.Kind

TensorFloat.Shape

TensorFloat.TensorKind

TensorFloat16Bit

TensorFloat16Bit

TensorFloat16Bit.Create

TensorFloat16Bit.Create

TensorFloat16Bit.CreateFromArray

TensorFloat16Bit.CreateFromIterable

TensorFloat16Bit.GetAsVectorView
TensorFloat16Bit.Kind
TensorFloat16Bit.Shape
TensorFloat16Bit.TensorKind

TensorInt16Bit

TensorInt16Bit
TensorInt16Bit.Create
TensorInt16Bit.Create
TensorInt16Bit.CreateFromArray
TensorInt16Bit.CreateFromIterable
TensorInt16Bit.GetAsVectorView
TensorInt16Bit.Kind
TensorInt16Bit.Shape
TensorInt16Bit.TensorKind

TensorInt32Bit

TensorInt32Bit
TensorInt32Bit.Create
TensorInt32Bit.Create
TensorInt32Bit.CreateFromArray
TensorInt32Bit.CreateFromIterable
TensorInt32Bit.GetAsVectorView
TensorInt32Bit.Kind
TensorInt32Bit.Shape
TensorInt32Bit.TensorKind

TensorInt64Bit

TensorInt64Bit
TensorInt64Bit.Create
TensorInt64Bit.Create
TensorInt64Bit.CreateFromArray
TensorInt64Bit.CreateFromIterable
TensorInt64Bit.GetAsVectorView
TensorInt64Bit.Kind
TensorInt64Bit.Shape
TensorInt64Bit.TensorKind

TensorInt8Bit

TensorInt8Bit

TensorInt8Bit.Create

TensorInt8Bit.Create

TensorInt8Bit.CreateFromArray

TensorInt8Bit.CreateFromIterable

TensorInt8Bit.GetAsVectorView

TensorInt8Bit.Kind

TensorInt8Bit.Shape

TensorInt8Bit.TensorKind

TensorKind

TensorKind

TensorString

TensorString

TensorString.Create

TensorString.Create

TensorString.CreateFromArray

TensorString.CreateFromIterable

TensorString.GetAsVectorView

TensorString.Kind

TensorString.Shape

TensorString.TensorKind

TensorUInt16Bit

TensorUInt16Bit

TensorUInt16Bit.Create

TensorUInt16Bit.Create

TensorUInt16Bit.CreateFromArray

TensorUInt16Bit.CreateFromIterable

TensorUInt16Bit.GetAsVectorView

TensorUInt16Bit.Kind

TensorUInt16Bit.Shape

TensorUInt16Bit.TensorKind

TensorUInt32Bit

TensorUInt32Bit
TensorUInt32Bit.Create
TensorUInt32Bit.Create
TensorUInt32Bit.CreateFromArray
TensorUInt32Bit.CreateFromIterable
TensorUInt32Bit.GetAsVectorView
TensorUInt32Bit.Kind
TensorUInt32Bit.Shape
TensorUInt32Bit.TensorKind

TensorUInt64Bit

TensorUInt64Bit
TensorUInt64Bit.Create
TensorUInt64Bit.Create
TensorUInt64Bit.CreateFromArray
TensorUInt64Bit.CreateFromIterable
TensorUInt64Bit.GetAsVectorView
TensorUInt64Bit.Kind
TensorUInt64Bit.Shape
TensorUInt64Bit.TensorKind

TensorUInt8Bit

TensorUInt8Bit
TensorUInt8Bit.Create
TensorUInt8Bit.Create
TensorUInt8Bit.CreateFromArray
TensorUInt8Bit.CreateFromIterable
TensorUInt8Bit.GetAsVectorView
TensorUInt8Bit.Kind
TensorUInt8Bit.Shape
TensorUInt8Bit.TensorKind

Windows.ApplicationModel

Windows.ApplicationModel.Calls

VoipCallCoordinator

VoipCallCoordinator.ReserveCallResourcesAsync

Windows.ApplicationModel.Chat

ChatCapabilitiesManager

ChatCapabilitiesManager.GetCachedCapabilitiesAsync

ChatCapabilitiesManager.GetCapabilitiesFromNetworkAsync

RcsManager

RcsManager.TransportListChanged

Windows.ApplicationModel.DataTransfer

Clipboard

Clipboard.ClearHistory

Clipboard.DeleteItemFromHistory

Clipboard.GetHistoryItemsAsync

Clipboard.HistoryChanged

Clipboard.HistoryEnabledChanged

Clipboard.IsHistoryEnabled

Clipboard.IsRoamingEnabled

Clipboard.RoamingEnabledChanged

Clipboard.SetContentWithOptions

Clipboard.SetHistoryItemAsContent

ClipboardContentOptions

ClipboardContentOptions

ClipboardContentOptions.#ctor

ClipboardContentOptions.HistoryFormats

ClipboardContentOptions.IsAllowedInHistory

ClipboardContentOptions.IsRoamable

ClipboardContentOptions.RoamingFormats

ClipboardHistoryChangedEventArgs

ClipboardHistoryChangedEventArgs

ClipboardHistoryItem

ClipboardHistoryItem

ClipboardHistoryItem.Content

ClipboardHistoryItem.Id

ClipboardHistoryItem.Timestamp

ClipboardHistoryItemsResult

ClipboardHistoryItemsResult

ClipboardHistoryItemsResult.Items

ClipboardHistoryItemsResult.Status

ClipboardHistoryItemsResultStatus

ClipboardHistoryItemsResultStatus

DataPackagePropertySetView

DataPackagePropertySetView.IsFromRoamingClipboard

SetHistoryItemAsContentStatus

SetHistoryItemAsContentStatus

Windows.ApplicationModel.Store.Preview.InstallControl

AppInstallationToastNotificationMode

AppInstallationToastNotificationMode

AppInstallItem

AppInstallItem.CompletedInstallToastNotificationMode

AppInstallItem.InstallInProgressToastNotificationMode

AppInstallItem.PinToDesktopAfterInstall

AppInstallItem.PinToStartAfterInstall
AppInstallItem.PinToTaskbarAfterInstall

AppInstallManager

AppInstallManager.CanInstallForAllUsers

AppInstallOptions

AppInstallOptions.CampaignId
AppInstallOptions.CompletedInstallToastNotificationMode
AppInstallOptions.ExtendedCampaignId
AppInstallOptions.InstallForAllUsers
AppInstallOptions.InstallInProgressToastNotificationMode
AppInstallOptions.PinToDesktopAfterInstall
AppInstallOptions.PinToStartAfterInstall
AppInstallOptions.PinToTaskbarAfterInstall
AppInstallOptions.StageButDoNotInstall

AppUpdateOptions

AppUpdateOptions.AutomaticallyDownloadAndInstallUpdateIfFound

Windows.ApplicationModel.Store.Preview

DeliveryOptimizationDownloadMode

DeliveryOptimizationDownloadMode

DeliveryOptimizationDownloadModeSource

DeliveryOptimizationDownloadModeSource

DeliveryOptimizationSettings

DeliveryOptimizationSettings
DeliveryOptimizationSettings.DownloadMode
DeliveryOptimizationSettings.DownloadModeSource
DeliveryOptimizationSettings.GetCurrentSettings

StoreConfiguration

StoreConfiguration.IsPinToDesktopSupported
StoreConfiguration.IsPinToStartSupported
StoreConfiguration.IsPinToTaskbarSupported
StoreConfiguration.PinToDesktop
StoreConfiguration.PinToDesktopForUser

Windows.ApplicationModel.UserActivities

UserActivity

UserActivity.IsRoamable

Windows.ApplicationModel

AppInstallerInfo

AppInstallerInfo
AppInstallerInfo.Uri

LimitedAccessFeatureRequestResult

LimitedAccessFeatureRequestResult
LimitedAccessFeatureRequestResult.EstimatedRemovalDate
LimitedAccessFeatureRequestResult.FeatureId
LimitedAccessFeatureRequestResult.Status

LimitedAccessFeatures

LimitedAccessFeatures
LimitedAccessFeatures.TryUnlockFeature

LimitedAccessFeatureStatus

LimitedAccessFeatureStatus

Package

Package.CheckUpdateAvailabilityAsync

Package.GetAppInstallerInfo

PackageUpdateAvailability

PackageUpdateAvailability

PackageUpdateAvailabilityResult

PackageUpdateAvailabilityResult

PackageUpdateAvailabilityResult.Availability

PackageUpdateAvailabilityResult.ExtendedError

Windows.Data

Windows.Data.Text

TextPredictionGenerator

TextPredictionGenerator.GetCandidatesAsync

TextPredictionGenerator.GetNextWordCandidatesAsync

TextPredictionGenerator.InputScope

TextPredictionOptions

TextPredictionOptions

Windows.Devices

Windows.Devices.Display.Core

DisplayAdapter

DisplayAdapter

DisplayAdapter.DeviceInterfacePath

DisplayAdapter.FromId

DisplayAdapter.Id

DisplayAdapter.PciDeviceId

DisplayAdapter.PciRevision
DisplayAdapter.PciSubSystemId
DisplayAdapter.PciVendorId
DisplayAdapter.Properties
DisplayAdapter.SourceCount

DisplayBitsPerChannel

DisplayBitsPerChannel

DisplayDevice

DisplayDevice
DisplayDevice.CreatePeriodicFence
DisplayDevice.CreatePrimary
DisplayDevice.CreateScanoutSource
DisplayDevice.CreateSimpleScanout
DisplayDevice.CreateTaskPool
DisplayDevice.IsCapabilitySupported
DisplayDevice.WaitForVBlank

DisplayDeviceCapability

DisplayDeviceCapability

DisplayFence

DisplayFence

DisplayManager

DisplayManager
DisplayManager.Changed
DisplayManager.Close
DisplayManager.Create
DisplayManager.CreateDisplayDevice
DisplayManager.Disabled
DisplayManager.Enabled
DisplayManager.GetCurrentAdapters
DisplayManager.GetCurrentTargets

DisplayManager.PathsFailedOrInvalidated
DisplayManager.ReleaseTarget
DisplayManager.Start
DisplayManager.Stop
DisplayManager.TryAcquireTarget
DisplayManager.TryAcquireTargetsAndCreateEmptyState
DisplayManager.TryAcquireTargetsAndCreateSubstate
DisplayManager.TryAcquireTargetsAndReadCurrentState
DisplayManager.TryReadCurrentStateForAllTargets

DisplayManagerChangedEventArgs

DisplayManagerChangedEventArgs
DisplayManagerChangedEventArgs.GetDeferral
DisplayManagerChangedEventArgs.Handled

DisplayManagerDisabledEventArgs

DisplayManagerDisabledEventArgs
DisplayManagerDisabledEventArgs.GetDeferral
DisplayManagerDisabledEventArgs.Handled

DisplayManagerEnabledEventArgs

DisplayManagerEnabledEventArgs
DisplayManagerEnabledEventArgs.GetDeferral
DisplayManagerEnabledEventArgs.Handled

DisplayManagerOptions

DisplayManagerOptions

DisplayManagerPathsFailedOrInvalidatedEventArgs

DisplayManagerPathsFailedOrInvalidatedEventArgs
DisplayManagerPathsFailedOrInvalidatedEventArgs.GetDeferral
DisplayManagerPathsFailedOrInvalidatedEventArgs.Handled

DisplayManagerResult

DisplayManagerResult

DisplayManagerResultWithState

DisplayManagerResultWithState

DisplayManagerResultWithState.ErrorCode

DisplayManagerResultWithState.ExtendedErrorCode

DisplayManagerResultWithState.State

DisplayModelInfo

DisplayModelInfo

DisplayModelInfo.GetWireFormatSupportedBitsPerChannel

DisplayModelInfo.IsInterlaced

DisplayModelInfo.IsStereo

DisplayModelInfo.IsWireFormatSupported

DisplayModelInfo.PresentationRate

DisplayModelInfo.Properties

DisplayModelInfo.SourcePixelFormat

DisplayModelInfo.SourceResolution

DisplayModelInfo.TargetResolution

DisplayModeQueryOptions

DisplayModeQueryOptions

DisplayPath

DisplayPath

DisplayPath.ApplyPropertiesFromMode

DisplayPath.FindModes

DisplayPath.IsInterlaced

DisplayPath.IsStereo

DisplayPath.PresentationRate

DisplayPath.Properties

DisplayPath.Rotation

DisplayPath.Scaling

DisplayPath.SourcePixelFormat

DisplayPath.SourceResolution

DisplayPath.Status

DisplayPath.Target
DisplayPath.TargetResolution
DisplayPath.View
DisplayPath.WireFormat

DisplayPathScaling

DisplayPathScaling

DisplayPathStatus

DisplayPathStatus

DisplayPresentationRate

DisplayPresentationRate

DisplayPrimaryDescription

DisplayPrimaryDescription
DisplayPrimaryDescription.ColorSpace
DisplayPrimaryDescription.CreateWithProperties
DisplayPrimaryDescription.#ctor
DisplayPrimaryDescription.Format
DisplayPrimaryDescription.Height
DisplayPrimaryDescription.IsStereo
DisplayPrimaryDescription.MultisampleDescription
DisplayPrimaryDescription.Properties
DisplayPrimaryDescription.Width

DisplayRotation

DisplayRotation

DisplayScanout

DisplayScanout

DisplaySource

DisplaySource
DisplaySource.AdapterId
DisplaySource.GetMetadata
DisplaySource.SourceId

DisplayState

DisplayState
DisplayState.CanConnectTargetToView
DisplayState.Clone
DisplayState.ConnectTarget
DisplayState.ConnectTarget
DisplayState.DisconnectTarget
DisplayState.GetPathForTarget
DisplayState.GetViewForTarget
DisplayState.IsReadOnly
DisplayState.IsStale
DisplayState.Properties
DisplayState.Targets
DisplayState.TryApply
DisplayState.TryFunctionalize
DisplayState.Views

DisplayStateApplyOptions

DisplayStateApplyOptions

DisplayStateFunctionalizeOptions

DisplayStateFunctionalizeOptions

DisplayStateOperationResult

DisplayStateOperationResult
DisplayStateOperationResult.ExtendedErrorCode
DisplayStateOperationResult.Status

DisplayStateOperationStatus

DisplayStateOperationStatus

DisplaySurface

DisplaySurface

DisplayTarget

DisplayTarget

DisplayTarget.Adapter

DisplayTarget.AdapterRelativeId

DisplayTarget.DeviceInterfacePath

DisplayTarget.IsConnected

DisplayTarget.IsEqual

DisplayTarget.IsSame

DisplayTarget.IsStale

DisplayTarget.IsVirtualModeEnabled

DisplayTarget.IsVirtualTopologyEnabled

DisplayTarget.MonitorPersistence

DisplayTarget.Properties

DisplayTarget.StableMonitorId

DisplayTarget.TryGetMonitor

DisplayTarget.UsageKind

DisplayTargetPersistence

DisplayTargetPersistence

DisplayTask

DisplayTask

DisplayTask.SetScanout

DisplayTask.SetWait

DisplayTaskPool

DisplayTaskPool

DisplayTaskPool.CreateTask

DisplayTaskPool.ExecuteTask

DisplayTaskSignalKind

DisplayTaskSignalKind

DisplayView

DisplayView

DisplayView.ContentResolution

DisplayView.Paths

DisplayView.Properties

DisplayView.SetPrimaryPath

DisplayWireFormat

DisplayWireFormat

DisplayWireFormat.BitsPerChannel

DisplayWireFormat.ColorSpace

DisplayWireFormat.CreateWithProperties

DisplayWireFormat.#ctor

DisplayWireFormat.Eotf

DisplayWireFormat.HdrMetadata

DisplayWireFormat.PixelEncoding

DisplayWireFormat.Properties

DisplayWireFormatColorSpace

DisplayWireFormatColorSpace

DisplayWireFormatEotf

DisplayWireFormatEotf

DisplayWireFormatHdrMetadata

DisplayWireFormatHdrMetadata

DisplayWireFormatPixelEncoding

DisplayWireFormatPixelEncoding

Windows.Devices.Enumeration

DeviceInformationPairing

Windows.Devices.Lights.Effects

ILampArrayEffect

ILampArrayEffect

ILampArrayEffect.ZIndex

LampArrayBitmapEffect

LampArrayBitmapEffect

LampArrayBitmapEffect.BitmapRequested

LampArrayBitmapEffect.Duration

LampArrayBitmapEffect.#ctor

LampArrayBitmapEffect.StartDelay

LampArrayBitmapEffect.SuggestedBitmapSize

LampArrayBitmapEffect.UpdateInterval

LampArrayBitmapEffect.ZIndex

LampArrayBitmapRequestedEventArgs

LampArrayBitmapRequestedEventArgs

LampArrayBitmapRequestedEventArgs.SinceStarted

LampArrayBitmapRequestedEventArgs.UpdateBitmap

LampArrayBlinkEffect

LampArrayBlinkEffect

LampArrayBlinkEffect.AttackDuration

LampArrayBlinkEffect.Color

LampArrayBlinkEffect.DecayDuration

LampArrayBlinkEffect.#ctor

LampArrayBlinkEffect.Occurrences

LampArrayBlinkEffect.RepetitionDelay

LampArrayBlinkEffect.RepetitionMode

LampArrayBlinkEffect.StartDelay

LampArrayBlinkEffect.SustainDuration

LampArrayBlinkEffect.ZIndex

LampArrayColorRampEffect

LampArrayColorRampEffect
LampArrayColorRampEffect.Color
LampArrayColorRampEffect.CompletionBehavior
LampArrayColorRampEffect.#ctor
LampArrayColorRampEffect.RampDuration
LampArrayColorRampEffect.StartDelay
LampArrayColorRampEffect.ZIndex

LampArrayCustomEffect

LampArrayCustomEffect
LampArrayCustomEffect.Duration
LampArrayCustomEffect.#ctor
LampArrayCustomEffect.UpdateInterval
LampArrayCustomEffect.UpdateRequested
LampArrayCustomEffect.ZIndex

LampArrayEffectCompletionBehavior

LampArrayEffectCompletionBehavior

LampArrayEffectPlaylist

LampArrayEffectPlaylist
LampArrayEffectPlaylist.Append
LampArrayEffectPlaylist.EffectStartMode
LampArrayEffectPlaylist.First
LampArrayEffectPlaylist.GetAt
LampArrayEffectPlaylist.GetMany
LampArrayEffectPlaylist.IndexOf
LampArrayEffectPlaylist.#ctor
LampArrayEffectPlaylist.Occurrences
LampArrayEffectPlaylist.OverrideZIndex
LampArrayEffectPlaylist.Pause
LampArrayEffectPlaylist.PauseAll
LampArrayEffectPlaylist.RepetitionMode
LampArrayEffectPlaylist.Size
LampArrayEffectPlaylist.Start
LampArrayEffectPlaylist.StartAll

LampArrayEffectPlaylist.Stop
LampArrayEffectPlaylist.StopAll

LampArrayEffectStartMode

LampArrayEffectStartMode

LampArrayRepetitionMode

LampArrayRepetitionMode

LampArraySolidEffect

LampArraySolidEffect
LampArraySolidEffect.Color
LampArraySolidEffect.CompletionBehavior
LampArraySolidEffect.Duration
LampArraySolidEffect.#ctor
LampArraySolidEffect.StartDelay
LampArraySolidEffect.ZIndex

LampArrayUpdateRequestedEventArgs

LampArrayUpdateRequestedEventArgs
LampArrayUpdateRequestedEventArgs.SetColor
LampArrayUpdateRequestedEventArgs.SetColorForIndex
LampArrayUpdateRequestedEventArgs.SetColorsForIndices
LampArrayUpdateRequestedEventArgs.SetSingleColorForIndices
LampArrayUpdateRequestedEventArgs.SinceStarted

Windows.Devices.Lights

LampArray

LampArray
LampArray.BoundingBox
LampArray.BrightnessLevel
LampArray.DeviceId
LampArray.FromIdAsync
LampArray.GetDeviceSelector

LampArray.GetIndicesForKey
LampArray.GetIndicesForPurposes
LampArray.GetLampInfo
LampArray.HardwareProductId
LampArray.HardwareVendorId
LampArray.HardwareVersion
LampArray.IsConnected
LampArray.IsEnabled
LampArray.LampArrayKind
LampArray.LampCount
LampArray.MinUpdateInterval
LampArray.RequestMessageAsync
LampArray.SendMessageAsync
LampArray.SetColor
LampArray.SetColorForIndex
LampArray.SetColorsForIndices
LampArray.SetColorsForKey
LampArray.SetColorsForKeys
LampArray.SetColorsForPurposes
LampArray.SetSingleColorForIndices
LampArray.SupportsVirtualKeys

LampArrayKind

LampArrayKind

LampInfo

LampInfo
LampInfo.BlueLevelCount
LampInfo.FixedColor
LampInfo.GainLevelCount
LampInfo.GetNearestSupportedColor
LampInfo.GreenLevelCount
LampInfo.Index
LampInfo.Position
LampInfo.Purposes
LampInfo.RedLevelCount
LampInfo.UpdateLatency

LampPurposes

LampPurposes

Windows.Devices.PointOfService.Provider

BarcodeScannerDisableScannerRequest

BarcodeScannerDisableScannerRequest.ReportFailedAsync

BarcodeScannerDisableScannerRequest.ReportFailedAsync

BarcodeScannerEnableScannerRequest

BarcodeScannerEnableScannerRequest.ReportFailedAsync

BarcodeScannerEnableScannerRequest.ReportFailedAsync

BarcodeScannerFrameReader

BarcodeScannerFrameReader

BarcodeScannerFrameReader.Close

BarcodeScannerFrameReader.Connection

BarcodeScannerFrameReader.FrameArrived

BarcodeScannerFrameReader.StartAsync

BarcodeScannerFrameReader.StopAsync

BarcodeScannerFrameReader.TryAcquireLatestFrameAsync

BarcodeScannerFrameReaderFrameArrivedEventArgs

BarcodeScannerFrameReaderFrameArrivedEventArgs

BarcodeScannerFrameReaderFrameArrivedEventArgs.GetDeferral

BarcodeScannerGetSymbologyAttributesRequest

BarcodeScannerGetSymbologyAttributesRequest.ReportFailedAsync

BarcodeScannerGetSymbologyAttributesRequest.ReportFailedAsync

BarcodeScannerHideVideoPreviewRequest

BarcodeScannerHideVideoPreviewRequest.ReportFailedAsync

BarcodeScannerHideVideoPreviewRequest.ReportFailedAsync

BarcodeScannerProviderConnection

BarcodeScannerProviderConnection.CreateFrameReaderAsync
BarcodeScannerProviderConnection.CreateFrameReaderAsync
BarcodeScannerProviderConnection.CreateFrameReaderAsync

BarcodeScannerSetActiveSymbologiesRequest

BarcodeScannerSetActiveSymbologiesRequest.ReportFailedAsync
BarcodeScannerSetActiveSymbologiesRequest.ReportFailedAsync

BarcodeScannerSetSymbologyAttributesRequest

BarcodeScannerSetSymbologyAttributesRequest.ReportFailedAsync
BarcodeScannerSetSymbologyAttributesRequest.ReportFailedAsync

BarcodeScannerStartSoftwareTriggerRequest

BarcodeScannerStartSoftwareTriggerRequest.ReportFailedAsync
BarcodeScannerStartSoftwareTriggerRequest.ReportFailedAsync

BarcodeScannerStopSoftwareTriggerRequest

BarcodeScannerStopSoftwareTriggerRequest.ReportFailedAsync
BarcodeScannerStopSoftwareTriggerRequest.ReportFailedAsync

BarcodeScannerVideoFrame

BarcodeScannerVideoFrame
BarcodeScannerVideoFrame.Close
BarcodeScannerVideoFrame.Format
BarcodeScannerVideoFrame.Height
BarcodeScannerVideoFrame.PixelData
BarcodeScannerVideoFrame.Width

Windows.Devices.PointOfService

BarcodeScannerCapabilities

BarcodeScannerCapabilities.IsVideoPreviewSupported

ClaimedBarcodeScanner

ClaimedBarcodeScanner.Closed

ClaimedBarcodeScannerClosedEventArgs

ClaimedBarcodeScannerClosedEventArgs

ClaimedCashDrawer

ClaimedCashDrawer.Closed

ClaimedCashDrawerClosedEventArgs

ClaimedCashDrawerClosedEventArgs

ClaimedLineDisplay

ClaimedLineDisplay.Closed

ClaimedLineDisplayClosedEventArgs

ClaimedLineDisplayClosedEventArgs

ClaimedMagneticStripeReader

ClaimedMagneticStripeReader.Closed

ClaimedMagneticStripeReaderClosedEventArgs

ClaimedMagneticStripeReaderClosedEventArgs

ClaimedPosPrinter

ClaimedPosPrinter.Closed

ClaimedPosPrinterClosedEventArgs

ClaimedPosPrinterClosedEventArgs

Windows.Devices.Sensors

SimpleOrientationSensor

SimpleOrientationSensor.FromIdAsync

SimpleOrientationSensor.GetDeviceSelector

Windows.Devices.SmartCards

KnownSmartCardAppletIds

KnownSmartCardAppletIds

KnownSmartCardAppletIds.PaymentSystemEnvironment

KnownSmartCardAppletIds.ProximityPaymentSystemEnvironment

SmartCardAppletIdGroup

SmartCardAppletIdGroup.Description

SmartCardAppletIdGroup.Logo

SmartCardAppletIdGroup.Properties

SmartCardAppletIdGroup.SecureUserAuthenticationRequired

SmartCardAppletIdGroupRegistration

SmartCardAppletIdGroupRegistration.SetPropertiesAsync

SmartCardAppletIdGroupRegistration.SmartCardReaderId

Windows.Foundation

Windows.Foundation

GuidHelper

GuidHelper

GuidHelper.CreateNewGuid

GuidHelper.Empty

GuidHelper.Equals

Windows.Globalization

Windows.Globalization

CurrencyIdentifiers

CurrencyIdentifiers.MRU

CurrencyIdentifiers.SSP

CurrencyIdentifiers.STN

CurrencyIdentifiers.VES

Windows.Graphics

Windows.Graphics.Capture

Direct3D11CaptureFramePool

Direct3D11CaptureFramePool.CreateFreeThreaded

GraphicsCaptureItem

GraphicsCaptureItem.CreateFromVisual

Windows.Graphics.Display.Core

HdmiDisplayMode

HdmiDisplayMode.IsDolbyVisionLowLatencySupported

Windows.Graphics.Holographic

HolographicCamera

HolographicCamera.IsHardwareContentProtectionEnabled

HolographicCamera.IsHardwareContentProtectionSupported

HolographicQuadLayerUpdateParameters

HolographicQuadLayerUpdateParameters.AcquireBufferToUpdateContentWithHardwareProtection

HolographicQuadLayerUpdateParameters.CanAcquireWithHardwareProtection

Windows.Graphics.Imaging

BitmapDecoder

BitmapDecoder.HeifDecoderId

BitmapDecoder.WebpDecoderId

BitmapEncoder

BitmapEncoder.HeifEncoderId

Windows.Management

Windows.Management.Deployment

PackageManager

PackageManager.DeprovisionPackageForAllUsersAsync

Windows.Media

Windows.Media.Audio

CreateAudioDeviceInputNodeResult

CreateAudioDeviceInputNodeResult.ExtendedError

CreateAudioDeviceOutputNodeResult

CreateAudioDeviceOutputNodeResult.ExtendedError

CreateAudioFileInputNodeResult

CreateAudioFileInputNodeResult.ExtendedError

CreateAudioFileOutputNodeResult

CreateAudioFileOutputNodeResult.ExtendedError

CreateAudioGraphResult

CreateAudioGraphResult.ExtendedError

CreateMediaSourceAudioInputNodeResult

CreateMediaSourceAudioInputNodeResult.ExtendedError

MixedRealitySpatialAudioFormatPolicy

MixedRealitySpatialAudioFormatPolicy

SetDefaultSpatialAudioFormatResult

SetDefaultSpatialAudioFormatResult

SetDefaultSpatialAudioFormatResult.Status

SetDefaultSpatialAudioFormatStatus

SetDefaultSpatialAudioFormatStatus

SpatialAudioDeviceConfiguration

SpatialAudioDeviceConfiguration

SpatialAudioDeviceConfiguration.ActiveSpatialAudioFormat

SpatialAudioDeviceConfiguration.ConfigurationChanged

SpatialAudioDeviceConfiguration.DefaultSpatialAudioFormat

SpatialAudioDeviceConfiguration.DeviceId

SpatialAudioDeviceConfiguration.GetForDeviceId

SpatialAudioDeviceConfiguration.IsSpatialAudioFormatSupported

SpatialAudioDeviceConfiguration.IsSpatialAudioSupported

SpatialAudioDeviceConfiguration.SetDefaultSpatialAudioFormatAsync

SpatialAudioFormatConfiguration

SpatialAudioFormatConfiguration
SpatialAudioFormatConfiguration.GetDefault
SpatialAudioFormatConfiguration.MixedRealityExclusiveModePolicy
SpatialAudioFormatConfiguration.ReportConfigurationChangedAsync
SpatialAudioFormatConfiguration.ReportLicenseChangedAsync

SpatialAudioFormatSubtype

SpatialAudioFormatSubtype
SpatialAudioFormatSubtype.DolbyAtmosForHeadphones
SpatialAudioFormatSubtype.DolbyAtmosForHomeTheater
SpatialAudioFormatSubtype.DolbyAtmosForSpeakers
SpatialAudioFormatSubtype.DTSHeadphoneX
SpatialAudioFormatSubtype.DTSXUltra
SpatialAudioFormatSubtype.WindowsSonic

Windows.Media.Control

CurrentSessionChangedEventArgs

CurrentSessionChangedEventArgs

GlobalSystemMediaTransportControlsSession

GlobalSystemMediaTransportControlsSession
GlobalSystemMediaTransportControlsSession.GetPlaybackInfo
GlobalSystemMediaTransportControlsSession.GetTimelineProperties
GlobalSystemMediaTransportControlsSession.MediaPropertiesChanged
GlobalSystemMediaTransportControlsSession.PlaybackInfoChanged
GlobalSystemMediaTransportControlsSession.SourceAppUserModelId
GlobalSystemMediaTransportControlsSession.TimelinePropertiesChanged
GlobalSystemMediaTransportControlsSession.TryChangeAutoRepeatModeAsync
GlobalSystemMediaTransportControlsSession.TryChangeChannelDownAsync
GlobalSystemMediaTransportControlsSession.TryChangeChannelUpAsync
GlobalSystemMediaTransportControlsSession.TryChangePlaybackPositionAsync
GlobalSystemMediaTransportControlsSession.TryChangePlaybackRateAsync
GlobalSystemMediaTransportControlsSession.TryChangeShuffleActiveAsync
GlobalSystemMediaTransportControlsSession.TryFastForwardAsync
GlobalSystemMediaTransportControlsSession.TryGetMediaPropertiesAsync
GlobalSystemMediaTransportControlsSession.TryPauseAsync

GlobalSystemMediaTransportControlsSession.TryPlayAsync
GlobalSystemMediaTransportControlsSession.TryRecordAsync
GlobalSystemMediaTransportControlsSession.TryRewindAsync
GlobalSystemMediaTransportControlsSession.TrySkipNextAsync
GlobalSystemMediaTransportControlsSession.TrySkipPreviousAsync
GlobalSystemMediaTransportControlsSession.TryStopAsync
GlobalSystemMediaTransportControlsSession.TryTogglePlayPauseAsync

GlobalSystemMediaTransportControlsSessionManager

GlobalSystemMediaTransportControlsSessionManager
GlobalSystemMediaTransportControlsSessionManager.CurrentSessionChanged
GlobalSystemMediaTransportControlsSessionManager.GetCurrentSession
GlobalSystemMediaTransportControlsSessionManager.GetSessions
GlobalSystemMediaTransportControlsSessionManager.RequestAsync
GlobalSystemMediaTransportControlsSessionManager.SessionsChanged

GlobalSystemMediaTransportControlsSessionMediaProperties

GlobalSystemMediaTransportControlsSessionMediaProperties
GlobalSystemMediaTransportControlsSessionMediaProperties.AlbumArtist
GlobalSystemMediaTransportControlsSessionMediaProperties.AlbumTitle
GlobalSystemMediaTransportControlsSessionMediaProperties.AlbumTrackCount
GlobalSystemMediaTransportControlsSessionMediaProperties.Artist
GlobalSystemMediaTransportControlsSessionMediaProperties.Genres
GlobalSystemMediaTransportControlsSessionMediaProperties.PlaybackType
GlobalSystemMediaTransportControlsSessionMediaProperties.Subtitle
GlobalSystemMediaTransportControlsSessionMediaProperties.Thumbnail
GlobalSystemMediaTransportControlsSessionMediaProperties.Title
GlobalSystemMediaTransportControlsSessionMediaProperties.TrackNumber

GlobalSystemMediaTransportControlsSessionPlaybackControls

GlobalSystemMediaTransportControlsSessionPlaybackControls
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsChannelDownEnabled
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsChannelUpEnabled
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsFastForwardEnabled
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsNextEnabled
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPauseEnabled
GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPlaybackPositionEnable

d

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPlaybackRateEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPlayEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPlayPauseToggleEnable

d

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsPreviousEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsRecordEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsRepeatEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsRewindEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsShuffleEnabled

GlobalSystemMediaTransportControlsSessionPlaybackControls.IsStopEnabled

GlobalSystemMediaTransportControlsSessionPlaybackInfo

GlobalSystemMediaTransportControlsSessionPlaybackInfo

GlobalSystemMediaTransportControlsSessionPlaybackInfo.AutoRepeatMode

GlobalSystemMediaTransportControlsSessionPlaybackInfo.Controls

GlobalSystemMediaTransportControlsSessionPlaybackInfo.IsShuffleActive

GlobalSystemMediaTransportControlsSessionPlaybackInfo.PlaybackRate

GlobalSystemMediaTransportControlsSessionPlaybackInfo.PlaybackStatus

GlobalSystemMediaTransportControlsSessionPlaybackInfo.PlaybackType

GlobalSystemMediaTransportControlsSessionPlaybackStatus

GlobalSystemMediaTransportControlsSessionPlaybackStatus

GlobalSystemMediaTransportControlsSessionTimelineProperties

GlobalSystemMediaTransportControlsSessionTimelineProperties

GlobalSystemMediaTransportControlsSessionTimelineProperties.EndTime

GlobalSystemMediaTransportControlsSessionTimelineProperties.LastUpdatedTime

GlobalSystemMediaTransportControlsSessionTimelineProperties.MaxSeekTime

GlobalSystemMediaTransportControlsSessionTimelineProperties.MinSeekTime

GlobalSystemMediaTransportControlsSessionTimelineProperties.Position

GlobalSystemMediaTransportControlsSessionTimelineProperties.StartTime

MediaPropertiesChangedEventArgs

MediaPropertiesChangedEventArgs

PlaybackInfoChangedEventArgs

PlaybackInfoChangedEventArgs

SessionsChangedEventArgs

SessionsChangedEventArgs

TimelinePropertiesChangedEventArgs

TimelinePropertiesChangedEventArgs

Windows.Media.Core

MediaStreamSample

MediaStreamSample.CreateFromDirect3D11Surface

MediaStreamSample.Direct3D11Surface

Windows.Media.Devices.Core

CameraIntrinsics

CameraIntrinsics.#ctor

Windows.Media.Import

PhotoImportItem

PhotoImportItem.Path

Windows.Media.MediaProperties

ImageEncodingProperties

ImageEncodingProperties.CreateHeif

MediaEncodingSubtypes

MediaEncodingSubtypes.Heif

Windows.Media.Protection.PlayReady

PlayReadyStatics

PlayReadyStatics.HardwareDRMDisabledAtTime
PlayReadyStatics.HardwareDRMDisabledUntilTime
PlayReadyStatics.ResetHardwareDRMDisabled

Windows.Networking

Windows.Networking.Connectivity

ConnectionProfile

ConnectionProfile.CanDelete
ConnectionProfile.TryDeleteAsync

ConnectionProfileDeleteStatus

ConnectionProfileDeleteStatus

Windows.Perception

Windows.Perception.Spatial.Preview

SpatialGraphInteropPreview

SpatialGraphInteropPreview
SpatialGraphInteropPreview.CreateCoordinateSystemForNode
SpatialGraphInteropPreview.CreateCoordinateSystemForNode
SpatialGraphInteropPreview.CreateCoordinateSystemForNode
SpatialGraphInteropPreview.CreateLocatorForNode

Windows.Perception.Spatial

SpatialAnchorExporter

SpatialAnchorExporter

SpatialAnchorExporter.GetAnchorExportSufficiencyAsync

SpatialAnchorExporter.GetDefault

SpatialAnchorExporter.RequestAccessAsync

SpatialAnchorExporter.TryExportAnchorAsync

SpatialAnchorExportPurpose

SpatialAnchorExportPurpose

SpatialAnchorExportSufficiency

SpatialAnchorExportSufficiency

SpatialAnchorExportSufficiency.IsMinimallySufficient

SpatialAnchorExportSufficiency.RecommendedSufficiencyLevel

SpatialAnchorExportSufficiency.SufficiencyLevel

SpatialLocation

SpatialLocation.AbsoluteAngularAccelerationAxisAngle

SpatialLocation.AbsoluteAngularVelocityAxisAngle

Windows.Perception

PerceptionTimestamp

PerceptionTimestamp.SystemRelativeTargetTime

PerceptionTimestampHelper

PerceptionTimestampHelper.FromSystemRelativeTargetTime

Windows.Services

Windows.Services.Cortana

CortanaActionableInsights

CortanaActionableInsights

CortanaActionableInsights.GetDefault

CortanaActionableInsights.GetForUser

CortanaActionableInsights.IsAvailableAsync

CortanaActionableInsights.ShowInsightsAsync

CortanaActionableInsights.ShowInsightsAsync

CortanaActionableInsights.ShowInsightsForImageAsync

CortanaActionableInsights.ShowInsightsForImageAsync

CortanaActionableInsights.ShowInsightsForTextAsync

CortanaActionableInsights.ShowInsightsForTextAsync

CortanaActionableInsights.User

CortanaActionableInsightsOptions

CortanaActionableInsightsOptions

CortanaActionableInsightsOptions.ContentSourceWebLink

CortanaActionableInsightsOptions.#ctor

CortanaActionableInsightsOptions.SurroundingText

Windows.Services.Store

StoreAppLicense

StoreAppLicense.IsDiscLicense

StoreContext

StoreContext.RequestRateAndReviewAppAsync

StoreContext.SetInstallOrderForAssociatedStoreQueueItemsAsync

StoreQueueItem

StoreQueueItem.CancelInstallAsync

StoreQueueItem.PauseInstallAsync

StoreQueueItem.ResumeInstallAsync

StoreRateAndReviewResult

StoreRateAndReviewResult

StoreRateAndReviewResult.ExtendedError