

webviewcontrol.unviewablecontentidentified

webviewcontrol.webresourcerequested

webviewcontrolacceleratorkeypressedeventargs

webviewcontrolacceleratorkeypressedeventargs

webviewcontrolacceleratorkeypressedeventargs.eventtype

webviewcontrolacceleratorkeypressedeventargs.keystatus

webviewcontrolacceleratorkeypressedeventargs.routingstage

webviewcontrolacceleratorkeypressedeventargs.virtualkey

webviewcontrolacceleratorkeyroutingstage

webviewcontrolacceleratorkeyroutingstage

webviewcontrolmovefocusreason

webviewcontrolmovefocusreason

webviewcontrolmovefocusrequestedeventargs

webviewcontrolmovefocusrequestedeventargs

webviewcontrolmovefocusrequestedeventargs.reason

webviewcontrolprocess

webviewcontrolprocess

webviewcontrolprocess.createwebviewcontrolasync

webviewcontrolprocess.enterpriseid

webviewcontrolprocess.getwebviewcontrols

webviewcontrolprocess.isprivatenetworkclientservercapabilityenabled

webviewcontrolprocess.processexited

webviewcontrolprocess.processid

webviewcontrolprocess.terminate

webviewcontrolprocess.webviewcontrolprocess

webviewcontrolprocess.webviewcontrolprocess

webviewcontrolprocesscapabilitystate

webviewcontrolprocesscapabilitystate

webviewControllerprocessoptions

webviewControllerprocessoptions

webviewControllerprocessoptions.enterpriseid

webviewControllerprocessoptions.privatenetworkclientservercapability

webviewControllerprocessoptions.webviewControllerprocessoptions

windows

windows.web.ui.interop

windows.web.ui

iwebviewController

iwebviewController

iwebviewController.buildlocalstreamuri

iwebviewController.cangoback

iwebviewController.cangoforward

iwebviewController.capturepreviewtostreamasync

iwebviewController.captureselectedcontenttodatapackageasync

iwebviewController.containsfullscreenelement

iwebviewController.containsfullscreenelementchanged

iwebviewController.contentloading

iwebviewController.defaultbackgroundcolor

iwebviewController.deferredpermissionrequests

iwebviewController.documenttitle

iwebviewController.domcontentloaded

iwebviewController.framecontentloading

iwebviewController.framedomcontentloaded

iwebviewController.framenavigationcompleted

iwebviewController.framenavigationstarting

iwebviewController.getdeferredpermissionrequestbyid

iwebviewController.goback

iwebviewController.goforward

iwebviewController.invokescriptasync

iwebviewController.longrunningscriptdetected

iwebviewController.navigate

iwebviewController.navigatetolocalstreamuri

iwebviewController.navigatetostring

iwebviewcontrol.navigatewithhttprequestmessage
iwebviewcontrol.navigationcompleted
iwebviewcontrol.navigationstarting
iwebviewcontrol.newwindowrequested
iwebviewcontrol.permissionrequested
iwebviewcontrol.refresh
iwebviewcontrol.scriptnotify
iwebviewcontrol.settings
iwebviewcontrol.source
iwebviewcontrol.stop
iwebviewcontrol.unsafecontentwarningdisplaying
iwebviewcontrol.unsupportedurischemeidentified
iwebviewcontrol.unviewablecontentidentified
iwebviewcontrol.webresourcerequested

webviewcontrolcontentloadingeventargs

webviewcontrolcontentloadingeventargs
webviewcontrolcontentloadingeventargs.uri

webviewcontroldeferredpermissionrequest

webviewcontroldeferredpermissionrequest
webviewcontroldeferredpermissionrequest.allow
webviewcontroldeferredpermissionrequest.deny
webviewcontroldeferredpermissionrequest.id
webviewcontroldeferredpermissionrequest.permissiontype
webviewcontroldeferredpermissionrequest.uri

webviewcontroldomcontentloadedeventargs

webviewcontroldomcontentloadedeventargs
webviewcontroldomcontentloadedeventargs.uri

webviewcontrollongrunningscriptdetectedeventargs

webviewcontrollongrunningscriptdetectedeventargs
webviewcontrollongrunningscriptdetectedeventargs.executiontime
webviewcontrollongrunningscriptdetectedeventargs.stoppagescriptexecution

webViewcontrolnavigationcompletedeventargs

webViewcontrolnavigationcompletedeventargs
webViewcontrolnavigationcompletedeventargs.issuccess
webViewcontrolnavigationcompletedeventargs.uri
webViewcontrolnavigationcompletedeventargs.weberrorstatus

webViewcontrolnavigationstartingeventargs

webViewcontrolnavigationstartingeventargs
webViewcontrolnavigationstartingeventargs.cancel
webViewcontrolnavigationstartingeventargs.uri

webViewcontrolnewwindowrequestedeventargs

webViewcontrolnewwindowrequestedeventargs
webViewcontrolnewwindowrequestedeventargs.handled
webViewcontrolnewwindowrequestedeventargs.referrer
webViewcontrolnewwindowrequestedeventargs.uri

webViewcontrolpermissionrequest

webViewcontrolpermissionrequest
webViewcontrolpermissionrequest.allow
webViewcontrolpermissionrequest.defer
webViewcontrolpermissionrequest.deny
webViewcontrolpermissionrequest.id
webViewcontrolpermissionrequest.permissiontype
webViewcontrolpermissionrequest.state
webViewcontrolpermissionrequest.uri

webViewcontrolpermissionrequestedeventargs

webViewcontrolpermissionrequestedeventargs
webViewcontrolpermissionrequestedeventargs.permissionrequest

webViewcontrolpermissionstate

webViewcontrolpermissionstate

webviewcontrolpermissiontype

webviewcontrolpermissiontype

webviewcontrolscriptnotifyeventargs

webviewcontrolscriptnotifyeventargs

webviewcontrolscriptnotifyeventargs.uri

webviewcontrolscriptnotifyeventargs.value

webviewcontrolsettings

webviewcontrolsettings

webviewcontrolsettings.isindexeddbenabled

webviewcontrolsettings.isjavascriptenabled

webviewcontrolsettings.isscriptnotifyallowed

webviewcontrolunsupportedurischemeidentifiedeventargs

webviewcontrolunsupportedurischemeidentifiedeventargs

webviewcontrolunsupportedurischemeidentifiedeventargs.handled

webviewcontrolunsupportedurischemeidentifiedeventargs.uri

webviewcontrolunviewablecontentidentifiedeventargs

webviewcontrolunviewablecontentidentifiedeventargs

webviewcontrolunviewablecontentidentifiedeventargs.mediatype

webviewcontrolunviewablecontentidentifiedeventargs.referrer

webviewcontrolunviewablecontentidentifiedeventargs.uri

webviewcontrolwebresourcerequestedeventargs

webviewcontrolwebresourcerequestedeventargs

webviewcontrolwebresourcerequestedeventargs.getdeferral

webviewcontrolwebresourcerequestedeventargs.request

webviewcontrolwebresourcerequestedeventargs.response

windows

windows.web.ui

What's New in Windows 10 for developers, build 16299

Article • 03/16/2023

Windows 10 build 16299 (also known as the Fall Creators Update or version 1709), in combination with Visual Studio 2019 and the updated SDK, provide the tools, features, and experiences to make remarkable Universal Windows Platform apps. [Install the tools and SDK](#) on Windows 10 and you're ready to either [create a new Universal Windows app](#) or explore how you can use your [existing app code on Windows](#).

This is a collection of new and improved features and guidance of interest to Windows developers in this release. For a full list of new namespaces added to the Windows SDK, see the [Windows 10 build 16299 API changes](#). For more information on the highlighted features of Windows 10, see [What's cool in Windows 10](#). In addition, see [Windows Developer Platform features](#) for a high-level overview of both past and future additions to the Windows platform.

Design & UI

 Expand table

Feature	Description
Conditional XAML	You can now use conditional XAML to create version adaptive apps . Conditional XAML lets you use the <code>ApiInformation.IsApiContractPresent</code> method in XAML markup, so you can set properties and instantiate objects in markup based on the presence of an API, without needing to use code behind.
Design Toolkits	The design toolkits and resources for UWP apps have been expanded with the addition of the Sketch and Adobe XD toolkits. The previously-existing toolkits have also been updated and revamped, providing more robust controls and layout templates for your UWP apps. Furthermore, new tools and samples have been added to provide examples and inspiration.
Fluent Design effects	These new effects are part of the Fluent Design System, and use depth, perspective, and movement to help users focus on important UI elements. * Acrylic material is a type of brush that creates transparent textures. * The Parallax effect adds three-dimensional depth and perspective to your app. * Reveal highlights important elements of your app. For more information, see the Fluent Design overview  .
Keyboard Accelerators	Increase accessibility and usability of your app with keyboard accelerators or shortcuts. They provide an intuitive way for users to invoke common actions or

Feature	Description
	commands without navigating the app UI, and can be configured to fit the necessary scope for their function.
Inking	The CoreIncrementalInkStroke APIs allow for the creation of individual ink strokes which can be rendered incrementally, using individual InkPoint objects. The CoreInkPresenterHost APIs let you host an InkPresenter object without an associated InkCanvas control.
Radial Controller	The RadialControllerConfiguration APIs have been updated with the ability to scope the RadialController menu to the view or process of an app.
Live Tiles	Pin secondary tiles from Desktop Bridge Win32 apps .
Toast notifications	Use pending update on buttons to create multi-step interactivity within your toasts.
UI Controls	These new controls make it easier to quickly build a great looking UI. * The color picker control enables users to browse through and select colors. * The navigation view control makes it easy to add top-level navigation to your app. * The person picture control displays the avatar image for a person. * The rating control enables users to easily view and set ratings that reflect degrees of satisfaction with content and services.
Voice and tone	We've added new guidance on voice in tone in UWP apps to provide you with advice for writing text in your app. Whatever you're creating, it's important that the language you use is approachable, friendly, and informative.

Gaming

[Expand table](#)

Feature	Description
Game broadcasting	New APIs in the Windows.Media.AppBroadcasting namespace allow your app to launch the system-provided game broadcast UI. You can also register for events that notify your app when broadcasting starts or stops. New APIs in the Windows.Media.AppRecording namespace allow you to record audio and video and capture screen shots of gameplay. You can also provide metadata that the system will embed into broadcast and capture streams, allowing apps to provide viewing experiences that are synchronized with gameplay events. For more information on these features, see Game broadcast and capture.
Game Chat Overlay	The GameChatOverlay class provides methods to get the default game chat overlay instance, set the desired position of the overlay, and add messages to it.

Feature	Description
Gaming Device Information	Due to differing console capabilities, Universal Windows Platform (UWP) game developers need a way to determine the type of console the game is running on, in order to make run-time choices on how to best use the hardware. The Gaming Device Information APIs in <code><gamingdeviceinformation.h></code> provide this functionality.
Game Mode	The Game Mode APIs for the Universal Windows Platform (UWP) allow you to produce the most optimized gaming experience by taking advantage of Game Mode in Windows 10. These APIs are located in the <code><expandedresources.h></code> header.
Game Monitor	The GameMonitor class allows an app to get the game monitor permission state of the device and potentially prompt the user to enable game monitoring.
TruePlay	TruePlay provides developers with a new set of tools to combat cheating within their PC games. A game enrolled in TruePlay will run in a protected process, which mitigates a class of common attacks. The TruePlay APIs for the Universal Windows Platform (UWP) allow limited interaction between games and the game monitoring system on Windows 10 PCs. These APIs are located in the <code><gamemonitor.h></code> header. As of Windows 10, version 1809 (10.0; Build 17763), TruePlay is removed from Windows. TruePlay documentation is not published.
Xbox Live	We've added docs for Xbox Live developers, for both UWP and Xbox Developer Kit (XDK) games. * See the Xbox Live developer guide to learn how to use the Xbox Live APIs to connect your game to the Xbox Live social gaming network. * With the Xbox Live Creators Program, any UWP game developer can develop and publish an Xbox Live-enabled game on both the PC and Xbox One. * See the Xbox Live developer program overview for information about the programs and features available to Xbox Live developers.

Develop Windows apps

[Expand table](#)

Feature	Description
Activating UWP apps	The following new features are now available: * Use the StartupTask class to specify that a UWP app start when the user logs on, or at system startup. * Identify if a UWP app was launched from the command line. * Programmatically request that your UWP app restart by using the RequestRestartAsync() and RequestRestartForUserAsync() APIs. * Launch the Windows Settings app has been updated to reflect new URI schemes such as <code>ms-settings:storagesense</code>, <code>ms-settings:cortana-notifications</code>, and others.

Feature	Description
App packaging	App Installer has been expanded to allow UWP app packages to be downloaded from a webpage. Additionally, related sets of an app package can now be downloaded with App Installer. See the new Install UWP apps with App Installer section to learn more.
App services and extensions	We've added a new guide, Create and consume an app extension, to help you write and host Universal Windows Platform (UWP) app extensions to extend your app via packages that users can install from the Microsoft Store. We've added a new guide, Extend your app with services, extensions, and packages, which categorizes the different technologies in Windows 10 that you can use to extend and componentize your app.
Background tasks	We've added three guides that help you take advantage of background tasks: * Run in the background indefinitely to use all resources available on a device without any background or extended execution throttling. This applies to Enterprise UWP apps and UWP apps that will not be submitted to the Microsoft Store. * Trigger a background task from within your app to activate a background task from within your app. * Run a background task when your UWP app is updated to create a background task that runs when your UWP app is updated.
Desktop Bridge	We've added three guides that help you add modern experiences to your desktop applications on Windows 10: * Enhance your desktop application for Windows 10 guide to find and reference the correct files, and then write code to light up UWP experiences for Windows 10 users. * Extend your desktop application with modern UWP components to incorporate modern XAML UIs and other UWP experiences that must run in a UWP app container. * Migrate your application to the Universal Windows Platform to share code between your WPF, Windows Forms, UWP, Android, and iOS applications.
Desktop Bridge Packaging	Visual Studio introduces a new packaging project that eliminates all of the manual steps that used to be necessary to package a full-trust desktop application. Just add a packaging project, reference your desktop project, and then press F5 to debug your app. No manual tweaks necessary. This new streamlined experience is a vast improvement over the experience that was available in the previous version of Visual Studio.
Diagnostics and	New diagnostic APIs provide information about running apps:

Feature	Description
threading	* The AppMemoryReport class provides information about an apps expected total commit limit, private commit usage, and so on. * The AppDiagnosticInfo class can now monitor the execution state of an app or task, and provides notifications when the execution state changes. * The MemoryManager class has new methods to set the app memory usage limit and report the expected app memory usage limit. You can queue tasks, in priority order, and run them on a different thread with the DispatcherQueue class. This functionality is also available from Win32 via the CreateDispatcherQueueController function.
EdgeHTML 16	The web platform powering Microsoft Edge and JS-based Universal Windows Platform apps has been updated to EdgeHTML 16 and now includes major improvements to F12 Developer Tools, support for CSS Grid layout, and other significant features. * The CSS Grid Layout is now supported in Microsoft Edge. Grid Layout defines a two-dimensional grid-based layout system which enables more layout fluidity than possible with positioning using floats or scripts. * The Microsoft Edge F12 DevTools docs have been updated for improved robustness and performance. New features have also been added to optimize your development experience. * Within Microsoft Edge only, WebVR has added support for motion controllers and a variety of Windows Mixed Reality headsets. WebVR has also been optimized to support up to 90 frames per second. See the Microsoft Edge Developer Guide for the full list of changes and newly supported APIs.
Map 3D Elements	You can add three-dimensional objects to a map. You can use the new MapModel3D class to import a 3D object from a 3D Manufacturing Format (3MF) ↗ file.
Map Element Styling	You can customize the appearance of map elements by using two new MapElement properties: MapStyleSheetEntry, and MapStyleSheetEntryState. * You can use the MapStyleSheetEntry property to make your map elements look like they are part of the base map (For example: by setting an element style to an existing entry in the map style sheet such as <i>Water</i>). * You can use the MapStyleSheetEntryState property to modify the appearance of your map elements by leveraging default states like <i>Hover</i> and <i>Selected</i> in the map style sheet, or override them to create your own.
Map Layers	You can add points of interest elements to a map layer, and then bind XAML directly to that layer. Group your elements into layers. Then, you can manipulate

Feature	Description
	each layer independently from one another. For example, each layer has it's own set of events so you can respond to an event on a specific layer and perform an action specific to that event.
Map Place Info	You can show users a map inside of a light-weight pop-up window above, below or to the side of a UI element or an area of the app where the user touches. This window dismisses itself when the user changes context. This keeps users from having to switch to another app or browser window to obtain information about a location.
Map Services	Going sightseeing? Use the new MapRouteOptimization.Scenic value to optimize a route to include the most scenic roads, and MapRoute.IsScenic to discover whether an existing route includes scenic roads.
Media Capture	The article Process media frames with MediaFrameReader has been updated to show the usage of the new MultiSourceMediaFrameReader class, which allows you to obtain time-correlated frames from multiple media sources. Process media frames with MediaFrameReader has been updated to include a description of buffered frame acquisition mode that allows apps to request that acquired frames be provided to the app in sequence, without dropping frames acquired while the app was processing a previous frame. Also, when a MediaCapture object has been initialized with a media frame source group containing one or more media frame sources, you can create a MediaSource object that allows you to present the media frames in a MediaPlayerElement control in a XAML page. For more information, see Process media frames with MediaFrameReader.
Media Playback	New sections have been added to the basic media playback article, Play audio and video with MediaPlayer. * The section Play spherical video with MediaPlayer shows you how to playback spherically encoded video, including adjusting the field of view and view orientation for supported formats. * The section Use MediaPlayer in frame server mode shows you how to copy frames from media played back with MediaPlayer to a Direct3D surface. This enables scenarios such as applying real-time effects with pixel shaders. The example code shows a quick implementation of a blur effect for video playback using Win2D.
My People	My People allows users to pin contacts from an application directly to their taskbar. Learn how to add My People support to your application. * My People sharing allows users to share files through your application, right from the taskbar.

Feature	Description
	* My People notifications are a new kind of toast notification that users can send to their pinned contacts.
.NET Standard 2.0	The Universal Windows Platform has fully implemented the .NET Standard 2.0. This new version of the standard includes a massive increase in the number of .NET APIs along with a compatibility shim for your favorite NuGet packages and third party libraries. If you intend to target other platforms such as iOS and Android, or if you have a desktop application and want to create a UWP app, move code into .NET Standard 2.0 class libraries and then reuse that code in each version of your app.
Pin to taskbar	The new TaskbarManager class allows you to ask your user to pin your app to the taskbar .
Point of Service	We've added a new guide to help you get started with point of service devices . It covers topics like device enumeration, checking device capabilities, claiming devices, and device sharing.
Speech Recognition	You can now use a SpeechRecognitionListConstraint in conjunction with a web service SpeechRecognitionTopicConstraint to increase dictation accuracy by providing a set of domain-specific keywords that you think are likely to be used during dictation.
User activities	A new Windows.ApplicationModel.UserActivities API enables you to encapsulate a user task that can be continued at a later time, and potentially on a different device.

Publish & Monetize Windows apps

The features in this section have been added since the release of the previous version of Windows, 1703. They are available to all Windows developers and do not require the updated SDK.

[Expand table](#)

Feature	Description
Account management	We now provide more flexibility when associating Azure AD tenants with your Partner Center account to add multiple account users. You can associate multiple Azure AD tenants with a single Partner Center account, or associate a single Azure AD tenant with more than one Partner Center account.
Advertising	The Microsoft Advertising SDK now enables you to show native ads in your apps. A native ad is a component-based ad format where each piece of the ad creative (such as the title, image, description, and call-to-action text) is delivered to your

Feature	Description
	app as an individual element. Native ads are currently only available to developers who join a pilot program, but we intend to make this feature available to all developers soon.
Pricing and availability	New pricing and availability options let you schedule price changes and set precise release dates .
Store analytics API	The Microsoft Store analytics API now provides a method you can use to download the CAB file for an error in your app .
Store listings	Store listing have been enhanced with new capabilities to engage prospective users: * Your app's Store listing can now include video trailers. * You can import and export Store listings to make updates faster, especially if you have listings in many languages.
Submission API	The Microsoft Store submission API now enables you to include video trailers and gaming options with your app submissions.
Targeted offers	Targeted offers let you target specific segments of your customers with attractive, personalized content to increase engagement, retention, and monetization.

Samples

Lunch Scheduler

The [Lunch Scheduler](#) sample schedules lunches with your friends and coworkers. You create a lunch, invite friends to a restaurant of interest, and the app takes care of the lunch management for all involved parties. This app highlights the following:

- Demonstrates integration with services like Facebook, Microsoft Graph for authentication, graph-based operations, and friends discovery.
- Works with Yelp and Bing maps for restaurant recommendations.
- Incorporates elements of the Fluent Design System in a UWP app including acrylic, reveal, and connected animations.

Quiz Game

The [Quiz Game App \(Remote System Sessions API\)](#) sample demonstrates how to use the Remote System Sessions API in the context of a quiz game scenario. A host sends

the questions to the proximal devices and the participants the answer the questions on their own devices.

The Remote System Sessions API allows a device to host a session that is discoverable by other devices that are nearby. They can then join this session, and send messages to the host and other participants.

Feedback

Was this page helpful?



Yes



No

[Provide product feedback](#)  | [Get help at Microsoft Q&A](#)

New APIs in Windows 10 build 16299

Article • 10/20/2022

New and updated API namespaces have been made available to developers in Windows 10 build 16299, also known as the Fall Creators Update or version 1709. Below is a full list of documentation published for namespaces added or modified in this release.

For information on APIs added in the previous public release, see [New APIs in the Windows 10 Creators Update](#).

windows.applicationmodel

windows.applicationmodel.activation

commandlineactivatedeventargs

commandlineactivatedeventargs
commandlineactivatedeventargs.kind
commandlineactivatedeventargs.operation
commandlineactivatedeventargs.previousexecutionstate
commandlineactivatedeventargs.splashscreen
commandlineactivatedeventargs.user

commandlineactivationoperation

commandlineactivationoperation
commandlineactivationoperation.arguments
commandlineactivationoperation.currentdirectorypath
commandlineactivationoperation.exitcode
commandlineactivationoperation.getdeferral

icommandlineactivatedeventargs

icommandlineactivatedeventargs
icommandlineactivatedeventargs.operation

istartuptaskactivatedeventargs

istartuptaskactivatedeventargs
istartuptaskactivatedeventargs.taskid

startuptaskactivatedeventargs

startuptaskactivatedeventargs
startuptaskactivatedeventargs.kind
startuptaskactivatedeventargs.previousexecutionstate
startuptaskactivatedeventargs.splashscreen
startuptaskactivatedeventargs.taskid
startuptaskactivatedeventargs.user

windows.applicationmodel.appointments

appointmentstore

appointmentstore.getchangertracker

appointmentstorechangertracker

appointmentstorechangertracker.istracking

windows.applicationmodel.appservice

appservicetriggerdetails

appservicetriggerdetails.checkcallerforcapabilityasync

windows.applicationmodel.background

geovisittrigger

geovisittrigger
geovisittrigger.geovisittrigger
geovisittrigger.monitoringscope

paymentappcanmakepaymenttrigger

paymentappcanmakepaymenttrigger

paymentappcanmakepaymenttrigger.paymentappcanmakepaymenttrigger

windows.applicationmodel.calls

voipcallcoordinator

voipcallcoordinator.setupnewacceptedcall

voipphonecall

voipphonecall.tryshowappui

windows.applicationmodel.contacts.dataprovider

contactdataproviderconnection

contactdataproviderconnection.createorupdatecontactrequested

contactdataproviderconnection.deletecontactrequested

contactlistcreateorupdatecontactrequest

contactlistcreateorupdatecontactrequest

contactlistcreateorupdatecontactrequest.contact

contactlistcreateorupdatecontactrequest.contactlistid

contactlistcreateorupdatecontactrequest.reportcompletedasync

contactlistcreateorupdatecontactrequest.reportfailedasync

contactlistcreateorupdatecontactrequesteventargs

contactlistcreateorupdatecontactrequesteventargs

contactlistcreateorupdatecontactrequesteventargs.getdeferral

contactlistcreateorupdatecontactrequesteventargs.request

contactlistdeletecontactrequest

contactlistdeletecontactrequest

contactlistdeletecontactrequest.contactid

contactlistdeletecontactrequest.contactlistid

contactlistdeletecontactrequest.reportcompletedasync
contactlistdeletecontactrequest.reportfailedasync

contactlistdeletecontactrequesteventargs

contactlistdeletecontactrequesteventargs
contactlistdeletecontactrequesteventargs.getdeferral
contactlistdeletecontactrequesteventargs.request

windows.applicationmodel.contacts

contactchangetracker

contactchangetracker.istracking

contactlist

contactlist.getchangetracker
contactlist.limitedwriteoperations

contactlistlimitedwriteoperations

contactlistlimitedwriteoperations
contactlistlimitedwriteoperations.trycreateorupdatecontactasync
contactlistlimitedwriteoperations.trydeletecontactasync

contactstore

contactstore.getchangetracker

windows.applicationmodel.core

applistentry

applistentry.appusermodelid

appstartfailurereason

appstartfailurereason

coreapplication

coreapplication.requestrestartasync
coreapplication.requestrestartforuserasync

coreapplicationview

coreapplicationview.dispatcherqueue

windows.applicationmodel.datatransfer.sharetarget

shareoperation

shareoperation.contacts

windows.applicationmodel.datatransfer

datatransfermanager

datatransfermanager.showshareui

shareuioptions

shareuioptions
shareuioptions.selectionrect
shareuioptions.shareuioptions
shareuioptions.theme

shareuitheme

shareuitheme

windows.applicationmodel.email

emailmailbox

emailmailbox.getchangetracker

windows.applicationmodel.payments.provider

paymentappcanmakepaymenttriggerdetails

paymentappcanmakepaymenttriggerdetails

paymentappcanmakepaymenttriggerdetails.reportcanmakepaymentresult

paymentappcanmakepaymenttriggerdetails.request

windows.applicationmodel.payments

paymentcanmakepaymentresult

paymentcanmakepaymentresult

paymentcanmakepaymentresult.paymentcanmakepaymentresult

paymentcanmakepaymentresult.status

paymentcanmakepaymentresultstatus

paymentcanmakepaymentresultstatus

paymentmediator

paymentmediator.canmakepaymentasync

paymentrequest

paymentrequest.id

paymentrequest.paymentrequest

windows.applicationmodel.useractivities.core

coreuseractivitymanager

coreuseractivitymanager

coreuseractivitymanager.createuseractivitysessioninbackground

coreuseractivitymanager.deleteuseractivitysessionsintimerangeasync

windows.applicationmodel.useractivities

iuseractivitycontentinfo

iuseractivitycontentinfo
iuseractivitycontentinfo.tojson

useractivity

useractivity
useractivity.activationuri
useractivity.activityid
useractivity.contentinfo
useractivity.contenttype
useractivity.contenturi
useractivity.createsession
useractivity.fallbackuri
useractivity.saveasync
useractivity.state
useractivity.visualelements

useractivityattribution

useractivityattribution
useractivityattribution.addimagequery
useractivityattribution.alternatetext
useractivityattribution.iconuri
useractivityattribution.useractivityattribution
useractivityattribution.useractivityattribution

useractivitychannel

useractivitychannel
useractivitychannel.deleteactivityasync
useractivitychannel.deleteallactivitiesasync
useractivitychannel.getdefault
useractivitychannel.getorcreateuseractivityasync

useractivitycontentinfo

useractivitycontentinfo
useractivitycontentinfo.fromjson
useractivitycontentinfo.tojson

useractivitysession

useractivitysession

useractivitysession.activityid

useractivitysession.close

useractivitystate

useractivitystate

useractivityvisualelements

useractivityvisualelements

useractivityvisualelements.attribution

useractivityvisualelements.backgroundColor

useractivityvisualelements.content

useractivityvisualelements.description

useractivityvisualelements.displaytext

windows.applicationmodel

designmode

designmode.designmode2enabled

packagecatalog

packagecatalog.removeoptionalpackagesasync

packagecatalogremoveoptionalpackagesresult

packagecatalogremoveoptionalpackagesresult

packagecatalogremoveoptionalpackagesresult.extendederror

packagecatalogremoveoptionalpackagesresult.packagesremoved

windows.devices

windows.devices.bluetooth.genericattributeprofile

gattclientnotificationresult

gattclientnotificationresult.bytestent

windows.devices.bluetooth

bluetoothdevice

bluetoothdevice.bluetoothdeviceid

bluetoothdeviceid

bluetoothdeviceid.fromid

bluetoothledevice

bluetoothledevice.bluetoothdeviceid

windows.devices.geolocation

geovisit

geovisit

geovisit.position

geovisit.statechange

geovisit.timestamp

geovisitmonitor

geovisitmonitor

geovisitmonitor.geovisitmonitor

geovisitmonitor.getlastreportasync

geovisitmonitor.monitoringscope

geovisitmonitor.start

geovisitmonitor.stop

geovisitmonitor.visitstatechanged

geovisitstatechangedeventargs

geovisitstatechangedeventargs
geovisitstatechangedeventargs.visit

geovisittriggerdetails

geovisittriggerdetails
geovisittriggerdetails.readreports

visitmonitoringscope

visitmonitoringscope

visitstatechange

visitstatechange

windows.devices.pointofservice

claimedlinedisplay

claimedlinedisplay.checkhealthasync
claimedlinedisplay.checkpowerstatusasync
claimedlinedisplay.customglyphs
claimedlinedisplay.getattributes
claimedlinedisplay.getstatisticsasync
claimedlinedisplay.maxbitmapsizeinpixels
claimedlinedisplay.statusupdated
claimedlinedisplay.supportedcharactersets
claimedlinedisplay.supportedscreensizesincharacters
claimedlinedisplay.trycleardescriptorsasync
claimedlinedisplay.trycreatewindowasync
claimedlinedisplay.trysetdescriptorasync
claimedlinedisplay.trystorestoragefilebitmapasync
claimedlinedisplay.trystorestoragefilebitmapasync
claimedlinedisplay.trystorestoragefilebitmapasync
claimedlinedisplay.tryupdateattributesasync

linedisplay

linedisplay.checkpowerstatusasync
linedisplay.statisticcategoryselector

linedisplayattributes

linedisplayattributes
linedisplayattributes.blinkrate
linedisplayattributes.brightness
linedisplayattributes.charset
linedisplayattributes.currentwindow
linedisplayattributes.ischarsetmappingenabled
linedisplayattributes.ispowernotifyenabled
linedisplayattributes.screencharactercount

linedisplaycursor

linedisplaycursor
linedisplaycursor.cancelcustomize
linedisplaycursor.getattributes
linedisplaycursor.isblinksupported
linedisplaycursor.isblocksupported
linedisplaycursor.ishalfblocksupported
linedisplaycursor.isothersupported
linedisplaycursor.isreversesupported
linedisplaycursor.isunderlinesupported
linedisplaycursor.tryupdateattributesasync

linedisplaycursorattributes

linedisplaycursorattributes
linedisplaycursorattributes.cursortype
linedisplaycursorattributes.isautoadvanceenabled
linedisplaycursorattributes.isblinkenabled
linedisplaycursorattributes.position

linedisplaycursortype

linedisplaycursortype

linedisplaycustomglyphs

linedisplaycustomglyphs
linedisplaycustomglyphs.sizeinpixels
linedisplaycustomglyphs.supportedglyphcodes
linedisplaycustomglyphs.tryredefineasync

linedisplaydescriptorstate

linedisplaydescriptorstate

linedisplayhorizontalalignment

linedisplayhorizontalalignment

linedisplaymarquee

linedisplaymarquee
linedisplaymarquee.format
linedisplaymarquee.repeatwaitinterval
linedisplaymarquee.scrollwaitinterval
linedisplaymarquee.trystartscrollingasync
linedisplaymarquee.trystopscrollingasync

linedisplaymarqueeformat

linedisplaymarqueeformat

linedisplaypowerstatus

linedisplaypowerstatus

linedisplaystatisticscategoryselector

linedisplaystatisticscategoryselector
linedisplaystatisticscategoryselector.allstatistics
linedisplaystatisticscategoryselector.manufacturerstatistics
linedisplaystatisticscategoryselector.unifiedposstatistics

linedisplaystatusupdatedeventargs

linedisplaystatusupdatedeventargs
linedisplaystatusupdatedeventargs.status

linedisplaystoredbitmap

linedisplaystoredbitmap
linedisplaystoredbitmap.escapesequence
linedisplaystoredbitmap.trydeleteasync

linedisplayverticalalignment

linedisplayverticalalignment

linedisplaywindow

linedisplaywindow.cursor
linedisplaywindow.marquee
linedisplaywindow.readcharacteratcursorasync
linedisplaywindow.trydisplaystoragefilebitmapatcursorasync
linedisplaywindow.trydisplaystoragefilebitmapatcursorasync
linedisplaywindow.trydisplaystoragefilebitmapatcursorasync
linedisplaywindow.trydisplaystoragefilebitmapatpointasync
linedisplaywindow.trydisplaystoragefilebitmapatpointasync
linedisplaywindow.trydisplaystoredbitmapatcursorasync

windows.devices.sensors.custom

customsensor

customsensor.maxbatchsize
customsensor.reportlatency

customsensorreading

customsensorreading.performancecount

windows.devices.sensors

accelerometer

accelerometer.fromIdAsync
accelerometer.getDeviceSelector

accelerometerreading

accelerometerreading.performanceCount
accelerometerreading.properties

altimeter

altimeter.maxBatchSize
altimeter.reportLatency

altimeterreading

altimeterreading.performanceCount
altimeterreading.properties

barometer

barometer.fromIdAsync
barometer.getDeviceSelector
barometer.maxBatchSize
barometer.reportLatency

barometerreading

barometerreading.performanceCount
barometerreading.properties

compass

compass.fromIdAsync
compass.getDeviceSelector
compass.maxBatchSize
compass.reportLatency

compassreading

compassreading.performancecount

compassreading.properties

gyrometer

gyrometer.fromidasync

gyrometer.getdeviceselector

gyrometer.maxbatchsize

gyrometer.reportlatency

gyrometerreading

gyrometerreading.performancecount

gyrometerreading.properties

inclinometer

inclinometer.fromidasync

inclinometer.getdeviceselector

inclinometer.maxbatchsize

inclinometer.reportlatency

inclinometerreading

inclinometerreading.performancecount

inclinometerreading.properties

lightsensor

lightsensor.fromidasync

lightsensor.getdeviceselector

lightsensor.maxbatchsize

lightsensor.reportlatency

lightsensorreading

lightsensorreading.performancecount

lightsensorreading.properties

magnetometer

magnetometer.fromidasync
magnetometer.getdeviceselector
magnetometer.maxbatchsize
magnetometer.reportlatency

magnetometerreading

magnetometerreading.performancecount
magnetometerreading.properties

orientationsensor

orientationsensor.fromidasync
orientationsensor.getdeviceselector
orientationsensor.getdeviceselector
orientationsensor.maxbatchsize
orientationsensor.reportlatency

orientationsensorreading

orientationsensorreading.performancecount
orientationsensorreading.properties

windows.devices.smartcards

smartcardcryptogramgenerator

smartcardcryptogramgenerator.issupported

smartcardemulator

smartcardemulator.issupported

windows.devices.wifi

wifiadapter

wifiadapter.connectasync
wifiadapter.getwpsconfigurationasync

wificonnectionmethod

wificonnectionmethod

wifiwpsconfigurationresult

wifiwpsconfigurationresult

wifiwpsconfigurationresult.status

wifiwpsconfigurationresult.supportedwpskinds

wifiwpsconfigurationstatus

wifiwpsconfigurationstatus

wifiwpskind

wifiwpskind

windows.gaming

windows.gaming.input

rawgamecontroller

rawgamecontroller.displayname

rawgamecontroller.nonroamableid

rawgamecontroller.simplehapticscontrollers

windows.gaming.preview.gamesenumeration

gamelist

gamelist.mergeentriesasync

gamelist.unmergeentryasync

gamelistentry

gamelistentry.gamemodeconfiguration

gamelistentry.launchablestate

gamelistentry.launcherexecutable
gamelistentry.launchparameters
gamelistentry.setlauncherexecutablefileasync
gamelistentry.setlauncherexecutablefileasync
gamelistentry.settitleidasync
gamelistentry.titleid

gamelistentrylaunchablestate

gamelistentrylaunchablestate

gamemodeconfiguration

gamemodeconfiguration
gamemodeconfiguration.affinitizetoexclusivecpu
gamemodeconfiguration.cpuexclusivitymaskhigh
gamemodeconfiguration.cpuexclusivitymasklow
gamemodeconfiguration.isenabled
gamemodeconfiguration.maxcpucount
gamemodeconfiguration.percentgpumemoryallocatedtogame
gamemodeconfiguration.percentgpumemoryallocatedtosystemcompositor
gamemodeconfiguration.percentgputimeallocatedtogame
gamemodeconfiguration.relatedprocessnames
gamemodeconfiguration.saveasync

gamemodeuserconfiguration

gamemodeuserconfiguration
gamemodeuserconfiguration.gamingrelatedprocessnames
gamemodeuserconfiguration.getdefault
gamemodeuserconfiguration.saveasync

windows.gaming.ui

gamechatmessageorigin

gamechatmessageorigin

gamechatmessagereceivedeventargs

gamechatmessagereceivedeventargs
gamechatmessagereceivedeventargs.appdisplayname
gamechatmessagereceivedeventargs.appid
gamechatmessagereceivedeventargs.message
gamechatmessagereceivedeventargs.origin
gamechatmessagereceivedeventargs.sendername

gamechatoverlay

gamechatoverlay
gamechatoverlay.addmessage
gamechatoverlay.desiredposition
gamechatoverlay.getdefault

gamechatoverlaymessagesource

gamechatoverlaymessagesource
gamechatoverlaymessagesource.gamechatoverlaymessagesource
gamechatoverlaymessagesource.messagereceived
gamechatoverlaymessagesource.setdelaybeforeclosingaftermessagereceived

gamechatoverlayposition

gamechatoverlayposition

gamemonitor

gamemonitor
gamemonitor.getdefault
gamemonitor.requestpermissionasync

gamemonitoringpermission

gamemonitoringpermission

gameuiprovideractivatedeventargs

gameuiprovideractivatedeventargs
gameuiprovideractivatedeventargs.gameuiargs
gameuiprovideractivatedeventargs.kind

gameui.provider.activatedEvent.targets.previousExecutionState
gameui.provider.activatedEvent.targets.reportCompleted
gameui.provider.activatedEvent.targets.splashScreen

windows.graphics

windows.graphics.holographic

holographiccamera

holographiccamera.isPrimaryLayerEnabled
holographiccamera.maxQuadLayerCount
holographiccamera.quadLayers

holographiccamera.renderingParameters

holographiccamera.renderingParameters.isContentProtectionEnabled

holographicdisplay

holographicdisplay.refreshRate

holographicframe

holographicframe.getQuadLayerUpdateParameters

holographicquadlayer

holographicquadlayer
holographicquadlayer.close
holographicquadlayer.holographicquadlayer
holographicquadlayer.holographicquadlayer
holographicquadlayer.pixelFormat
holographicquadlayer.size

holographicquadlayer.updateParameters

holographicquadlayer.updateParameters
holographicquadlayer.updateParameters.acquireBufferToUpdateContent

holographicquadlayerupdateparameters.updatecontentprotectionenabled
holographicquadlayerupdateparameters.updateextents
holographicquadlayerupdateparameters.updatelocationwithdisplayrelativemode
holographicquadlayerupdateparameters.updatelocationwithstationarymode
holographicquadlayerupdateparameters.updateviewport

holographicspace

holographicspace.isconfigured

windows.graphics.printing.printticket

printticketcapabilities

printticketcapabilities
printticketcapabilities.documentbindingfeature
printticketcapabilities.documentcollatefeature
printticketcapabilities.documentduplexfeature
printticketcapabilities.documentholepunchfeature
printticketcapabilities.documentinputbinfeature
printticketcapabilities.documentnupfeature
printticketcapabilities.documentstaplefeature
printticketcapabilities.getfeature
printticketcapabilities.getparameterdefinition
printticketcapabilities.jobpasscodefeature
printticketcapabilities.name
printticketcapabilities.pageborderlessfeature
printticketcapabilities.pagemediasizefeature
printticketcapabilities.pagemediatypefeature
printticketcapabilities.pageorientationfeature
printticketcapabilities.pageoutputcolorfeature
printticketcapabilities.pageoutputqualityfeature
printticketcapabilities.pageresolutionfeature
printticketcapabilities.xmlnamespace
printticketcapabilities.xmlnode

printticketfeature

printticketfeature
printticketfeature.displayname

printticketfeature.getoption
printticketfeature.getselectedoption
printticketfeature.name
printticketfeature.options
printticketfeature.selectiontype
printticketfeature.setselectedoption
printticketfeature.xmlnamespace
printticketfeature.xmlnode

printticketfeatureselectiontype

printticketfeatureselectiontype

printticketoption

printticketoption
printticketoption.displayname
printticketoption.getpropertynode
printticketoption.getpropertyvalue
printticketoption.getscoredpropertynode
printticketoption.getscoredpropertyvalue
printticketoption.name
printticketoption.xmlnamespace
printticketoption.xmlnode

printticketparameterdatatype

printticketparameterdatatype

printticketparameterdefinition

printticketparameterdefinition
printticketparameterdefinition.datatype
printticketparameterdefinition.name
printticketparameterdefinition.rangemax
printticketparameterdefinition.rangemin
printticketparameterdefinition.unittype
printticketparameterdefinition.xmlnamespace
printticketparameterdefinition.xmlnode

printticketparameterinitializer

printticketparameterinitializer
printticketparameterinitializer.name
printticketparameterinitializer.value
printticketparameterinitializer.xmlnamespace
printticketparameterinitializer.xmlnode

printticketvalue

printticketvalue
printticketvalue.getvalueasinteger
printticketvalue.getvalueasstring
printticketvalue.type

printticketvaluetype

printticketvaluetype

workflowprintticket

workflowprintticket
workflowprintticket.documentbindingfeature
workflowprintticket.documentcollatefeature
workflowprintticket.documentduplexfeature
workflowprintticket.documentholepunchfeature
workflowprintticket.documentinputbinfeature
workflowprintticket.documentnupfeature
workflowprintticket.documentstaplefeature
workflowprintticket.getcapabilities
workflowprintticket.getfeature
workflowprintticket.getparameterinitializer
workflowprintticket.jobpasscodefeature
workflowprintticket.mergeandvalidateticket
workflowprintticket.name
workflowprintticket.notifyxmlchangedasync
workflowprintticket.pageborderlessfeature
workflowprintticket.pagemediasizefeature
workflowprintticket.pagemediatypefeature
workflowprintticket.pageorientationfeature
workflowprintticket.pageoutputcolorfeature

workflowprintticket.pageoutputqualityfeature
workflowprintticket.pageresolutionfeature
workflowprintticket.setparameterinitializerasinteger
workflowprintticket.setparameterinitializerasstring
workflowprintticket.validateasync
workflowprintticket.xmlnamespace
workflowprintticket.xmlnode

workflowprintticketvalidationresult

workflowprintticketvalidationresult
workflowprintticketvalidationresult.extendederror
workflowprintticketvalidationresult.validated

windows.graphics.printing.workflow

printworkflowbackgroundsession

printworkflowbackgroundsession
printworkflowbackgroundsession.setuprequested
printworkflowbackgroundsession.start
printworkflowbackgroundsession.status
printworkflowbackgroundsession.submitted

printworkflowbackgroundsetuprequestedeventargs

printworkflowbackgroundsetuprequestedeventargs
printworkflowbackgroundsetuprequestedeventargs.configuration
printworkflowbackgroundsetuprequestedeventargs.getdeferral
printworkflowbackgroundsetuprequestedeventargs.getuserprintticketasync
printworkflowbackgroundsetuprequestedeventargs.setrequiresui

printworkflowconfiguration

printworkflowconfiguration
printworkflowconfiguration.jobtitle
printworkflowconfiguration.sessionid
printworkflowconfiguration.sourceappdisplayname

printworkflowforegroundsession

printworkflowforegroundsession
printworkflowforegroundsession.setuprequested
printworkflowforegroundsession.start
printworkflowforegroundsession.status
printworkflowforegroundsession.xpsdataavailable

printworkflowforegroundsetuprequestedeventargs

printworkflowforegroundsetuprequestedeventargs
printworkflowforegroundsetuprequestedeventargs.configuration
printworkflowforegroundsetuprequestedeventargs.getdeferral
printworkflowforegroundsetuprequestedeventargs.getuserprintticketasync

printworkflowobjectmodelsourcefilecontent

printworkflowobjectmodelsourcefilecontent

printworkflowobjectmodeltargetpackage

printworkflowobjectmodeltargetpackage

printworkflowsessionstatus

printworkflowsessionstatus

printworkflowsourcecontent

printworkflowsourcecontent
printworkflowsourcecontent.getjobprintticketasync
printworkflowsourcecontent.getsourcespooldataasstreamcontent
printworkflowsourcecontent.getsourcespooldataasxpsobjectmodel

printworkflowspoolstreamcontent

printworkflowspoolstreamcontent
printworkflowspoolstreamcontent.getinputstream

printworkflowstreamtarget

printworkflowstreamtarget
printworkflowstreamtarget.getoutputstream

printworkflowsubmittedeventargs

printworkflowsubmittedeventargs
printworkflowsubmittedeventargs.getdeferral
printworkflowsubmittedeventargs.gettarget
printworkflowsubmittedeventargs.operation

printworkflowsubmittedoperation

printworkflowsubmittedoperation
printworkflowsubmittedoperation.complete
printworkflowsubmittedoperation.configuration
printworkflowsubmittedoperation.xpscontent

printworkflowsubmittedstatus

printworkflowsubmittedstatus

printworkflowtarget

printworkflowtarget
printworkflowtarget.targetasstream
printworkflowtarget.targetasxpsobjectmodelpackage

printworkflowtriggerdetails

printworkflowtriggerdetails
printworkflowtriggerdetails.printworkflowsession

printworkflowuiactivatedeventargs

printworkflowuiactivatedeventargs
printworkflowuiactivatedeventargs.kind
printworkflowuiactivatedeventargs.previousexecutionstate
printworkflowuiactivatedeventargs.printworkflowsession
printworkflowuiactivatedeventargs.splashscreen
printworkflowuiactivatedeventargs.user

[printworkflowxpsdataavailableeventargs](#)

[printworkflowxpsdataavailableeventargs](#)

[printworkflowxpsdataavailableeventargs.getdeferral](#)

[printworkflowxpsdataavailableeventargs.operation](#)

[windows.graphics.printing3d](#)

[printing3d3mfppackage](#)

[printing3d3mfppackage.compression](#)

[printing3dpackagecompression](#)

[printing3dpackagecompression](#)

windows.management

[windows.management.deployment](#)

[addpackagebyappinstalleroptions](#)

[addpackagebyappinstalleroptions](#)

[packagemanager](#)

[packagemanager.addpackageasync](#)

[packagemanager.addpackagebyappinstallerfileasync](#)

[packagemanager.provisionpackageforallusersasync](#)

[packagemanager.requestaddpackageasync](#)

[packagemanager.requestaddpackagebyappinstallerfileasync](#)

[packagemanager.stagepackageasync](#)

windows.media

[windows.media.appbroadcasting](#)

[appbroadcastingmonitor](#)

appbroadcastingmonitor
appbroadcastingmonitor.appbroadcastingmonitor
appbroadcastingmonitor.iscurrentappbroadcasting
appbroadcastingmonitor.iscurrentappbroadcastingchanged

appbroadcastingstatus

appbroadcastingstatus
appbroadcastingstatus.canstartbroadcast
appbroadcastingstatus.details

appbroadcastingstatusdetails

appbroadcastingstatusdetails
appbroadcastingstatusdetails.isanyappbroadcasting
appbroadcastingstatusdetails.isappinactive
appbroadcastingstatusdetails.isblockedforapp
appbroadcastingstatusdetails.iscaptureresourceunavailable
appbroadcastingstatusdetails.isdisabledbysystem
appbroadcastingstatusdetails.isdisabledbyuser
appbroadcastingstatusdetails.isgamestreaminprogress
appbroadcastingstatusdetails.isgpuconstrained

appbroadcastingui

appbroadcastingui
appbroadcastingui.getdefault
appbroadcastingui.getforuser
appbroadcastingui.getstatus
appbroadcastingui.showbroadcastui

windows.media.apprecording

apprecordingmanager

apprecordingmanager
apprecordingmanager.getdefault
apprecordingmanager.getstatus
apprecordingmanager.recordtimespantofileasync
apprecordingmanager.savescreenshottofilesasync

apprecordingmanager.startrecordingtofileasync
apprecordingmanager.supportedscreenshotmediaencodingsubtypes

apprecordingresult

apprecordingresult
apprecordingresult.duration
apprecordingresult.extendederror
apprecordingresult.isfiletruncated
apprecordingresult.succeeded

apprecordingsavedscreenshotinfo

apprecordingsavedscreenshotinfo
apprecordingsavedscreenshotinfo.file
apprecordingsavedscreenshotinfo.mediaencodingsubtype

apprecordingsavescreenshotoption

apprecordingsavescreenshotoption

apprecordingsavescreenshotresult

apprecordingsavescreenshotresult
apprecordingsavescreenshotresult.extendederror
apprecordingsavescreenshotresult.savedscreenshotinfos
apprecordingsavescreenshotresult.succeeded

apprecordingstatus

apprecordingstatus
apprecordingstatus.canrecord
apprecordingstatus.canrecordtimespan
apprecordingstatus.details
apprecordingstatus.historicalbufferduration

apprecordingstatusdetails

apprecordingstatusdetails
apprecordingstatusdetails.isanyappbroadcasting

apprecordingstatusdetails.isappinactive
apprecordingstatusdetails.isblockedforapp
apprecordingstatusdetails.iscaptureresourceunavailable
apprecordingstatusdetails.isdisabledbysystem
apprecordingstatusdetails.isdisabledbyuser
apprecordingstatusdetails.isgamestreaminprogress
apprecordingstatusdetails.isgpuconstrained
apprecordingstatusdetails.istimespanrecordingdisabled

windows.media.capture.frames

mediaframereader

mediaframereader.acquisitionmode

mediaframereaderacquisitionmode

mediaframereaderacquisitionmode

multisourcemediaframereader

multisourcemediaframereader.acquisitionmode

windows.media.capture

appbroadcastbackgroundservice

appbroadcastbackgroundservice.broadcastchannel
appbroadcastbackgroundservice.broadcastchannelchanged
appbroadcastbackgroundservice.broadcastlanguage
appbroadcastbackgroundservice.broadcastlanguagechanged
appbroadcastbackgroundservice.broadcasttitlechanged

appbroadcastbackgroundservicesignininfo

appbroadcastbackgroundservicesignininfo.usernamechanged

appbroadcastbackgroundservicestreaminfo

appbroadcastbackgroundservicestreaminfo.reportproblemwithstream

appcapture

appcapture.setallowedasync

appcapturemetadatapriority

appcapturemetadatapriority

appcapturemetadawriter

appcapturemetadawriter

appcapturemetadawriter.adddoubleevent

appcapturemetadawriter.addint32event

appcapturemetadawriter.addstringevent

appcapturemetadawriter.appcapturemetadawriter

appcapturemetadawriter.close

appcapturemetadawriter.metadatapurged

appcapturemetadawriter.remainingstoragebytesavailable

appcapturemetadawriter.startdoublestate

appcapturemetadawriter.startint32state

appcapturemetadawriter.startstringstate

appcapturemetadawriter.stopallstates

appcapturemetadawriter.stopstate

windows.media.core

audiostreamdescriptor

audiostreamdescriptor.label

imediastreamdescriptor2

imediastreamdescriptor2

imediastreamdescriptor2.label

initializemediastreamsourcerequestedeventargs

initializemediastreamsourcerequestedeventargs
initializemediastreamsourcerequestedeventargs.getdeferral
initializemediastreamsourcerequestedeventargs.randomaccessstream
initializemediastreamsourcerequestedeventargs.source

lowlightfusion

lowlightfusion
lowlightfusion.fuseasync
lowlightfusion.maxsupportedframecount
lowlightfusion.supportedbitmappixelformats

lowlightfusionresult

lowlightfusionresult
lowlightfusionresult.close
lowlightfusionresult.frame

mediasource

mediasource.createfrommediaframesource

mediasourceappserviceconnection

mediasourceappserviceconnection
mediasourceappserviceconnection.initializemediastreamsourcerequested
mediasourceappserviceconnection.mediasourceappserviceconnection
mediasourceappserviceconnection.start

mediastreamsource

mediastreamsource.islive

msestreamsource

msestreamsource.liveseekablerange

sceneanalysiseffectframe

sceneanalysiseffectframe.analysisrecommendation

sceneanalysisrecommendation

sceneanalysisrecommendation

videostreamdescriptor

videostreamdescriptor.label

windows.media.dialprotocol

dialreceiverapp

dialreceiverapp

dialreceiverapp.current

dialreceiverapp.getadditionaldataasync

dialreceiverapp.setadditionaldataasync

windows.media.mediaproperties

mediaencodingprofile

mediaencodingprofile.getaudiotracks

mediaencodingprofile.getvideotracks

mediaencodingprofile.setaudiotracks

mediaencodingprofile.setvideotracks

windows.media.playback

mediaplaybacksessionbufferingstartedeventargs

mediaplaybacksessionbufferingstartedeventargs

mediaplaybacksessionbufferingstartedeventargs.isplaybackinterruption

mediaplayer

mediaplayer.rendersubtitletosurface

mediaplayer.rendersubtitletosurface

mediaplayer.subtitleframechanged

windows.media.speechrecognition

speechrecognizer

speechrecognizer.trysetsystemspeechlanguageasync

windows.media.speechsynthesis

speechsynthesizer

speechsynthesizer.trysetdefaultvoiceasync

speechsynthesizeroptions

speechsynthesizeroptions.audiopitch

speechsynthesizeroptions.audiovolume

speechsynthesizeroptions.speakingrate

windows.media.streaming.adaptive

adaptivemediasourcediagnosticavailableeventargs

adaptivemediasourcediagnosticavailableeventargs.extendederror

windows.networking

windows.networking.backgroundtransfer

backgroundtransferfilerange

backgroundtransferfilerange

backgroundtransferrangesdownloadedeventargs

backgroundtransferrangesdownloadedeventargs

backgroundtransferrangesdownloadedeventargs.addedranges

backgroundtransferrangesdownloadedeventargs.getdeferral

backgroundtransferrangesdownloadedeventargs.wasdownloadrestarted

downloadoperation

downloadoperation.currentweberrorstatus
downloadoperation.getdownloadedranges
downloadoperation.getresultrandomaccessstreamreference
downloadoperation.israndomaccessrequired
downloadoperation.rangesdownloaded
downloadoperation.recoverableweberrorstatuses

windows.networking.connectivity

connectionprofile

connectionprofile.getprovidernetworkusageasync

providernetworkusage

providernetworkusage
providernetworkusage.bytesreceived
providernetworkusage.bytesent
providernetworkusage.providerid

windows.networking.networkoperators

mobilebroadbandantennas

mobilebroadbandantennas
mobilebroadbandantennas.antennaindex
mobilebroadbandantennas.sarbackoffindex

mobilebroadbandcellcdma

mobilebroadbandcellcdma
mobilebroadbandcellcdma.basestationid
mobilebroadbandcellcdma.basestationlastbroadcastgpstime
mobilebroadbandcellcdma.basestationlatitude
mobilebroadbandcellcdma.basestationlongitude
mobilebroadbandcellcdma.basestationpncode
mobilebroadbandcellcdma.networkid

mobilebroadbandcellcdma.pilotstrengthindb

mobilebroadbandcellcdma.systemid

mobilebroadbandcellgsm

mobilebroadbandcellgsm

mobilebroadbandcellgsm.basestationid

mobilebroadbandcellgsm.cellid

mobilebroadbandcellgsm.channelnumber

mobilebroadbandcellgsm.locationareacode

mobilebroadbandcellgsm.providerid

mobilebroadbandcellgsm.receivedsignalstrengthindbm

mobilebroadbandcellgsm.timingadvanceinbitperiods

mobilebroadbandcelllte

mobilebroadbandcelllte

mobilebroadbandcelllte.cellid

mobilebroadbandcelllte.channelnumber

mobilebroadbandcelllte.physicalcellid

mobilebroadbandcelllte.providerid

mobilebroadbandcelllte.referencesignalreceivedpowerindbm

mobilebroadbandcelllte.referencesignalreceivedqualityindbm

mobilebroadbandcelllte.timingadvanceinbitperiods

mobilebroadbandcelllte.trackingareacode

mobilebroadbandcellsinfo

mobilebroadbandcellsinfo

mobilebroadbandcellsinfo.neighboringcellscdma

mobilebroadbandcellsinfo.neighboringcellsgsm

mobilebroadbandcellsinfo.neighboringcellslte

mobilebroadbandcellsinfo.neighboringcellstdscdma

mobilebroadbandcellsinfo.neighboringcellsumts

mobilebroadbandcellsinfo.servingcellscdma

mobilebroadbandcellsinfo.servingcellsgsm

mobilebroadbandcellsinfo.servingcellslte

mobilebroadbandcellsinfo.servingcellstdscdma

mobilebroadbandcellsinfo.servingcellsumts

mobilebroadbandcelltdscdma

mobilebroadbandcelltdscdma
mobilebroadbandcelltdscdma.cellid
mobilebroadbandcelltdscdma.cellparameterid
mobilebroadbandcelltdscdma.channelnumber
mobilebroadbandcelltdscdma.locationareacode
mobilebroadbandcelltdscdma.pathlossindb
mobilebroadbandcelltdscdma.providerid
mobilebroadbandcelltdscdma.receivedsignalcodepowerindbm
mobilebroadbandcelltdscdma.timingadvanceinbitperiods

mobilebroadbandcellumts

mobilebroadbandcellumts
mobilebroadbandcellumts.cellid
mobilebroadbandcellumts.channelnumber
mobilebroadbandcellumts.locationareacode
mobilebroadbandcellumts.pathlossindb
mobilebroadbandcellumts.primaryscramblingcode
mobilebroadbandcellumts.providerid
mobilebroadbandcellumts.receivedsignalcodepowerindbm
mobilebroadbandcellumts.signaltonoiseratioindb

mobilebroadbandmodem

mobilebroadbandmodem.getispasssthroughenabledasync
mobilebroadbandmodem.setispasssthroughenabledasync

mobilebroadbandmodemconfiguration

mobilebroadbandmodemconfiguration.sarmanager

mobilebroadbandmodemstatus

mobilebroadbandmodemstatus

mobilebroadbandnetwork

mobilebroadbandnetwork.getcellsinfoasync

mobilebroadbandsarmanager

mobilebroadbandsarmanager
mobilebroadbandsarmanager.antennas
mobilebroadbandsarmanager.disablebackoffasync
mobilebroadbandsarmanager.enablebackoffasync
mobilebroadbandsarmanager.getistransmittingasync
mobilebroadbandsarmanager.hysteresistimerperiod
mobilebroadbandsarmanager.isbackoffenabled
mobilebroadbandsarmanager.issarcontrolledbyhardware
mobilebroadbandsarmanager.iswifihardwareintegrated
mobilebroadbandsarmanager.revertsartohardwarecontrolasync
mobilebroadbandsarmanager.setconfigurationasync
mobilebroadbandsarmanager.settransmissionstatechangedhysteresisasync
mobilebroadbandsarmanager.starttransmissionstatemonitoring
mobilebroadbandsarmanager.stoptransmissionstatemonitoring
mobilebroadbandsarmanager.transmissionstatechanged

mobilebroadbandtransmissionstatechangedeventargs

mobilebroadbandtransmissionstatechangedeventargs
mobilebroadbandtransmissionstatechangedeventargs.istransmitting

windows.networking.sockets

messagewebsocketcontrol

messagewebsocketcontrol.actualunsolicitedponginterval
messagewebsocketcontrol.clientcertificate
messagewebsocketcontrol.desiredunsolicitedponginterval
messagewebsocketcontrol.receive mode

messagewebsocketmessagereceivedeventargs

messagewebsocketmessagereceivedeventargs.ismessagecomplete

messagewebsocketreceivemode

messagewebsocketreceivemode

streamsocketcontrol

streamsocketcontrol.minprotectionlevel

streamwebsocketcontrol

streamwebsocketcontrol.actualunsolicitedponginterval

streamwebsocketcontrol.clientcertificate

streamwebsocketcontrol.desiredunsolicitedponginterval

windows.phone

windows.phone.networking.voip

voipcallcoordinator

voipcallcoordinator.setupnewacceptedcall

voipphonecall

voipphonecall.tryshowappui

windows.security

windows.security.authentication.web.provider

webaccountmanager

webaccountmanager.invalidateappcacheforaccountasync

webaccountmanager.invalidateappcacheforallaccountsasync

windows.security.enterprisedata

fileprotectioninfo

fileprotectioninfo.isprotectwhileopensupported

windows.services

windows.services.maps.guidance

guidanceroadsegment

guidanceroadsegment.isscenic

windows.services.maps.localsearch

placeinfohelper

placeinfohelper

placeinfohelper.createfromlocallocation

windows.services.maps

maproute

maproute.isscenic

maprouteoptimization

maprouteoptimization.scenic

placeinfo

placeinfo

placeinfo.create

placeinfo.create

placeinfo.createfromidentifier

placeinfo.createfromidentifier

placeinfo.createfrommaplocation

placeinfo.displayaddress

placeinfo.displayname

placeinfo.geoshape

placeinfo.identifier

placeinfo.isshowsupported

placeinfo.show

placeinfo.show

placeinfocreateoptions

placeinfocreateoptions

placeinfocreateoptions.displayaddress

placeinfocreateoptions.displayname

placeinfocreateoptions.placeinfocreateoptions

windows.storage

windows.storage.provider

storageproviderhydrationpolicy

storageproviderhydrationpolicy

storageproviderhydrationpolicymodifier

storageproviderhydrationpolicymodifier

insyncpolicy

storageproviderinsyncpolicy

istorageprovideritempropertysource

istorageprovideritempropertysource

istorageprovideritempropertysource.getitemproperties

istorageproviderpropertycapabilities

istorageproviderpropertycapabilities

istorageproviderpropertycapabilities.ispropertysupported

populationpolicy

storageproviderpopulationpolicy

protectionmode

storageproviderprotectionmode

storageprovideritemproperties

storageprovideritemproperties

storageprovideritemproperties.setasync

storageprovideritemproperty

storageprovideritemproperty

storageprovideritemproperty.iconresource

storageprovideritemproperty.id

storageprovideritemproperty.storageprovideritemproperty

storageprovideritemproperty.value

storageprovideritempropertydefinition

storageprovideritempropertydefinition

storageprovideritempropertydefinition.displaynameresource

storageprovideritempropertydefinition.id

storageprovideritempropertydefinition.storageprovideritempropertydefinition

storageprovidersyncrootinfo

storageprovidersyncrootinfo

storageprovidersyncrootinfo.allowpinning

storageprovidersyncrootinfo.context

storageprovidersyncrootinfo.displaynameresource

storageprovidersyncrootinfo.hydratationpolicy

storageprovidersyncrootinfo.hydratationpolicymodifier

storageprovidersyncrootinfo.iconresource

storageprovidersyncrootinfo.id

storageprovidersyncrootinfo.insyncpolicy

storageprovidersyncrootinfo.path

storageprovidersyncrootinfo.populationpolicy

storageprovidersyncrootinfo.protectionmode

storageprovidersyncrootinfo.recyclebinuri

storageprovidersyncrootinfo.showsiblingsasgroup

storageprovidersyncrootinfo.storageprovideritempropertydefinitions

storageprovidersyncrootinfo.storageprovidersyncrootinfo
storageprovidersyncrootinfo.version

storageprovidersyncrootmanager

storageprovidersyncrootmanager
storageprovidersyncrootmanager.getcurrentsyncroots
storageprovidersyncrootmanager.getsyncrootinformationforfolder
storageprovidersyncrootmanager.getsyncrootinformationforid
storageprovidersyncrootmanager.register
storageprovidersyncrootmanager.unregister

windows.storage.streams

fileopendisposition

fileopendisposition

filerandomaccessstream

filerandomaccessstream.openasync
filerandomaccessstream.openasync
filerandomaccessstream.openforuserasync
filerandomaccessstream.openforuserasync
filerandomaccessstream.opentransactedwriteasync
filerandomaccessstream.opentransactedwriteasync
filerandomaccessstream.opentransactedwriteforuserasync
filerandomaccessstream.opentransactedwriteforuserasync

windows.storage

appdatapaths

appdatapaths
appdatapaths.cookies
appdatapaths.desktop
appdatapaths.documents
appdatapaths.favorites
appdatapaths.getdefault

appdatapaths.getforuser
appdatapaths.history
appdatapaths.internetcache
appdatapaths.localappdata
appdatapaths.programdata
appdatapaths.roamingappdata

storagelibrary

storagelibrary.arefoldersuggestionsavailableasync

storageprovider

storageprovider.ispropertysupportedforpartialfileasync

systemdatapaths

systemdatapaths
systemdatapaths.fonts
systemdatapaths.getdefault
systemdatapaths.programdata
systemdatapaths.public
systemdatapaths.publicdesktop
systemdatapaths.publicdocuments
systemdatapaths.publicdownloads
systemdatapaths.publicmusic
systemdatapaths.publicpictures
systemdatapaths.publicvideos
systemdatapaths.system
systemdatapaths.systemarm
systemdatapaths.systemhost
systemdatapaths.systemx64
systemdatapaths.systemx86
systemdatapaths.userprofiles
systemdatapaths.windows

userdatapaths

userdatapaths
userdatapaths.cameraroll

userdatapaths.cookies
userdatapaths.desktop
userdatapaths.documents
userdatapaths.downloads
userdatapaths.favorites
userdatapaths.getdefault
userdatapaths.getforuser
userdatapaths.history
userdatapaths.internetcache
userdatapaths.localappdata
userdatapaths.localappdatalow
userdatapaths.music
userdatapaths.pictures
userdatapaths.profile
userdatapaths.recent
userdatapaths.roamingappdata
userdatapaths.savedpictures
userdatapaths.screenshots
userdatapaths.templates
userdatapaths.videos

windows.system

windows.system.diagnostics

diagnosticactionresult

diagnosticactionresult
diagnosticactionresult.extendederror
diagnosticactionresult.results

diagnosticactionstate

diagnosticactionstate

diagnosticinvoker

diagnosticinvoker
diagnosticinvoker.getdefault

diagnosticinvoker.getforuser
diagnosticinvoker.issupported
diagnosticinvoker.rundiagnosticactionasync

processdiagnosticinfo

processdiagnosticinfo.getappdiagnosticinfos
processdiagnosticinfo.ispackaged
processdiagnosticinfo.trygetforprocessid

windows.system.profile.systemmanufacturers

oemsupportinfo

oemsupportinfo
oemsupportinfo.supportapplink
oemsupportinfo.supportlink
oemsupportinfo.supportprovider

systemsupportinfo

systemsupportinfo
systemsupportinfo.localsystemedition
systemsupportinfo.oemsupportinfo

windows.system.remotesystems

remotesystem

remotesystem.manufacturerdisplayname
remotesystem.modeldisplayname

remotesystemkinds

remotesystemkinds.iot
remotesystemkinds.laptop
remotesystemkinds.tablet

windows.system.userprofile

globalizationpreferences

globalizationpreferences.trysethomegeographicregion

globalizationpreferences.trysetlanguages

windows.system

appdiagnosticinfo

appdiagnosticinfo.createresourcegroupwatcher

appdiagnosticinfo.createwatcher

appdiagnosticinfo.getresourcegroups

appdiagnosticinfo.requestaccessasync

appdiagnosticinfo.requestinfoforappasync

appdiagnosticinfo.requestinfoforappasync

appdiagnosticinfo.requestinfoforpackageasync

appdiagnosticfowatcher

appdiagnosticfowatcher

appdiagnosticfowatcher.added

appdiagnosticfowatcher.enumerationcompleted

appdiagnosticfowatcher.removed

appdiagnosticfowatcher.start

appdiagnosticfowatcher.status

appdiagnosticfowatcher.stop

appdiagnosticfowatcher.stopped

appdiagnosticfowatchereventargs

appdiagnosticfowatchereventargs

appdiagnosticfowatchereventargs.appdiagnosticinfo

appdiagnosticfowatcherstatus

appdiagnosticfowatcherstatus

appmemoryreport

appmemoryreport.expectedtotalcommitlimit