

Feature	Description
Windows.UI.Composition	The Windows.UI.Composition namespace has added support for many features including: • Shadows - Allows you to provide a real world depth experience to your app • Scene lighting - Allows you to give more perspective to your controls and UI by shining a light source on them and providing a different effect for your application • Blur effect - Lets you keep the right information in focus and blur out others. You can animate blurring of UI giving them a livelier feel. • Implicit Animations - Implicit animations help you to animate visuals when properties change on visuals. You can use implicit animations to perform layout animations i.e. when layout for app changes you can animate them to their new location. • CompositionBackdropBrush - CompositionBackdropBrush is a new brush type that can be used to select the current RenderTarget as input to an effect. • LayerVisual - Allows you to apply an effect to a collection of visuals. For example, to greyscale part of a UI to indicate a disable portion of the UI • CompositionMashBrush - Allows you to specify an opacity mask • Clip transforms - Allows transforms to be applied to clip rectangles • Surface brush transforms - Enables transformations to be applied to CompositionSurfaceBrush • CompositionNineGridBrush - Allows you to specify nine-grid resizing insets on an image, or to create rectangular solid-color borders. • Expression string additions - Expression strings have support for new functions, expression operators, and keywords.
Connected Animations	The ConnectedAnimationService lets you run animations while the user is moving between scenes or pages. See this Connected Animations video for more info.
Connected apps	Discover cloud-connected or nearby devices and build experiences that seamlessly transition between them. See Connected apps and devices for details.
Desktop app converter	The Desktop app converter is a tool that enables you to bring your existing desktop apps written for .NET 4.6.1 or Win32 to the Universal Windows Platform (UWP).
Developing apps for accessibility	Use the app accessibility guidelines to design inclusive software for improved usability and customer satisfaction. Get inspired by stories of accessible technology products. Find information about making your apps accessible to everyone on this new developer hub.

Feature	Description
Direct3D	Many new topics have been added to the Direct 3D documentation. For more information on these updates, see Windows 10, version 1607 in the Direct3D 12 New Releases page.
Gaming - arcade stick and racing wheel support	Windows.Gaming.Input supports two new classes of input device: arcade sticks and racing wheels. This allows titles to support arcade stick and racing wheel devices as a class of device without having to write code specific to individual versions of those devices. This supports all Xbox 360 and Xbox One devices of those classes and selected PC (HID) devices.
Gaming - force feedback support	The Windows.Gaming.Input.ForceFeedback API provides support for controlling force feedback of PC (HID) racing wheels.
Gaming - OEM support for custom WinRT class libraries for new input devices	The Windows.Gaming.Input.Custom API provides support for 3rd party accessory OEMs to write custom WinRT class libraries for their Xbox 360 and Xbox One accessories.
Globalization	Classes in the new Windows.Globalization.PhoneNumberFormatting namespace support formatting, validating, and matching of phone numbers with wide global support. The new classes support many local standard formats, and even support providing incremental formatting of partial numbers as they are input.
In-app purchases and app licenses	The System.Services.Store namespace provides a new API for performing in-app purchases and accessing Store license info for your app. For more information, see Enable in-app product purchases .
InkToolbar	InkToolbar is a Universal Windows app control containing a customizable and extensible collection of buttons that activate ink-related features in an associated InkCanvas. By default, the toolbar includes buttons for drawing, erasing, highlighting, and displaying a ruler. Depending on the feature, other settings and commands, such as ink color, stroke thickness, erase all, are provided in a flyout. The InkToolbar can also be customized with your own pens, tools, and other inking features.
MAX_PATH limitations removed	MAX_PATH limitations have been removed from common Win32 file and directory APIs. The behavior is opt-in. Details in the Maximum Path Length Limitation section of Naming Files, Paths, and Namespaces .

Feature	Description
Camera - Media Frame Reader	The new Windows.Media.Capture.Frames namespace provides APIs for reading media frames from one or more available sources, including color, depth, and infrared cameras, audio devices, or even custom frame sources such as those that produce skeletal tracking frames. This feature is designed to be used by apps that perform real-time processing of media frames, such as augmented reality and depth-aware camera apps.
Media Playback	The recommended way of playing back media in an app is to use the MediaPlayer class, using the lightweight MediaPlayerElement class to render media in XAML if desired. Improvements to the MediaPlayer class include the ability to play audio to a specific endpoint, the introduction of the MediaPlaybackSession class for managing player state, pinch and zoom for video, the ability to render video to a Windows.UI.Composition surface, and the MediaTimelineController class for synchronizing playback of multiple media players. When opening media items using MediaSource, you can now detect media failures due fully or partially unsupported codecs. The new MediaBreakManager class to quickly and easy add media breaks to any MediaPlaybackItem class allows you to easily create, schedule, and manage media breaks such as audio and video ads. The MediaPlayer class now gets automatic integration into the System Media Transport Controls (SMTC). The new MediaPlaybackCommandManager class allows you to partially or completely override SMTC commands. You can now play media in the background using the new one-process model, which is much simpler and easier to implement than the previous two-process model. A new manifest capability lets you tell the system that your app needs to play media in the background, and new app lifecycle events, EnteredBackground and LeavingBackground, give you an opportunity to free up unused resources while running in the background.

Feature	Description
Microsoft Edge	Microsoft Edge adds support for the Fetch, Streams, and Beacon APIs. Fetch is the modern day replacement for XMLHttpRequests, adding lower level capabilities for requests and responses. Also added is the ability to stream data sources. Streams enables reading chunks of data from sources as opposed to buffering the entire source before being able to read from it. The Beacon API allows for an efficient way to send information such as critical application and measurement information to a server via beacons(one-way requests). The Beacon API is fully asynchronous and does not need to process a request, thus making it a non-blocking request. For more information on new APIs in Microsoft Edge, check out What's new in the Microsoft Edge Developer Guide.
New app lifecycle events	Two new events have been added to the app lifecycle that make it easy to detect when your app moves in and out of visibility.
Single Process background activity	Executing background code is much easier and no longer requires creating a background task. You can run code in the background as either a separate process or directly inside the foreground application. See Background activity with the Single Process Model ↗ for details.
Social extensibility and contact card APIs for the People app	Integrate app-based messaging, voice calling, and video calling actions directly to contact cards. Use contact associations to provide social content into the People app's "What's new" view.
StreamSocket	Added new GetEndpointPairsAsync methods to StreamSocket that enable you to get a list of the endpoints that are returned by a DNS lookup for a particular service on a particular hostname. This is useful when the service is actually hosted on multiple servers, so your code can attempt to connect to more than one potential service provider, and use the first connection that is established.

Feature	Description
Tiles & Notifications	Badge notifications now appear in the taskbar. New chaseable tile notifications let you determine what an app's Live Tile was displaying when clicked on by the user. Use a hero image, adaptive content, attribution text, and context menu actions on your toast notifications. The notification listener allows you to access all toast notifications, including notifications not from your own app. Notification mirroring brings your phone's notifications to your desktop. Universal Dismiss lets you link notifications across devices so when the user dismisses from one device, it's dismissed everywhere.
Text sorting	Added new methods to Windows.Data.Text to support sorting text using phoneme sort order. This is primarily intended for use in sorting data such as proper names in the Japanese language, where it is important to sort names in phonetic order rather than in character code point order.
Text search in XAML ComboBox	As a user types in a combo box, candidates matching the user's string are brought into view.
UI Automation	UI automation providers can now notify the system of changes to documents by calling the UiaRaiseChangesEvent function.
UWP on Xbox One	This update features the first full release of the Universal Windows Platform (UWP) on Xbox One. It includes new features, updates to existing features, and bug fixes. See the UWP on Xbox One topic for more information.
Web to app linking	Associate your app with a website. When users open a link to your website, your app is opened instead. See Support web-to-app linking with app Uri handlers for details.
WebSockets	Added support to both MessageWebSockets and StreamWebSockets for viewing the server certificate, viewing intermediate certificates sent by the server during SSL negotiation, performing custom server certificate validation, and specifying that certain server certificate errors are to be ignored.

Feature	Description
Windows Information Protection (WIP) APIs	WIP is a set of features on desktops, laptops, tablets, and phones for Mobile Device Management (MDM). WIP gives enterprises greater control over how their data is handled on enterprise managed devices. You can use WIP APIs to build apps that respect data policies while separating an employee's personal data from being impacted by those policies. Policy administrators will trust your app to consume their organization's data. And employees will love that you've kept their personal data intact on their device even if they un-enroll from the organization's mobile device management (MDM) or leave the organization entirely.
Windows IOT Core	Windows IoT Core now fully supports Raspberry Pi 3 as well as a remote display experience, allowing users to remotely view and control UWP applications running on an IoT Core device.
Windows Unlock with companion (IoT) devices	A companion device is a device that can act in conjunction with your Windows 10 desktop to enhance the user authentication experience. Using the Companion Device Framework , a companion device can provide a rich experience for Microsoft Passport even when Windows Hello is not available (for example, if the Windows 10 desktop lacks a camera for face authentication or fingerprint reader device, for example).
Winsock	TCP sockets can now be configured with Winsock to use RFC 7413 TCP Fast Open by setting the TCP_FASTOPEN socket option.

New APIs in Windows 10 build 14393

Article • 10/20/2022

New and updated API namespaces have been made available to developers in Windows 10 build 14393, also known as the Anniversary Update or version 1607. This table lists the namespaces that have been added or changed in this release.

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedChildItem](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.#ctor

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.Author

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.PrimaryContent

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.SecondaryContent

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.SharedItem

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.TargetUri

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.Thumbnails

Windows.ApplicationModel.SocialInfo.SocialFeedChildItem.Timestamp

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedContent](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedContent

Windows.ApplicationModel.SocialInfo.SocialFeedContent.Message

Windows.ApplicationModel.SocialInfo.SocialFeedContent.TargetUri

Windows.ApplicationModel.SocialInfo.SocialFeedContent.Title

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedItem](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedItem

Windows.ApplicationModel.SocialInfo.SocialFeedItem.#ctor

Windows.ApplicationModel.SocialInfo.SocialFeedItem.Author

Windows.ApplicationModel.SocialInfo.SocialFeedItem.BadgeCountValue

Windows.ApplicationModel.SocialInfo.SocialFeedItem.BadgeStyle
Windows.ApplicationModel.SocialInfo.SocialFeedItem.ChildItem
Windows.ApplicationModel.SocialInfo.SocialFeedItem.PrimaryContent
Windows.ApplicationModel.SocialInfo.SocialFeedItem.Remoteld
Windows.ApplicationModel.SocialInfo.SocialFeedItem.SecondaryContent
Windows.ApplicationModel.SocialInfo.SocialFeedItem.SharedItem
Windows.ApplicationModel.SocialInfo.SocialFeedItem.Style
Windows.ApplicationModel.SocialInfo.SocialFeedItem.TargetUri
Windows.ApplicationModel.SocialInfo.SocialFeedItem.Thumbnails
Windows.ApplicationModel.SocialInfo.SocialFeedItem.Timestamp

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedItemStyle](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedItemStyle
Windows.ApplicationModel.SocialInfo.SocialFeedItemStyle.Default
Windows.ApplicationModel.SocialInfo.SocialFeedItemStyle.Photo

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedKind](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedKind
Windows.ApplicationModel.SocialInfo.SocialFeedKind.ContactFeed
Windows.ApplicationModel.SocialInfo.SocialFeedKind.Dashboard
Windows.ApplicationModel.SocialInfo.SocialFeedKind.HomeFeed

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.#ctor
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.Content
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.OriginalSource
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.TargetUri
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.Thumbnail
Windows.ApplicationModel.SocialInfo.SocialFeedSharedItem.Timestamp

Item

[Windows.ApplicationModel.SocialInfo.SocialFeedUpdateMode](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialFeedUpdateMode

Windows.ApplicationModel.SocialInfo.SocialFeedUpdateMode.Append

Windows.ApplicationModel.SocialInfo.SocialFeedUpdateMode.Replace

Item

[Windows.ApplicationModel.SocialInfo.SocialItemBadgeStyle](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialItemBadgeStyle

Windows.ApplicationModel.SocialInfo.SocialItemBadgeStyle.Hidden

Windows.ApplicationModel.SocialInfo.SocialItemBadgeStyle.Visible

Windows.ApplicationModel.SocialInfo.SocialItemBadgeStyle.VisibleWithCount

Item

[Windows.ApplicationModel.SocialInfo.SocialItemThumbnail](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail.#ctor

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail.BitmapSize

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail.ImageUri

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail.TargetUri

Windows.ApplicationModel.SocialInfo.SocialItemThumbnail.SetImageAsync(Windows.Storage.Streams.InputStream)

Item

[Windows.ApplicationModel.SocialInfo.SocialUserInfo](#)

Properties

Windows.ApplicationModel.SocialInfo.SocialUserInfo

Windows.ApplicationModel.SocialInfo.SocialUserInfo.DisplayName

Windows.ApplicationModel.SocialInfo.SocialUserInfo.RemoteId

Windows.ApplicationModel.SocialInfo.SocialUserInfo.TargetUri

Windows.ApplicationModel.SocialInfo.SocialUserInfo.UserName

Item

[Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater](#)

Properties

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.Content

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.OwnerRemoteld

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.TargetUri

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.Thumbnail

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.Timestamp

Windows.ApplicationModel.SocialInfo.Provider.SocialDashboardItemUpdater.CommitAsync

Item

[Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater](#)

Properties

Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater

Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater.Items

Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater.Kind

Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater.OwnerRemoteld

Windows.ApplicationModel.SocialInfo.Provider.SocialFeedUpdater.CommitAsync

Item

[Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager](#)

Properties

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.CreateDashboardItemUpdaterAsync(System.String)

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.CreateSocialFeedUpdaterAsync(Windows.ApplicationModel.SocialInfo.SocialFeedKind, Windows.ApplicationModel.SocialInfo.SocialFeedUpdateMode, System.String)

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.DeprovisionAsync

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.ProvisionAsync

Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.ReportNewC

ContentAvailable(System.String,Windows.ApplicationModel.SocialInfo.SocialFeedKind)
Windows.ApplicationModel.SocialInfo.Provider.SocialInfoProviderManager.UpdateBadge
CountValue(System.String,System.Int32)

Item

[Windows.ApplicationModel.StartupTask](#)

Properties

Windows.ApplicationModel.StartupTask
Windows.ApplicationModel.StartupTask.State
Windows.ApplicationModel.StartupTask.TaskId
Windows.ApplicationModel.StartupTask.Disable
Windows.ApplicationModel.StartupTask.GetAsync(System.String)
Windows.ApplicationModel.StartupTask.GetForCurrentPackageAsync
Windows.ApplicationModel.StartupTask.RequestEnableAsync

Item

[Windows.ApplicationModel.StartupTaskState](#)

Properties

Windows.ApplicationModel.StartupTaskState
Windows.ApplicationModel.StartupTaskState.Disabled
Windows.ApplicationModel.StartupTaskState.DisabledByUser
Windows.ApplicationModel.StartupTaskState.Enabled

Item

[Windows.ApplicationModel.EnteredBackgroundEventArgs](#)

Properties

Windows.ApplicationModel.EnteredBackgroundEventArgs
Windows.ApplicationModel.EnteredBackgroundEventArgs.GetDeferral

Item

[Windows.ApplicationModel.IEnteredBackgroundEventArgs](#)

Properties

Windows.ApplicationModel.IEnteredBackgroundEventArgs
Windows.ApplicationModel.IEnteredBackgroundEventArgs.GetDeferral

Item

[Windows.ApplicationModel.ILeavingBackgroundEventArgs](#)

Properties

Windows.ApplicationModel.ILeavingBackgroundEventArgs

Windows.ApplicationModel.ILeavingBackgroundEventArgs.GetDeferral

Item

[Windows.ApplicationModel.LeavingBackgroundEventArgs](#)

Properties

Windows.ApplicationModel.LeavingBackgroundEventArgs

Windows.ApplicationModel.LeavingBackgroundEventArgs.GetDeferral

Item

[Windows.ApplicationModel.PackageCatalog](#)

Properties

Windows.ApplicationModel.PackageCatalog

Windows.ApplicationModel.PackageCatalog.PackageInstalling

Windows.ApplicationModel.PackageCatalog.PackageStaging

Windows.ApplicationModel.PackageCatalog.PackageStatusChanged

Windows.ApplicationModel.PackageCatalog.PackageUninstalling

Windows.ApplicationModel.PackageCatalog.PackageUpdating

Windows.ApplicationModel.PackageCatalog.OpenForCurrentPackage

Windows.ApplicationModel.PackageCatalog.OpenForCurrentUser

Item

[Windows.ApplicationModel.PackageInstallingEventArgs](#)

Properties

Windows.ApplicationModel.PackageInstallingEventArgs

Windows.ApplicationModel.PackageInstallingEventArgs.ActivityId

Windows.ApplicationModel.PackageInstallingEventArgs.ErrorCode

Windows.ApplicationModel.PackageInstallingEventArgs.IsComplete

Windows.ApplicationModel.PackageInstallingEventArgs.Package

Windows.ApplicationModel.PackageInstallingEventArgs.Progress

Item

[Windows.ApplicationModel.PackageSignatureKind](#)

Properties

Windows.ApplicationModel.PackageSignatureKind
Windows.ApplicationModel.PackageSignatureKind.Developer
Windows.ApplicationModel.PackageSignatureKind.Enterprise
Windows.ApplicationModel.PackageSignatureKind.None
Windows.ApplicationModel.PackageSignatureKind.Store
Windows.ApplicationModel.PackageSignatureKind.System

Item

[Windows.ApplicationModel.PackageStagingEventArgs](#)

Properties

Windows.ApplicationModel.PackageStagingEventArgs
Windows.ApplicationModel.PackageStagingEventArgs.ActivityId
Windows.ApplicationModel.PackageStagingEventArgs.ErrorCode
Windows.ApplicationModel.PackageStagingEventArgs.IsComplete
Windows.ApplicationModel.PackageStagingEventArgs.Package
Windows.ApplicationModel.PackageStagingEventArgs.Progress

Item

[Windows.ApplicationModel.PackageStatusChangedEventArgs](#)

Properties

Windows.ApplicationModel.PackageStatusChangedEventArgs
Windows.ApplicationModel.PackageStatusChangedEventArgs.Package

Item

[Windows.ApplicationModel.PackageUninstallingEventArgs](#)

Properties

Windows.ApplicationModel.PackageUninstallingEventArgs
Windows.ApplicationModel.PackageUninstallingEventArgs.ActivityId
Windows.ApplicationModel.PackageUninstallingEventArgs.ErrorCode
Windows.ApplicationModel.PackageUninstallingEventArgs.IsComplete

Windows.ApplicationModel.PackageUninstallingEventArgs.Package
Windows.ApplicationModel.PackageUninstallingEventArgs.Progress

Item

[Windows.ApplicationModel.PackageUpdatingEventArgs](#)

Properties

Windows.ApplicationModel.PackageUpdatingEventArgs
Windows.ApplicationModel.PackageUpdatingEventArgs.ActivityId
Windows.ApplicationModel.PackageUpdatingEventArgs.ErrorCode
Windows.ApplicationModel.PackageUpdatingEventArgs.IsComplete
Windows.ApplicationModel.PackageUpdatingEventArgs.Progress
Windows.ApplicationModel.PackageUpdatingEventArgs.SourcePackage
Windows.ApplicationModel.PackageUpdatingEventArgs.TargetPackage

Item

[Windows.ApplicationModel.Activation.BackgroundActivatedEventArgs](#)

Properties

Windows.ApplicationModel.Activation.BackgroundActivatedEventArgs
Windows.ApplicationModel.Activation.BackgroundActivatedEventArgs.TaskInstance

Item

[Windows.ApplicationModel.Activation.IActivatedEventArgsWithUser](#)

Properties

Windows.ApplicationModel.Activation.IActivatedEventArgsWithUser
Windows.ApplicationModel.Activation.IActivatedEventArgsWithUser.User

Item

[Windows.ApplicationModel.Activation.IBackgroundActivatedEventArgs](#)

Properties

Windows.ApplicationModel.Activation.IBackgroundActivatedEventArgs
Windows.ApplicationModel.Activation.IBackgroundActivatedEventArgs.TaskInstance

Item

[Windows.ApplicationModel.Activation.ILaunchActivatedEventArgs2](#)

Properties

Windows.ApplicationModel.Activation.ILaunchActivatedEventArgs2

Windows.ApplicationModel.Activation.ILaunchActivatedEventArgs2.TileActivatedInfo

Item

[Windows.ApplicationModel.Activation.IUserDataAccountProviderActivatedEventArgs](#)

Properties

Windows.ApplicationModel.Activation.IUserDataAccountProviderActivatedEventArgs

Windows.ApplicationModel.Activation.IUserDataAccountProviderActivatedEventArgs.Operation

Item

[Windows.ApplicationModel.Activation.TileActivatedInfo](#)

Properties

Windows.ApplicationModel.Activation.TileActivatedInfo

Windows.ApplicationModel.Activation.TileActivatedInfo.RecentlyShownNotifications

Item

[Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs](#)

Properties

Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs

Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs.Kind

Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs.Operation

Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs.PreviousExecutionState

Windows.ApplicationModel.Activation.UserDataAccountProviderActivatedEventArgs.SplashScreen

Item

[Windows.ApplicationModel.AppExtensions.AppExtension](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtension
Windows.ApplicationModel.AppExtensions.AppExtension.AppInfo
Windows.ApplicationModel.AppExtensions.AppExtension.Description
Windows.ApplicationModel.AppExtensions.AppExtension.DisplayName
Windows.ApplicationModel.AppExtensions.AppExtension.Id
Windows.ApplicationModel.AppExtensions.AppExtension.Package
Windows.ApplicationModel.AppExtensions.AppExtension.GetExtensionPropertiesAsync
Windows.ApplicationModel.AppExtensions.AppExtension.GetPublicFolderAsync

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionCatalog](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionCatalog
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.PackageInstalled
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.PackageStatusChanged
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.PackageUninstalling
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.PackageUpdated
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.PackageUpdating
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.FindAllAsync
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.Open(System.String)
Windows.ApplicationModel.AppExtensions.AppExtensionCatalog.RequestRemovePackageAsync(System.String)

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionPackageInstalledEventArgs](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionPackageInstalledEventArgs
Windows.ApplicationModel.AppExtensions.AppExtensionPackageInstalledEventArgs.AppExtensionName
Windows.ApplicationModel.AppExtensions.AppExtensionPackageInstalledEventArgs.Extensions
Windows.ApplicationModel.AppExtensions.AppExtensionPackageInstalledEventArgs.Package

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionPackageStatusChangedEventArgs](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionPackageStatusChangedEventArgs

Windows.ApplicationModel.AppExtensions.AppExtensionPackageStatusChangedEventArgs.AppExtensionName

Windows.ApplicationModel.AppExtensions.AppExtensionPackageStatusChangedEventArgs.Package

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionPackageUninstallingEventArgs](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUninstallingEventArgs

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUninstallingEventArgs.AppExtensionName

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUninstallingEventArgs.Package

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatedEventArgs](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatedEventArgs

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatedEventArgs.AppExtensionName

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatedEventArgs.Extensions

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatedEventArgs.Package

Item

[Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatingEventArgs](#)

Properties

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatingEventArgs

Windows.ApplicationModel.AppExtensions.AppExtensionPackageUpdatingEventArgs.AppExtensionName

Item

[Windows.ApplicationModel.Appointments.AppointmentManagerForUser](#)

Properties

Windows.ApplicationModel.Appointments.AppointmentManagerForUser

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.User

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.RequestStoreAsync(Windows.ApplicationModel.Appointments.AppointmentStoreAccessType)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowAddAppointmentAsync(Windows.ApplicationModel.Appointments.Appointment, Windows.Foundation.Rect)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowAddAppointmentAsync(Windows.ApplicationModel.Appointments.Appointment, Windows.Foundation.Rect, Windows.UI.Popups.Placement)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowAppointmentDetailsAsync(System.String)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowAppointmentDetailsAsync(System.String, Windows.Foundation.DateTime)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowEditNewAppointmentAsync(Windows.ApplicationModel.Appointments.Appointment)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowRemoveAppointmentAsync(System.String, Windows.Foundation.Rect)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowRemoveAppointmentAsync(System.String, Windows.Foundation.Rect, Windows.UI.Popups.Placement)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowRemoveAppointmentAsync(System.String, Windows.Foundation.Rect, Windows.UI.Popups.Placement, Windows.Foundation.DateTime)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowReplaceAppointmentAsync(System.String, Windows.ApplicationModel.Appointments.Appointment, Windows.Foundation.Rect)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowReplaceAppointmentAsync(System.String, Windows.ApplicationModel.Appointments.Appointment, Windows.Foundation.Rect, Windows.UI.Popups.Placement)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowReplaceAppointmentAsync(System.String, Windows.ApplicationModel.Appointments.Appointment, Windows.Foundation.Rect, Windows.UI.Popups.Placement, Windows.Foundation.DateTime)

e)

Windows.ApplicationModel.Appointments.AppointmentManagerForUser.ShowTimeFrameAsync(Windows.Foundation.DateTime,Windows.Foundation.TimeSpan)

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.AppointmentCalendarLocalId

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.AppointmentLocalId

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.AppointmentOriginalStartTime

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.Comment

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.NotifyInvitees

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.Subject

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.ReportCompletedAsync

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequestEventArgs

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequestEventArgs.Request

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCancelMeetingRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.Appointment

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.AppointmentCalendarLocalId

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.ChangedProperties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.NotifyInvitees

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.ReportCompletedAsync(Windows.ApplicationModel.Appointments.Appointment)

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequestEventArgs

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequestEventArgs.Request

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarCreateOrUpdateAppointmentRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForwardMeetingRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.AppointmentCalendarLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.AppointmentLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.AppointmentOriginalStartTime
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.Comment
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.ForwardHeader
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.Invitees
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.Subject
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.ReportCompletedAsync
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequestEventArgs
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequestEventArgs.Request
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarForward
MeetingRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeN
ewTimeForMeetingRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.AppointmentCalendarLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.AppointmentLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.AppointmentOriginalStartTime
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.Comment
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.NewDuration
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.NewStartTime
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.Subject
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.ReportCompletedAsync
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequestEventArgs
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequestEventArgs.Request
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarProposeNewTimeForMeetingRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequest
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequest.AppointmentCalendarLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequest.ReportCompletedAsync
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequestEventArgs
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequestEventArgs.Request
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarSyncManagerSyncRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest.AppointmentCalendarLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest.AppointmentLocalId
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest.AppointmentOriginalStartTime
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest.Comment
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateMeetingResponseRequest.Response
Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM

MeetingResponseRequest.SendUpdate

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM

MeetingResponseRequest.Subject

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM

MeetingResponseRequest.ReportCompletedAsync

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM

MeetingResponseRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Appointments.DataProvider.](#)

[AppointmentCalendarUpdateMeetingResponseRequestEventArgs](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM
MeetingResponseRequestEventArgs

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM
MeetingResponseRequestEventArgs.Request

Windows.ApplicationModel.Appointments.DataProvider.AppointmentCalendarUpdateM
MeetingResponseRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.CancelMeetingRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.CreateOrUpdateAppointmentRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.ForwardMeetingRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.ProposeNewTimeForMeetingRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.SyncRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConn
ection.UpdateMeetingResponseRequested

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderConnection.Start

Item

[Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderTriggerDetails](#)

Properties

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderTriggerDetails

Windows.ApplicationModel.Appointments.DataProvider.AppointmentDataProviderTriggerDetails.Connection

Item

[Windows.ApplicationModel.Background.IBackgroundTaskInstance4](#)

Properties

Windows.ApplicationModel.Background.IBackgroundTaskInstance4

Windows.ApplicationModel.Background.IBackgroundTaskInstance4.User

Item

[Windows.ApplicationModel.Background.SecondaryAuthenticationFactorAuthenticationTrigger](#)

Properties

Windows.ApplicationModel.Background.SecondaryAuthenticationFactorAuthenticationTrigger

Windows.ApplicationModel.Background.SecondaryAuthenticationFactorAuthenticationTrigger.#ctor

Item

[Windows.ApplicationModel.Background.UserNotificationChangedTrigger](#)

Properties

Windows.ApplicationModel.Background.UserNotificationChangedTrigger

Windows.ApplicationModel.Background.UserNotificationChangedTrigger.#ctor(Windows.UI.Notifications.NotificationKinds)

Item

[Windows.ApplicationModel.Calls.PhoneCallHistoryManagerForUser](#)

Properties

Windows.ApplicationModel.Calls.PhoneCallHistoryManagerForUser

Windows.ApplicationModel.Calls.PhoneCallHistoryManagerForUser.User

Windows.ApplicationModel.Calls.PhoneCallHistoryManagerForUser.RequestStoreAsync(

Windows.ApplicationModel.Calls.PhoneCallHistoryStoreAccessType)

Item

[Windows.ApplicationModel.Chat.ChatRestoreHistorySpan](#)

Properties

Windows.ApplicationModel.Chat.ChatRestoreHistorySpan

Windows.ApplicationModel.Chat.ChatRestoreHistorySpan.AnyTime

Windows.ApplicationModel.Chat.ChatRestoreHistorySpan.LastMonth

Windows.ApplicationModel.Chat.ChatRestoreHistorySpan.LastYear

Item

[Windows.ApplicationModel.Chat.ChatSyncConfiguration](#)

Properties

Windows.ApplicationModel.Chat.ChatSyncConfiguration

Windows.ApplicationModel.Chat.ChatSyncConfiguration.IsSyncEnabled

Windows.ApplicationModel.Chat.ChatSyncConfiguration.RestoreHistorySpan

Item

[Windows.ApplicationModel.Chat.ChatSyncManager](#)

Properties

Windows.ApplicationModel.Chat.ChatSyncManager

Windows.ApplicationModel.Chat.ChatSyncManager.Configuration

Windows.ApplicationModel.Chat.ChatSyncManager.AssociateAccountAsync(Windows.Security.Credentials.WebAccount)

Windows.ApplicationModel.Chat.ChatSyncManager.IsAccountAssociated(Windows.Security.Credentials.WebAccount)

Windows.ApplicationModel.Chat.ChatSyncManager.SetConfigurationAsync(Windows.ApplicationModel.Chat.ChatSyncConfiguration)

Windows.ApplicationModel.Chat.ChatSyncManager.StartSync

Windows.ApplicationModel.Chat.ChatSyncManager.UnassociateAccountAsync

Item

[Windows.ApplicationModel.Contacts.ContactListSyncConstraints](#)

Properties

Windows.ApplicationModel.Contacts.ContactListSyncConstraints

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.CanSyncDescriptions

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxAnniversaryDates

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxAssistantPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxBirthdayDates

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxBusinessFaxPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxChildRelationships

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxCompanyPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxHomeAddresses

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxHomeFaxPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxHomePhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxJobInfo

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxMobilePhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxOtherAddresses

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxOtherDates

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxOtherEmailAddresses

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxOtherPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxOtherRelationships

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxPagerPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxParentRelationships

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxPartnerRelationships

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxPersonalEmailAddresses

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxRadioPhoneNumbers

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxSiblingRelationships

S

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxSpouseRelationship

S

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxWebsites

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxWorkAddresses

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxWorkEmailAddress

es

Windows.ApplicationModel.Contacts.ContactListSyncConstraints.MaxWorkPhoneNumbers

rs

Item

[Windows.ApplicationModel.Contacts.ContactManagerForUser](#)

Properties

Windows.ApplicationModel.Contacts.ContactManagerForUser

Windows.ApplicationModel.Contacts.ContactManagerForUser.SystemDisplayNameOrder

Windows.ApplicationModel.Contacts.ContactManagerForUser.SystemSortOrder

Windows.ApplicationModel.Contacts.ContactManagerForUser.User

Windows.ApplicationModel.Contacts.ContactManagerForUser.ConvertContactToVCardAsync(Windows.ApplicationModel.Contacts.Contact)

Windows.ApplicationModel.Contacts.ContactManagerForUser.ConvertContactToVCardAsync(Windows.ApplicationModel.Contacts.Contact, System.UInt32)

Windows.ApplicationModel.Contacts.ContactManagerForUser.ConvertVCardToContactAsync(Windows.Storage.Streams.IRandomAccessStreamReference)

Windows.ApplicationModel.Contacts.ContactManagerForUser.RequestAnnotationStoreAsync(Windows.ApplicationModel.Contacts.ContactAnnotationStoreAccessType)

Windows.ApplicationModel.Contacts.ContactManagerForUser.RequestStoreAsync(Windows.ApplicationModel.Contacts.ContactStoreAccessType)

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderConnection](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderConnection

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderConnection.ServerSearchReadBatchRequested

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderConnection.SyncRequested

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderConnection.Start

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderTriggerDetails](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderTriggerDetails

Windows.ApplicationModel.Contacts.DataProvider.ContactDataProviderTriggerDetails.Connection

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.ContactListId

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.Options

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.SessionId

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.SuggestedBatchSize

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.ReportCompletedAsync

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.ReportFailedAsync(Windows.ApplicationModel.Contacts.ContactBatchStatus)

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequest.SaveContactAsync(Windows.ApplicationModel.Contacts.Contact)

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequestEventArgs](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequestEventArgs

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequestEventArgs.Request

Windows.ApplicationModel.Contacts.DataProvider.ContactListServerSearchReadBatchRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequest](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequest

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequest.ContactListId

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequest.ReportCompletedAsync

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequestEventArgs](#)

Properties

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequestEventArgs

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequestEventArgs.Request

Windows.ApplicationModel.Contacts.DataProvider.ContactListSyncManagerSyncRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.EmailManagerForUser](#)

Properties

Windows.ApplicationModel.Email.EmailManagerForUser

Windows.ApplicationModel.Email.EmailManagerForUser.User

Windows.ApplicationModel.Email.EmailManagerForUser.RequestStoreAsync(Windows.ApplicationModel.Email.EmailStoreAccessType)

Windows.ApplicationModel.Email.EmailManagerForUser.ShowComposeNewEmailAsync(Windows.ApplicationModel.Email.EmailMessage)

Item

Properties

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.CreateFolderRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.DeleteFolderRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.DownloadAttachmentRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.DownloadMessageRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.EmptyFolderRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.ForwardMeetingRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.GetAutoReplySettingsRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.MailboxSyncRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.MoveFolderRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.ProposeNewTimeForMeetingRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.ResolveRecipientsRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.ServerSearchReadBatchRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.SetAutoReplySettingsRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.UpdateMeetingResponseRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.ValidateCertificatesRequested

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderConnection.Start

Item

Properties

Windows.ApplicationModel.Email.DataProvider.EmailDataProviderTriggerDetails
Windows.ApplicationModel.Email.DataProvider.EmailDataProviderTriggerDetails.Connection

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest.Name
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest.ParentFolderId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest.ReportCompletedAsync(Windows.ApplicationModel.Email.EmailFolder)
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequest.ReportFailedAsync(Windows.ApplicationModel.Email.EmailMailboxCreateFolderStatus)

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequestEventArgs
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequestEventArgs.Request
Windows.ApplicationModel.Email.DataProvider.EmailMailboxCreateFolderRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest.EmailFolderId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest.Email

MailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequest.ReportFailedAsync(Windows.ApplicationModel.Email.EmailMailboxDeleteFolderStatus)

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDeleteFolderRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest.EmailAttachmentId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest.EmailMessageId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadAttachmentRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest.EmailMessageId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxDownloadMessageRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest.EmailFolderId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest.ReportCompletedAsync
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequest.ReportFailedAsync(Windows.ApplicationModel.Email.EmailMailboxEmptyFolderStatus)

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequestEventArgs
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequestEventArgs.Request
Windows.ApplicationModel.Email.DataProvider.EmailMailboxEmptyFolderRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.Comment
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.EmailMessageId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.ForwardHeader
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.ForwardHeaderType
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.Recipients

Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.Subject
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.ReportCompletedAsync
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequestEventArgs
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequestEventArgs.Request
Windows.ApplicationModel.Email.DataProvider.EmailMailboxForwardMeetingRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest.RequestedFormat
Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest.ReportCompletedAsync(Windows.ApplicationModel.Email.EmailMailboxAutoReplySettings)
Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxGetAutoReplySettingsRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.EmailFolderId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.NewFolderName

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.NewParentFolderId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxMoveFolderRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.Comment

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.EmailMessageId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.NewDuration

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.NewStartTime

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.Subject

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxProposeNewTimeForMeetingRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest.Recipients
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest.ReportCompletedAsync(Windows.Foundation.Collections.IIterable<Windows.ApplicationModel.Email.EmailRecipientResolutionResult>)
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequestEventArgs
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequestEventArgs.Request
Windows.ApplicationModel.Email.DataProvider.EmailMailboxResolveRecipientsRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.EmailFolderId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.Options
Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.SessionId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest

uest.SuggestedBatchSize

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.ReportFailedAsync(Windows.ApplicationModel.Email.EmailBatchStatus)

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequest.SaveMessageAsync(Windows.ApplicationModel.Email.EmailMessage)

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxServerSearchReadBatchRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest.AutoReplySettings

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSetAutoReplySettingsRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequest

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequest.EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequest.ReportCompletedAsync

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequestEventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequestEventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxSyncManagerSyncRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.Comment
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.EmailMailboxId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.EmailMessageId
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.Response
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.SendUpdate
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.Subject
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.ReportCompletedAsync
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequest.ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequestEventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequestEventArgs
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequestEventArgs.Request
Windows.ApplicationModel.Email.DataProvider.EmailMailboxUpdateMeetingResponseRequestEventArgs.GetDeferral

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest
Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest.Certificates
Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest.

EmailMailboxId

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest.
ReportCompletedAsync(Windows.Foundation.Collections.IIterable{Windows.Application
Model.Email.EmailCertificateValidationStatus})

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest.
ReportFailedAsync

Item

[Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest
EventArgs](#)

Properties

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest
EventArgs

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest
EventArgs.Request

Windows.ApplicationModel.Email.DataProvider.EmailMailboxValidateCertificatesRequest
EventArgs.GetDeferral

Item

[Windows.ApplicationModel.Store.LicenseManagement.LicenseManager](#)

Properties

Windows.ApplicationModel.Store.LicenseManagement.LicenseManager

Windows.ApplicationModel.Store.LicenseManagement.LicenseManager.AddLicenseAsyn
c(Windows.Storage.Streams.IBuffer)

Windows.ApplicationModel.Store.LicenseManagement.LicenseManager.GetSatisfactionIn
fosAsync(Windows.Foundation.Collections.IIterable{System.String},Windows.Foundation.
Collections.IIterable{System.String})

Item

[Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo](#)

Properties

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.IsSatisfied

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedB
yDevice

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedB

ylInstallMedia

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedByOpenLicense

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedByPass

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedBySignedInUser

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionInfo.SatisfiedByTrial

Item

[Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionResult](#)

Properties

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionResult

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionResult.ExtendedError

Windows.ApplicationModel.Store.LicenseManagement.LicenseSatisfactionResult.LicenseSatisfactionInfos

Item

[Windows.ApplicationModel.Store.Preview.StoreLogOptions](#)

Properties

Windows.ApplicationModel.Store.Preview.StoreLogOptions

Windows.ApplicationModel.Store.Preview.StoreLogOptions.None

Windows.ApplicationModel.Store.Preview.StoreLogOptions.TryElevate

Item

[Windows.ApplicationModel.UserDataAccounts.UserDataAccountManagerForUser](#)

Properties

Windows.ApplicationModel.UserDataAccounts.UserDataAccountManagerForUser

Windows.ApplicationModel.UserDataAccounts.UserDataAccountManagerForUser.User

Windows.ApplicationModel.UserDataAccounts.UserDataAccountManagerForUser.RequestStoreAsync(Windows.ApplicationModel.UserDataAccounts.UserDataAccountStoreAccessType)

Item

[Windows.ApplicationModel.UserDataAccounts.UserDataAccountStoreChangedEventArgs](#)

Properties

Windows.ApplicationModel.UserDataAccounts.UserDataAccountStoreChangedEventArgs
Windows.ApplicationModel.UserDataAccounts.UserDataAccountStoreChangedEventArgs
.GetDeferral

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.IUserDataAccountProviderOperation](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.IUserDataAccountProviderOperation
Windows.ApplicationModel.UserDataAccounts.Provider.IUserDataAccountProviderOperation.Kind

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountPartnerAccountInfo](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountPartnerAccountInfo
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountPartnerAccountInfo.AccountKind
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountPartnerAccountInfo.DisplayName
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountPartnerAccountInfo.Priority

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAccountOperation](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAccountOperation
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAccountOperation

countOperation.ContentKinds

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAc

countOperation.Kind

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAc

countOperation.PartnerAccountInfos

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderAddAc

countOperation.ReportCompleted(System.String)

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderOperat
ionKind](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderOperat
ionKind

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderOperat
ionKind.AddAccount

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderOperat
ionKind.ResolveErrors

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderOperat
ionKind.Settings

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderPartne
rAccountKind](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderPartne
rAccountKind

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderPartne
rAccountKind.Exchange

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderPartne
rAccountKind.PopOrImap

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderResolv
eErrorsOperation](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderResolveErrorsOperation
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderResolveErrorsOperation.Kind
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderResolveErrorsOperation.UserDataAccountId
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderResolveErrorsOperation.ReportCompleted

Item

[Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderSettingsOperation](#)

Properties

Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderSettingsOperation
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderSettingsOperation.Kind
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderSettingsOperation.UserDataAccountId
Windows.ApplicationModel.UserDataAccounts.Provider.UserDataAccountProviderSettingsOperation.ReportCompleted

Item

[Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountAuthenticationType](#)

Properties

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountAuthenticationType
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountAuthenticationType.Basic
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountAuthenticationType.OAuth
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountAuthenticationType.SingleSignOn

Item

[Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId](#)

Properties

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId.Exchange

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId.Generic

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId.Msa

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountIconId.Outlook

Item

[Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter](#)

Properties

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.All

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last14Days

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last1Day

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last30Days

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last3Days

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last7Days

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountMailAgeFilter.Last90Days

Item

[Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind](#)

Properties

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind

Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.AsItemsArrive
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Daily
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Every15Minutes
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Every2Hours
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Every30Minutes
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Every60Minutes
Windows.ApplicationModel.UserDataAccounts.SystemAccess.DeviceAccountSyncScheduleKind.Manual

Item

[Windows.Data.Text.TextPhoneme](#)

Properties

Windows.Data.Text.TextPhoneme
Windows.Data.Text.TextPhoneme.DisplayText
Windows.Data.Text.TextPhoneme.ReadingText

Item

[Windows.Devices.AllJoyn.AllJoynBusObject](#)

Properties

Windows.Devices.AllJoyn.AllJoynBusObject
Windows.Devices.AllJoyn.AllJoynBusObject.#ctor
Windows.Devices.AllJoyn.AllJoynBusObject.#ctor(System.String)
Windows.Devices.AllJoyn.AllJoynBusObject.#ctor(System.String,Windows.Devices.AllJoyn.AllJoynBusAttachment)
Windows.Devices.AllJoyn.AllJoynBusObject.BusAttachment
Windows.Devices.AllJoyn.AllJoynBusObject.Session
Windows.Devices.AllJoyn.AllJoynBusObject.Stopped
Windows.Devices.AllJoyn.AllJoynBusObject.AddProducer(Windows.Devices.AllJoyn.IAllJoynProducer)
Windows.Devices.AllJoyn.AllJoynBusObject.Start
Windows.Devices.AllJoyn.AllJoynBusObject.Stop

Item

[Windows.Devices.AllJoyn.AllJoynBusObjectStoppedEventArgs](#)

Properties

Windows.Devices.AllJoyn.AllJoynBusObjectStoppedEventArgs

Windows.Devices.AllJoyn.AllJoynBusObjectStoppedEventArgs.#ctor(System.Int32)

Windows.Devices.AllJoyn.AllJoynBusObjectStoppedEventArgs.Status

Item

[Windows.Devices.AllJoyn.AllJoynSession](#)

Properties

Windows.Devices.AllJoyn.AllJoynSession

Windows.Devices.AllJoyn.AllJoynSession.Id

Windows.Devices.AllJoyn.AllJoynSession.Status

Windows.Devices.AllJoyn.AllJoynSession.Lost

Windows.Devices.AllJoyn.AllJoynSession.MemberAdded

Windows.Devices.AllJoyn.AllJoynSession.MemberRemoved

Windows.Devices.AllJoyn.AllJoynSession.GetFromServiceInfoAsync(Windows.Devices.AllJoyn.AllJoynServiceInfo)

Windows.Devices.AllJoyn.AllJoynSession.GetFromServiceInfoAsync(Windows.Devices.AllJoyn.AllJoynServiceInfo, Windows.Devices.AllJoyn.AllJoynBusAttachment)

Windows.Devices.AllJoyn.AllJoynSession.RemoveMemberAsync(System.String)

Item

[Windows.Devices.AllJoyn.AllJoynSessionJoinedEventArgs](#)

Properties

Windows.Devices.AllJoyn.AllJoynSessionJoinedEventArgs

Windows.Devices.AllJoyn.AllJoynSessionJoinedEventArgs.#ctor(Windows.Devices.AllJoyn.AllJoynSession)

Windows.Devices.AllJoyn.AllJoynSessionJoinedEventArgs.Session

Item

[Windows.Devices.AllJoyn.IAllJoynProducer](#)

Properties

Windows.Devices.AllJoyn.IAllJoynProducer

Windows.Devices.AllJoyn.IAllJoynProducer.SetBusObject(Windows.Devices.AllJoyn.AllJoynBusObject)

Item

[Windows.Devices.Bluetooth.Rfcomm.RfcommDeviceServicesResult](#)

Properties

Windows.Devices.Bluetooth.Rfcomm.RfcommDeviceServicesResult

Windows.Devices.Bluetooth.Rfcomm.RfcommDeviceServicesResult.Error

Windows.Devices.Bluetooth.Rfcomm.RfcommDeviceServicesResult.Services

Item

[Windows.Devices.Printers.Extensions.Print3DWorkflowPrinterChangedEventArgs](#)

Properties

Windows.Devices.Printers.Extensions.Print3DWorkflowPrinterChangedEventArgs

Windows.Devices.Printers.Extensions.Print3DWorkflowPrinterChangedEventArgs.NewDeviceId

Item

[Windows.Devices.Sensors.AccelerometerReadingType](#)

Properties

Windows.Devices.Sensors.AccelerometerReadingType

Windows.Devices.Sensors.AccelerometerReadingType.Gravity

Windows.Devices.Sensors.AccelerometerReadingType.Linear

Windows.Devices.Sensors.AccelerometerReadingType.Standard

Item

[Windows.Devices.Sensors.SensorOptimizationGoal](#)

Properties

Windows.Devices.Sensors.SensorOptimizationGoal

Windows.Devices.Sensors.SensorOptimizationGoal.PowerEfficiency

Windows.Devices.Sensors.SensorOptimizationGoal.Precision

Item

[Windows.Foundation.Metadata.CreateFromStringAttribute](#)

Properties

Windows.Foundation.Metadata.CreateFromStringAttribute

Windows.Foundation.Metadata.CreateFromStringAttribute.MethodName

Windows.Foundation.Metadata.CreateFromStringAttribute.#ctor

Item

[Windows.Gaming.Input.ArcadeStick](#)

Properties

Windows.Gaming.Input.ArcadeStick

Windows.Gaming.Input.ArcadeStick.ArcadeSticks

Windows.Gaming.Input.ArcadeStick.Headset

Windows.Gaming.Input.ArcadeStick.IsWireless

Windows.Gaming.Input.ArcadeStick.User

Windows.Gaming.Input.ArcadeStick.ArcadeStickAdded

Windows.Gaming.Input.ArcadeStick.ArcadeStickRemoved

Windows.Gaming.Input.ArcadeStick.HeadsetConnected

Windows.Gaming.Input.ArcadeStick.HeadsetDisconnected

Windows.Gaming.Input.ArcadeStick.UserChanged

Windows.Gaming.Input.ArcadeStick.GetButtonLabel(Windows.Gaming.Input.ArcadeStick Buttons)

Windows.Gaming.Input.ArcadeStick.GetCurrentReading

Item

[Windows.Gaming.Input.ArcadeStickButtons](#)

Properties

Windows.Gaming.Input.ArcadeStickButtons

Windows.Gaming.Input.ArcadeStickButtons.Action1

Windows.Gaming.Input.ArcadeStickButtons.Action2

Windows.Gaming.Input.ArcadeStickButtons.Action3

Windows.Gaming.Input.ArcadeStickButtons.Action4

Windows.Gaming.Input.ArcadeStickButtons.Action5

Windows.Gaming.Input.ArcadeStickButtons.Action6

Windows.Gaming.Input.ArcadeStickButtons.None

Windows.Gaming.Input.ArcadeStickButtons.Special1

Windows.Gaming.Input.ArcadeStickButtons.Special2

Windows.Gaming.Input.ArcadeStickButtons.StickDown
Windows.Gaming.Input.ArcadeStickButtons.StickLeft
Windows.Gaming.Input.ArcadeStickButtons.StickRight
Windows.Gaming.Input.ArcadeStickButtons.StickUp

Item

[Windows.Gaming.Input.ArcadeStickReading](#)

Properties

Windows.Gaming.Input.ArcadeStickReading
Windows.Gaming.Input.ArcadeStickReading.Buttons
Windows.Gaming.Input.ArcadeStickReading.Timestamp

Item

[Windows.Gaming.Input.GameControllerButtonLabel](#)

Properties

Windows.Gaming.Input.GameControllerButtonLabel
Windows.Gaming.Input.GameControllerButtonLabel.Back
Windows.Gaming.Input.GameControllerButtonLabel.Circle
Windows.Gaming.Input.GameControllerButtonLabel.Cross
Windows.Gaming.Input.GameControllerButtonLabel.DialLeft
Windows.Gaming.Input.GameControllerButtonLabel.DialRight
Windows.Gaming.Input.GameControllerButtonLabel.Down
Windows.Gaming.Input.GameControllerButtonLabel.DownLeftArrow
Windows.Gaming.Input.GameControllerButtonLabel.Left
Windows.Gaming.Input.GameControllerButtonLabel.Left1
Windows.Gaming.Input.GameControllerButtonLabel.Left2
Windows.Gaming.Input.GameControllerButtonLabel.Left3
Windows.Gaming.Input.GameControllerButtonLabel.LeftBumper
Windows.Gaming.Input.GameControllerButtonLabel.LeftStickButton
Windows.Gaming.Input.GameControllerButtonLabel.LeftTrigger
Windows.Gaming.Input.GameControllerButtonLabel.LetterA
Windows.Gaming.Input.GameControllerButtonLabel.LetterB
Windows.Gaming.Input.GameControllerButtonLabel.LetterC
Windows.Gaming.Input.GameControllerButtonLabel.LetterL
Windows.Gaming.Input.GameControllerButtonLabel.LetterR
Windows.Gaming.Input.GameControllerButtonLabel.LetterX
Windows.Gaming.Input.GameControllerButtonLabel.LetterY

Windows.Gaming.Input.GameControllerButtonLabel.LetterZ
Windows.Gaming.Input.GameControllerButtonLabel.Menu
Windows.Gaming.Input.GameControllerButtonLabel.Minus
Windows.Gaming.Input.GameControllerButtonLabel.Mode
Windows.Gaming.Input.GameControllerButtonLabel.None
Windows.Gaming.Input.GameControllerButtonLabel.Options
Windows.Gaming.Input.GameControllerButtonLabel.Paddle1
Windows.Gaming.Input.GameControllerButtonLabel.Paddle2
Windows.Gaming.Input.GameControllerButtonLabel.Paddle3
Windows.Gaming.Input.GameControllerButtonLabel.Paddle4
Windows.Gaming.Input.GameControllerButtonLabel.Plus
Windows.Gaming.Input.GameControllerButtonLabel.Right
Windows.Gaming.Input.GameControllerButtonLabel.Right1
Windows.Gaming.Input.GameControllerButtonLabel.Right2
Windows.Gaming.Input.GameControllerButtonLabel.Right3
Windows.Gaming.Input.GameControllerButtonLabel.RightBumper
Windows.Gaming.Input.GameControllerButtonLabel.RightStickButton
Windows.Gaming.Input.GameControllerButtonLabel.RightTrigger
Windows.Gaming.Input.GameControllerButtonLabel.Select
Windows.Gaming.Input.GameControllerButtonLabel.Share
Windows.Gaming.Input.GameControllerButtonLabel.Square
Windows.Gaming.Input.GameControllerButtonLabel.Start
Windows.Gaming.Input.GameControllerButtonLabel.Suspension
Windows.Gaming.Input.GameControllerButtonLabel.Triangle
Windows.Gaming.Input.GameControllerButtonLabel.Up
Windows.Gaming.Input.GameControllerButtonLabel.View
Windows.Gaming.Input.GameControllerButtonLabel.XboxA
Windows.Gaming.Input.GameControllerButtonLabel.XboxB
Windows.Gaming.Input.GameControllerButtonLabel.XboxBack
Windows.Gaming.Input.GameControllerButtonLabel.XboxDown
Windows.Gaming.Input.GameControllerButtonLabel.XboxLeft
Windows.Gaming.Input.GameControllerButtonLabel.XboxLeftBumper
Windows.Gaming.Input.GameControllerButtonLabel.XboxLeftStickButton
Windows.Gaming.Input.GameControllerButtonLabel.XboxLeftTrigger
Windows.Gaming.Input.GameControllerButtonLabel.XboxMenu
Windows.Gaming.Input.GameControllerButtonLabel.XboxPaddle1
Windows.Gaming.Input.GameControllerButtonLabel.XboxPaddle2
Windows.Gaming.Input.GameControllerButtonLabel.XboxPaddle3
Windows.Gaming.Input.GameControllerButtonLabel.XboxPaddle4
Windows.Gaming.Input.GameControllerButtonLabel.XboxRight

Windows.Gaming.Input.GameControllerButtonLabel.XboxRightBumper
Windows.Gaming.Input.GameControllerButtonLabel.XboxRightStickButton
Windows.Gaming.Input.GameControllerButtonLabel.XboxRightTrigger
Windows.Gaming.Input.GameControllerButtonLabel.XboxStart
Windows.Gaming.Input.GameControllerButtonLabel.XboxUp
Windows.Gaming.Input.GameControllerButtonLabel.XboxView
Windows.Gaming.Input.GameControllerButtonLabel.XboxX
Windows.Gaming.Input.GameControllerButtonLabel.XboxY

Item

[Windows.Gaming.Input.OptionalUINavigationButtons](#)

Properties

Windows.Gaming.Input.OptionalUINavigationButtons
Windows.Gaming.Input.OptionalUINavigationButtons.Context1
Windows.Gaming.Input.OptionalUINavigationButtons.Context2
Windows.Gaming.Input.OptionalUINavigationButtons.Context3
Windows.Gaming.Input.OptionalUINavigationButtons.Context4
Windows.Gaming.Input.OptionalUINavigationButtons.None
Windows.Gaming.Input.OptionalUINavigationButtons.PageDown
Windows.Gaming.Input.OptionalUINavigationButtons.PageLeft
Windows.Gaming.Input.OptionalUINavigationButtons.PageRight
Windows.Gaming.Input.OptionalUINavigationButtons.PageUp
Windows.Gaming.Input.OptionalUINavigationButtons.ScrollDown
Windows.Gaming.Input.OptionalUINavigationButtons.ScrollLeft
Windows.Gaming.Input.OptionalUINavigationButtons.ScrollRight
Windows.Gaming.Input.OptionalUINavigationButtons.ScrollUp

Item

[Windows.Gaming.Input.RacingWheel](#)

Properties

Windows.Gaming.Input.RacingWheel
Windows.Gaming.Input.RacingWheel.HasClutch
Windows.Gaming.Input.RacingWheel.HasHandbrake
Windows.Gaming.Input.RacingWheel.HasPatternShifter
Windows.Gaming.Input.RacingWheel.Headset
Windows.Gaming.Input.RacingWheel.IsWireless
Windows.Gaming.Input.RacingWheel.MaxPatternShifterGear

Windows.Gaming.Input.RacingWheel.MaxWheelAngle
Windows.Gaming.Input.RacingWheel.RacingWheels
Windows.Gaming.Input.RacingWheel.User
Windows.Gaming.Input.RacingWheel.WheelMotor
Windows.Gaming.Input.RacingWheel.HeadsetConnected
Windows.Gaming.Input.RacingWheel.HeadsetDisconnected
Windows.Gaming.Input.RacingWheel.RacingWheelAdded
Windows.Gaming.Input.RacingWheel.RacingWheelRemoved
Windows.Gaming.Input.RacingWheel.UserChanged
Windows.Gaming.Input.RacingWheel.GetButtonLabel(Windows.Gaming.Input.RacingWheelButtons)
Windows.Gaming.Input.RacingWheel.GetCurrentReading

Item

[Windows.Gaming.Input.RacingWheelButtons](#)

Properties

Windows.Gaming.Input.RacingWheelButtons
Windows.Gaming.Input.RacingWheelButtons.Button1
Windows.Gaming.Input.RacingWheelButtons.Button10
Windows.Gaming.Input.RacingWheelButtons.Button11
Windows.Gaming.Input.RacingWheelButtons.Button12
Windows.Gaming.Input.RacingWheelButtons.Button13
Windows.Gaming.Input.RacingWheelButtons.Button14
Windows.Gaming.Input.RacingWheelButtons.Button15
Windows.Gaming.Input.RacingWheelButtons.Button16
Windows.Gaming.Input.RacingWheelButtons.Button2
Windows.Gaming.Input.RacingWheelButtons.Button3
Windows.Gaming.Input.RacingWheelButtons.Button4
Windows.Gaming.Input.RacingWheelButtons.Button5
Windows.Gaming.Input.RacingWheelButtons.Button6
Windows.Gaming.Input.RacingWheelButtons.Button7
Windows.Gaming.Input.RacingWheelButtons.Button8
Windows.Gaming.Input.RacingWheelButtons.Button9
Windows.Gaming.Input.RacingWheelButtons.DPadDown
Windows.Gaming.Input.RacingWheelButtons.DPadLeft
Windows.Gaming.Input.RacingWheelButtons.DPadRight
Windows.Gaming.Input.RacingWheelButtons.DPadUp
Windows.Gaming.Input.RacingWheelButtons.NextGear

Windows.Gaming.Input.RacingWheelButtons.None
Windows.Gaming.Input.RacingWheelButtons.PreviousGear

Item

[Windows.Gaming.Input.RacingWheelReading](#)

Properties

Windows.Gaming.Input.RacingWheelReading
Windows.Gaming.Input.RacingWheelReading.Brake
Windows.Gaming.Input.RacingWheelReading.Buttons
Windows.Gaming.Input.RacingWheelReading.Clutch
Windows.Gaming.Input.RacingWheelReading.Handbrake
Windows.Gaming.Input.RacingWheelReading.PatternShifterGear
Windows.Gaming.Input.RacingWheelReading.Throttle
Windows.Gaming.Input.RacingWheelReading.Timestamp
Windows.Gaming.Input.RacingWheelReading.Wheel

Item

[Windows.Gaming.Input.RequiredUINavigationButtons](#)

Properties

Windows.Gaming.Input.RequiredUINavigationButtons
Windows.Gaming.Input.RequiredUINavigationButtons.Accept
Windows.Gaming.Input.RequiredUINavigationButtons.Cancel
Windows.Gaming.Input.RequiredUINavigationButtons.Down
Windows.Gaming.Input.RequiredUINavigationButtons.Left
Windows.Gaming.Input.RequiredUINavigationButtons.Menu
Windows.Gaming.Input.RequiredUINavigationButtons.None
Windows.Gaming.Input.RequiredUINavigationButtons.Right
Windows.Gaming.Input.RequiredUINavigationButtons.Up
Windows.Gaming.Input.RequiredUINavigationButtons.View

Item

[Windows.Gaming.Input.UINavigationController](#)

Properties

Windows.Gaming.Input.UINavigationController
Windows.Gaming.Input.UINavigationController.Headset
Windows.Gaming.Input.UINavigationController.IsWireless

Windows.Gaming.Input.UINavigationController.UINavigationControllers
Windows.Gaming.Input.UINavigationController.User
Windows.Gaming.Input.UINavigationController.HeadsetConnected
Windows.Gaming.Input.UINavigationController.HeadsetDisconnected
Windows.Gaming.Input.UINavigationController.UINavigationControllerAdded
Windows.Gaming.Input.UINavigationController.UINavigationControllerRemoved
Windows.Gaming.Input.UINavigationController.UserChanged
Windows.Gaming.Input.UINavigationController.GetCurrentReading
Windows.Gaming.Input.UINavigationController.GetOptionalButtonLabel(Windows.Gaming.Input.OptionalUINavigationButtons)
Windows.Gaming.Input.UINavigationController.GetRequiredButtonLabel(Windows.Gaming.Input.RequiredUINavigationButtons)

Item

[Windows.Gaming.Input.UINavigationReading](#)

Properties

Windows.Gaming.Input.UINavigationReading
Windows.Gaming.Input.UINavigationReading.OptionalButtons
Windows.Gaming.Input.UINavigationReading.RequiredButtons
Windows.Gaming.Input.UINavigationReading.Timestamp

Item

[Windows.Gaming.Input.Custom.GameControllerFactoryManager](#)

Properties

Windows.Gaming.Input.Custom.GameControllerFactoryManager
Windows.Gaming.Input.Custom.GameControllerFactoryManager.RegisterCustomFactoryForGipInterface(Windows.Gaming.Input.Custom.ICustomGameControllerFactory, System.Guid)
Windows.Gaming.Input.Custom.GameControllerFactoryManager.RegisterCustomFactoryForHardwareId(Windows.Gaming.Input.Custom.ICustomGameControllerFactory, System.UInt16, System.UInt16)
Windows.Gaming.Input.Custom.GameControllerFactoryManager.RegisterCustomFactoryForXusbType(Windows.Gaming.Input.Custom.ICustomGameControllerFactory, Windows.Gaming.Input.Custom.XusbDeviceType, Windows.Gaming.Input.Custom.XusbDeviceSubtype)

Item

[Windows.Gaming.Input.Custom.GameControllerVersionInfo](#)

Properties

Windows.Gaming.Input.Custom.GameControllerVersionInfo

Windows.Gaming.Input.Custom.GameControllerVersionInfo.Build

Windows.Gaming.Input.Custom.GameControllerVersionInfo.Major

Windows.Gaming.Input.Custom.GameControllerVersionInfo.Minor

Windows.Gaming.Input.Custom.GameControllerVersionInfo.Revision

Item

[Windows.Gaming.Input.Custom.GipFirmwareUpdateProgress](#)

Properties

Windows.Gaming.Input.Custom.GipFirmwareUpdateProgress

Windows.Gaming.Input.Custom.GipFirmwareUpdateProgress.CurrentComponentId

Windows.Gaming.Input.Custom.GipFirmwareUpdateProgress.PercentCompleted

Item

[Windows.Gaming.Input.Custom.GipFirmwareUpdateResult](#)

Properties

Windows.Gaming.Input.Custom.GipFirmwareUpdateResult

Windows.Gaming.Input.Custom.GipFirmwareUpdateResult.ExtendedErrorCode

Windows.Gaming.Input.Custom.GipFirmwareUpdateResult.FinalComponentId

Windows.Gaming.Input.Custom.GipFirmwareUpdateResult.Status

Item

[Windows.Gaming.Input.Custom.GipFirmwareUpdateStatus](#)

Properties

Windows.Gaming.Input.Custom.GipFirmwareUpdateStatus

Windows.Gaming.Input.Custom.GipFirmwareUpdateStatus.Completed

Windows.Gaming.Input.Custom.GipFirmwareUpdateStatus.Failed

Windows.Gaming.Input.Custom.GipFirmwareUpdateStatus.UpToDate

Item

[Windows.Gaming.Input.Custom.GipGameControllerProvider](#)

Properties

Windows.Gaming.Input.Custom.GipGameControllerProvider
Windows.Gaming.Input.Custom.GipGameControllerProvider.FirmwareVersionInfo
Windows.Gaming.Input.Custom.GipGameControllerProvider.HardwareProductId
Windows.Gaming.Input.Custom.GipGameControllerProvider.HardwareVendorId
Windows.Gaming.Input.Custom.GipGameControllerProvider.HardwareVersionInfo
Windows.Gaming.Input.Custom.GipGameControllerProvider.IsConnected
Windows.Gaming.Input.Custom.GipGameControllerProvider.SendMessage(Windows.Gaming.Input.Custom.GipMessageClass, System.Byte, System.Byte[])
Windows.Gaming.Input.Custom.GipGameControllerProvider.SendReceiveMessage(Windows.Gaming.Input.Custom.GipMessageClass, System.Byte, System.Byte[], System.Byte[])
Windows.Gaming.Input.Custom.GipGameControllerProvider.UpdateFirmwareAsync(Windows.Storage.Streams.IInputStream)

Item

[Windows.Gaming.Input.Custom.GipMessageClass](#)

Properties

Windows.Gaming.Input.Custom.GipMessageClass
Windows.Gaming.Input.Custom.GipMessageClass.Command
Windows.Gaming.Input.Custom.GipMessageClass.LowLatency
Windows.Gaming.Input.Custom.GipMessageClass.StandardLatency

Item

[Windows.Gaming.Input.Custom.ICustomGameControllerFactory](#)

Properties

Windows.Gaming.Input.Custom.ICustomGameControllerFactory
Windows.Gaming.Input.Custom.ICustomGameControllerFactory.CreateGameController(Windows.Gaming.Input.IGameControllerProvider)
Windows.Gaming.Input.Custom.ICustomGameControllerFactory.OnGameControllerAdded(Windows.Gaming.Input.IGameController)
Windows.Gaming.Input.Custom.ICustomGameControllerFactory.OnGameControllerRemoved(Windows.Gaming.Input.IGameController)

Item

[Windows.Gaming.Input.Custom.IGameControllerInputSink](#)

Properties

Windows.Gaming.Input.Custom.IGameControllerInputSink

Windows.Gaming.Input.Custom.IGameControllerInputSink.OnInputResumed(System.UInt64)

Windows.Gaming.Input.Custom.IGameControllerInputSink.OnInputSuspended(System.UInt64)

Item

[Windows.Gaming.Input.Custom.IGameControllerProvider](#)

Properties

Windows.Gaming.Input.Custom.IGameControllerProvider

Windows.Gaming.Input.Custom.IGameControllerProvider.FirmwareVersionInfo

Windows.Gaming.Input.Custom.IGameControllerProvider.HardwareProductId

Windows.Gaming.Input.Custom.IGameControllerProvider.HardwareVendorId

Windows.Gaming.Input.Custom.IGameControllerProvider.HardwareVersionInfo

Windows.Gaming.Input.Custom.IGameControllerProvider.IsConnected

Item

[Windows.Gaming.Input.Custom.IGipGameControllerInputSink](#)

Properties

Windows.Gaming.Input.Custom.IGipGameControllerInputSink

Windows.Gaming.Input.Custom.IGipGameControllerInputSink.OnKeyReceived(System.UInt64,System.Byte,System.Boolean)

Windows.Gaming.Input.Custom.IGipGameControllerInputSink.OnMessageReceived(System.UInt64,Windows.Gaming.Input.Custom.GipMessageClass,System.Byte,System.Byte,System.Byte[])

Item

[Windows.Gaming.Input.Custom.IXusbGameControllerInputSink](#)

Properties

Windows.Gaming.Input.Custom.IXusbGameControllerInputSink

Windows.Gaming.Input.Custom.IXusbGameControllerInputSink.OnInputReceived(System.UInt64,System.Byte,System.Byte[])

Item

[Windows.Gaming.Input.Custom.XusbDeviceSubtype](#)