

reshold(System.Single,System.Single)

Windows.UI.Composition.Interactions.InteractionTracker.ConfigurePositionXInertiaModifiers(Windows.Foundation.Collections.IIterable{Windows.UI.Composition.Interactions.InteractionTrackerInertiaModifier})

Windows.UI.Composition.Interactions.InteractionTracker.ConfigurePositionYInertiaModifiers(Windows.Foundation.Collections.IIterable{Windows.UI.Composition.Interactions.InteractionTrackerInertiaModifier})

Windows.UI.Composition.Interactions.InteractionTracker.ConfigureScaleInertiaModifiers(Windows.Foundation.Collections.IIterable{Windows.UI.Composition.Interactions.InteractionTrackerInertiaModifier})

Windows.UI.Composition.Interactions.InteractionTracker.Create(Windows.UI.Composition.Compositor)

Windows.UI.Composition.Interactions.InteractionTracker.CreateWithOwner(Windows.UI.Composition.Compositor,Windows.UI.Composition.Interactions.IInteractionTrackerOwner)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdatePosition(Windows.Foundation.Numerics.Vector3)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdatePositionBy(Windows.Foundation.Numerics.Vector3)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdatePositionWithAdditionalVelocity(Windows.Foundation.Numerics.Vector3)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdatePositionWithAnimation(Windows.UI.Composition.CompositionAnimation)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdateScale(System.Single,Windows.Foundation.Numerics.Vector3)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdateScaleWithAdditionalVelocity(System.Single,Windows.Foundation.Numerics.Vector3)

Windows.UI.Composition.Interactions.InteractionTracker.TryUpdateScaleWithAnimation(Windows.UI.Composition.CompositionAnimation,Windows.Foundation.Numerics.Vector3)

Item

[Windows.UI.Composition.Interactions.InteractionTrackerCustomAnimationStateEnteredArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerCustomAnimationStateEnteredArgs

Windows.UI.Composition.Interactions.InteractionTrackerCustomAnimationStateEnteredArgs.RequestId

Item

[Windows.UI.Composition.Interactions.InteractionTrackerIdleStateEnteredArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerIdleStateEnteredArgs

Windows.UI.Composition.Interactions.InteractionTrackerIdleStateEnteredArgs.RequestId

Item

[Windows.UI.Composition.Interactions.InteractionTrackerInertiaModifier](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerInertiaModifier

Item

[Windows.UI.Composition.Interactions.InteractionTrackerInertiaMotion](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerInertiaMotion

Windows.UI.Composition.Interactions.InteractionTrackerInertiaMotion.Condition

Windows.UI.Composition.Interactions.InteractionTrackerInertiaMotion.Motion

Windows.UI.Composition.Interactions.InteractionTrackerInertiaMotion.Create(Windows.UI.Composition.Compositor)

Item

[Windows.UI.Composition.Interactions.InteractionTrackerInertiaRestingValue](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerInertiaRestingValue

Windows.UI.Composition.Interactions.InteractionTrackerInertiaRestingValue.Condition

Windows.UI.Composition.Interactions.InteractionTrackerInertiaRestingValue.RestingValue

Windows.UI.Composition.Interactions.InteractionTrackerInertiaRestingValue.Create(Windows.UI.Composition.Compositor)

Item

[Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.ModifiedRestingPosition
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.ModifiedRestingScale
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.NaturalRestingPosition
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.NaturalRestingScale
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.PositionVelocityInPixelsPerSecond
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.RequestId
Windows.UI.Composition.Interactions.InteractionTrackerInertiaStateEnteredArgs.ScaleVelocityInPercentPerSecond

Item

[Windows.UI.Composition.Interactions.InteractionTrackerInteractingStateEnteredArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerInteractingStateEnteredArgs
Windows.UI.Composition.Interactions.InteractionTrackerInteractingStateEnteredArgs.RequestId

Item

[Windows.UI.Composition.Interactions.InteractionTrackerRequestIgnoredArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerRequestIgnoredArgs
Windows.UI.Composition.Interactions.InteractionTrackerRequestIgnoredArgs.RequestId

Item

[Windows.UI.Composition.Interactions.InteractionTrackerValuesChangedEventArgs](#)

Properties

Windows.UI.Composition.Interactions.InteractionTrackerValuesChangedEventArgs
Windows.UI.Composition.Interactions.InteractionTrackerValuesChangedEventArgs.Position
Windows.UI.Composition.Interactions.InteractionTrackerValuesChangedEventArgs.RequestId
Windows.UI.Composition.Interactions.InteractionTrackerValuesChangedEventArgs.Scale

Item

[Windows.UI.Composition.Interactions.VisualInteractionSource](#)

Properties

Windows.UI.Composition.Interactions.VisualInteractionSource

Windows.UI.Composition.Interactions.VisualInteractionSource.IsPositionXRailsEnabled

Windows.UI.Composition.Interactions.VisualInteractionSource.IsPositionYRailsEnabled

Windows.UI.Composition.Interactions.VisualInteractionSource.ManipulationRedirectionMode

Windows.UI.Composition.Interactions.VisualInteractionSource.PositionXChainingMode

Windows.UI.Composition.Interactions.VisualInteractionSource.PositionXSourceMode

Windows.UI.Composition.Interactions.VisualInteractionSource.PositionYChainingMode

Windows.UI.Composition.Interactions.VisualInteractionSource.PositionYSourceMode

Windows.UI.Composition.Interactions.VisualInteractionSource.ScaleChainingMode

Windows.UI.Composition.Interactions.VisualInteractionSource.ScaleSourceMode

Windows.UI.Composition.Interactions.VisualInteractionSource.Source

Windows.UI.Composition.Interactions.VisualInteractionSource.Create(Windows.UI.Composition.Visual)

Windows.UI.Composition.Interactions.VisualInteractionSource.TryRedirectForManipulation(Windows.UI.Input.PointerPoint)

Item

[Windows.UI.Composition.Interactions.VisualInteractionSourceRedirectionMode](#)

Properties

Windows.UI.Composition.Interactions.VisualInteractionSourceRedirectionMode

Windows.UI.Composition.Interactions.VisualInteractionSourceRedirectionMode.CapableTouchpadOnly

Windows.UI.Composition.Interactions.VisualInteractionSourceRedirectionMode.Off

Item

[Windows.UI.Core.ClosestInteractiveBoundsRequestedEventArgs](#)

Properties

Windows.UI.Core.ClosestInteractiveBoundsRequestedEventArgs

Windows.UI.Core.ClosestInteractiveBoundsRequestedEventArgs.ClosestInteractiveBounds

Windows.UI.Core.ClosestInteractiveBoundsRequestedEventArgs.PointerPosition

Windows.UI.Core.ClosestInteractiveBoundsRequestedEventArgs.SearchBounds

Item

[Windows.UI.Input.RadialController](#)

Properties

Windows.UI.Input.RadialController
Windows.UI.Input.RadialController.Menu
Windows.UI.Input.RadialController.RotationResolutionInDegrees
Windows.UI.Input.RadialController.UseAutomaticHapticFeedback
Windows.UI.Input.RadialController.ButtonClicked
Windows.UI.Input.RadialController.ControlAcquired
Windows.UI.Input.RadialController.ControlLost
Windows.UI.Input.RadialController.RotationChanged
Windows.UI.Input.RadialController.ScreenContactContinued
Windows.UI.Input.RadialController.ScreenContactEnded
Windows.UI.Input.RadialController.ScreenContactStarted
Windows.UI.Input.RadialController.CreateForCurrentView
Windows.UI.Input.RadialController.IsSupported

Item

[Windows.UI.Input.RadialControllerButtonClickedEventArgs](#)

Properties

Windows.UI.Input.RadialControllerButtonClickedEventArgs
Windows.UI.Input.RadialControllerButtonClickedEventArgs.Contact

Item

[Windows.UI.Input.RadialControllerConfiguration](#)

Properties

Windows.UI.Input.RadialControllerConfiguration
Windows.UI.Input.RadialControllerConfiguration.GetForCurrentView
Windows.UI.Input.RadialControllerConfiguration.ResetToDefaultMenuItems
Windows.UI.Input.RadialControllerConfiguration.SetDefaultMenuItems(Windows.Foundation.Collections.IEnumerable{Windows.UI.Input.RadialControllerSystemMenuItemKind})
Windows.UI.Input.RadialControllerConfiguration.TrySelectDefaultMenuItem(Windows.UI.Input.RadialControllerSystemMenuItemKind)

Item

[Windows.UI.Input.RadialControllerControlAcquiredEventArgs](#)

Properties

Windows.UI.Input.RadialControllerControlAcquiredEventArgs

Windows.UI.Input.RadialControllerControlAcquiredEventArgs.Contact

Item

[Windows.UI.Input.RadialControllerMenu](#)

Properties

Windows.UI.Input.RadialControllerMenu

Windows.UI.Input.RadialControllerMenu.IsEnabled

Windows.UI.Input.RadialControllerMenu.Items

Windows.UI.Input.RadialControllerMenu.GetSelectedItem

Windows.UI.Input.RadialControllerMenu.SelectMenuItem(Windows.UI.Input.RadialControllerMenuItem)

Windows.UI.Input.RadialControllerMenu.TrySelectPreviouslySelectedItem

Item

[Windows.UI.Input.RadialControllerMenuItem](#)

Properties

Windows.UI.Input.RadialControllerMenuItem

Windows.UI.Input.RadialControllerMenuItem.DisplayText

Windows.UI.Input.RadialControllerMenuItem.Tag

Windows.UI.Input.RadialControllerMenuItem.Invoked

Windows.UI.Input.RadialControllerMenuItem.CreateFromIcon(System.String, Windows.Storage.Streams.RandomAccessStreamReference)

Windows.UI.Input.RadialControllerMenuItem.CreateFromKnownIcon(System.String, Windows.UI.Input.RadialControllerMenuKnownIcon)

Item

[Windows.UI.Input.RadialControllerMenuKnownIcon](#)

Properties

Windows.UI.Input.RadialControllerMenuKnownIcon

Windows.UI.Input.RadialControllerMenuKnownIcon.InkColor

Windows.UI.Input.RadialControllerMenuKnownIcon.InkThickness

Windows.UI.Input.RadialControllerMenuKnownIcon.NextPreviousTrack

Windows.UI.Input.RadialControllerMenuKnownIcon.PenType
Windows.UI.Input.RadialControllerMenuKnownIcon.Ruler
Windows.UI.Input.RadialControllerMenuKnownIcon.Scroll
Windows.UI.Input.RadialControllerMenuKnownIcon.UndoRedo
Windows.UI.Input.RadialControllerMenuKnownIcon.Volume
Windows.UI.Input.RadialControllerMenuKnownIcon.Zoom

Item

[Windows.UI.Input.RadialControllerRotationChangedEventArgs](#)

Properties

Windows.UI.Input.RadialControllerRotationChangedEventArgs
Windows.UI.Input.RadialControllerRotationChangedEventArgs.Contact
Windows.UI.Input.RadialControllerRotationChangedEventArgs.RotationDeltaInDegrees

Item

[Windows.UI.Input.RadialControllerScreenContact](#)

Properties

Windows.UI.Input.RadialControllerScreenContact
Windows.UI.Input.RadialControllerScreenContact.Bounds
Windows.UI.Input.RadialControllerScreenContact.Position

Item

[Windows.UI.Input.RadialControllerScreenContactContinuedEventArgs](#)

Properties

Windows.UI.Input.RadialControllerScreenContactContinuedEventArgs
Windows.UI.Input.RadialControllerScreenContactContinuedEventArgs.Contact

Item

[Windows.UI.Input.RadialControllerScreenContactStartedEventArgs](#)

Properties

Windows.UI.Input.RadialControllerScreenContactStartedEventArgs
Windows.UI.Input.RadialControllerScreenContactStartedEventArgs.Contact

Item

[Windows.UI.Input.RadialControllerSystemMenuItemKind](#)

Properties

Windows.UI.Input.RadialControllerSystemMenuItemKind
Windows.UI.Input.RadialControllerSystemMenuItemKind.NextPreviousTrack
Windows.UI.Input.RadialControllerSystemMenuItemKind.Scroll
Windows.UI.Input.RadialControllerSystemMenuItemKind.UndoRedo
Windows.UI.Input.RadialControllerSystemMenuItemKind.Volume
Windows.UI.Input.RadialControllerSystemMenuItemKind.Zoom

Item

[Windows.UI.Input.Inking.IInkPresenterRulerFactory](#)

Properties

Windows.UI.Input.Inking.IInkPresenterRulerFactory
Windows.UI.Input.Inking.IInkPresenterRulerFactory.Create(Windows.UI.Input.Inking.InkPresenter)

Item

[Windows.UI.Input.Inking.IInkPresenterStencil](#)

Properties

Windows.UI.Input.Inking.IInkPresenterStencil
Windows.UI.Input.Inking.IInkPresenterStencil.BackgroundColor
Windows.UI.Input.Inking.IInkPresenterStencil.ForegroundColor
Windows.UI.Input.Inking.IInkPresenterStencil.IsVisible
Windows.UI.Input.Inking.IInkPresenterStencil.Kind
Windows.UI.Input.Inking.IInkPresenterStencil.Transform

Item

[Windows.UI.Input.Inking.InkDrawingAttributesKind](#)

Properties

Windows.UI.Input.Inking.InkDrawingAttributesKind
Windows.UI.Input.Inking.InkDrawingAttributesKind.Default
Windows.UI.Input.Inking.InkDrawingAttributesKind.Pencil

Item

[Windows.UI.Input.Inking.InkDrawingAttributesPencilProperties](#)

Properties

Windows.UI.Input.Inking.InkDrawingAttributesPencilProperties

Windows.UI.Input.Inking.InkDrawingAttributesPencilProperties.Opacity

Item

[Windows.UI.Input.Inking.InkPresenterRuler](#)

Properties

Windows.UI.Input.Inking.InkPresenterRuler

Windows.UI.Input.Inking.InkPresenterRuler.#ctor(Windows.UI.Input.Inking.InkPresenter)

Windows.UI.Input.Inking.InkPresenterRuler.BackgroundColor

Windows.UI.Input.Inking.InkPresenterRuler.ForegroundColor

Windows.UI.Input.Inking.InkPresenterRuler.IsVisible

Windows.UI.Input.Inking.InkPresenterRuler.Kind

Windows.UI.Input.Inking.InkPresenterRuler.Length

Windows.UI.Input.Inking.InkPresenterRuler.Transform

Windows.UI.Input.Inking.InkPresenterRuler.Width

Item

[Windows.UI.Input.Inking.InkPresenterStencilKind](#)

Properties

Windows.UI.Input.Inking.InkPresenterStencilKind

Windows.UI.Input.Inking.InkPresenterStencilKind.Other

Windows.UI.Input.Inking.InkPresenterStencilKind.Ruler

Item

[Windows.UI.Input.Inking.Core.CoreWetStrokeDisposition](#)

Properties

Windows.UI.Input.Inking.Core.CoreWetStrokeDisposition

Windows.UI.Input.Inking.Core.CoreWetStrokeDisposition.Canceled

Windows.UI.Input.Inking.Core.CoreWetStrokeDisposition.Completed

Windows.UI.Input.Inking.Core.CoreWetStrokeDisposition.Inking

Item

[Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateEventArgs](#)

Properties

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateEventArgs

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateEventArgs.Disposition

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateEventArgs.NewInkPoints

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateEventArgs.PointerId

Item

[Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource](#)

Properties

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.InkPresenter

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.WetStrokeCanceled

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.WetStrokeCompleted

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.WetStrokeContinuing

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.WetStrokeStarting

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.WetStrokeStopping

Windows.UI.Input.Inking.Core.CoreWetStrokeUpdateSource.Create(Windows.UI.Input.Inking.InkPresenter)

Item

[Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FifthButtonDown

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FifthButtonUp

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FirstButtonDown

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FirstButtonUp

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FourthButtonDown

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.FourthButtonUp

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.None

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.SecondButtonDown

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.SecondButtonUp

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.ThirdButtonDown

Windows.UI.Input.Preview.Injection.InjectedImageButtonChangeKind.ThirdButtonUp

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionInfo](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.#ctor
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.KeyOptions
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.ScanCode
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.VirtualKey

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionOptions](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionOptions
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.ExtendedKey
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.KeyUp
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.None
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.ScanCode
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.Unicode

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.#ctor
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.DeltaX
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.DeltaY
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.MouseData
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.MouseOptions
Windows.UI.Input.Preview.Injection.InjectedExceptionMouseInfo.TimeOffsetInMilliseconds

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionMouseOptions](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionOptions
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.Absolute
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.HWheel
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.LeftDown
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.LeftUp
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.MiddleDown
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.MiddleUp
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.Move
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.MoveNoCoalesce
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.None
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.RightDown
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.RightUp
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.VirtualDesk
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.Wheel
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.XDown
Windows.UI.Input.Preview.Injection.InjectedExceptionOptions.XUp

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionButtons](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionButtons
Windows.UI.Input.Preview.Injection.InjectedExceptionButtons.Barrel
Windows.UI.Input.Preview.Injection.InjectedExceptionButtons.Eraser
Windows.UI.Input.Preview.Injection.InjectedExceptionButtons.Inverted
Windows.UI.Input.Preview.Injection.InjectedExceptionButtons.None

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionInfo](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.#ctor
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Buttons
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Parameters
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.PointerInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Pressure
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Rotation

Windows.UI.Input.Preview.Injection.InjectedImagePenInfo.TiltX

Windows.UI.Input.Preview.Injection.InjectedImagePenInfo.TiltY

Item

[Windows.UI.Input.Preview.Injection.InjectedImagePenParameters](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters.None

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters.Pressure

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters.Rotation

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters.TiltX

Windows.UI.Input.Preview.Injection.InjectedImagePenParameters.TiltY

Item

[Windows.UI.Input.Preview.Injection.InjectedImagePoint](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImagePoint

Windows.UI.Input.Preview.Injection.InjectedImagePoint.PositionX

Windows.UI.Input.Preview.Injection.InjectedImagePoint.PositionY

Item

[Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo.PerformanceCount

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo.PixelLocation

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo.PointerId

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo.PointerOptions

Windows.UI.Input.Preview.Injection.InjectedImagePointerInfo.TimeOffsetInMilliseconds

Item

[Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.Canceled
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.CaptureChanged
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.Confidence
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.FirstButton
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.InContact
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.InRange
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.New
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.None
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.PointerDown
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.PointerUp
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.Primary
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.SecondButton
Windows.UI.Input.Preview.Injection.InjectedImagePointerOptions.Update

Item

[Windows.UI.Input.Preview.Injection.InjectedImageRectangle](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImageRectangle
Windows.UI.Input.Preview.Injection.InjectedImageRectangle.Bottom
Windows.UI.Input.Preview.Injection.InjectedImageRectangle.Left
Windows.UI.Input.Preview.Injection.InjectedImageRectangle.Right
Windows.UI.Input.Preview.Injection.InjectedImageRectangle.Top

Item

[Windows.UI.Input.Preview.Injection.InjectedImageShortcut](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedImageShortcut
Windows.UI.Input.Preview.Injection.InjectedImageShortcut.Back
Windows.UI.Input.Preview.Injection.InjectedImageShortcut.Search
Windows.UI.Input.Preview.Injection.InjectedImageShortcut.Start

Item

[Windows.UI.Input.Preview.Injection.InjectedImageTouchInfo](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.#ctor
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Contact
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Orientation
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.PointerInfo
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.Pressure
Windows.UI.Input.Preview.Injection.InjectedExceptionInfo.TouchParameters

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionParameters](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionParameters
Windows.UI.Input.Preview.Injection.InjectedExceptionParameters.Contact
Windows.UI.Input.Preview.Injection.InjectedExceptionParameters.None
Windows.UI.Input.Preview.Injection.InjectedExceptionParameters.Orientation
Windows.UI.Input.Preview.Injection.InjectedExceptionParameters.Pressure

Item

[Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode](#)

Properties

Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode
Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode.Default
Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode.Indirect
Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode.None

Item

[Windows.UI.Input.Preview.Injection.InputInjector](#)

Properties

Windows.UI.Input.Preview.Injection.InputInjector
Windows.UI.Input.Preview.Injection.InputInjector.InitializePenInjection(Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode)
Windows.UI.Input.Preview.Injection.InputInjector.InitializeTouchInjection(Windows.UI.Input.Preview.Injection.InjectedExceptionVisualizationMode)
Windows.UI.Input.Preview.Injection.InputInjector.InjectKeyboardInput(Windows.Foundation.Collections.IEnumerable{Windows.UI.Input.Preview.Injection.InjectedExceptionKeyboardInfo})
Windows.UI.Input.Preview.Injection.InputInjector.InjectMouseInput(Windows.Foundation

.Collections.IEnumerable{Windows.UI.Input.Preview.Injection.InjectedExceptionInfo}}
Windows.UI.Input.Preview.Injection.InputInjector.InjectPenInput(Windows.UI.Input.Preview.Injection.InjectedExceptionInfo)
Windows.UI.Input.Preview.Injection.InputInjector.InjectShortcut(Windows.UI.Input.Preview.Injection.InjectedExceptionInfo)
Windows.UI.Input.Preview.Injection.InputInjector.InjectTouchInput(Windows.Foundation.Collections.IEnumerable{Windows.UI.Input.Preview.Injection.InjectedExceptionInfo})
Windows.UI.Input.Preview.Injection.InputInjector.TryCreate
Windows.UI.Input.Preview.Injection.InputInjector.UninitializePenInjection
Windows.UI.Input.Preview.Injection.InputInjector.UninitializeTouchInjection

Item

[Windows.UI.Notifications.AdaptiveNotificationContentKind](#)

Properties

Windows.UI.Notifications.AdaptiveNotificationContentKind
Windows.UI.Notifications.AdaptiveNotificationContentKind.Text

Item

[Windows.UI.Notifications.AdaptiveNotificationText](#)

Properties

Windows.UI.Notifications.AdaptiveNotificationText
Windows.UI.Notifications.AdaptiveNotificationText.#ctor
Windows.UI.Notifications.AdaptiveNotificationText.Hints
Windows.UI.Notifications.AdaptiveNotificationText.Kind
Windows.UI.Notifications.AdaptiveNotificationText.Language
Windows.UI.Notifications.AdaptiveNotificationText.Text

Item

[Windows.UI.Notifications.BadgeUpdateManagerForUser](#)

Properties

Windows.UI.Notifications.BadgeUpdateManagerForUser
Windows.UI.Notifications.BadgeUpdateManagerForUser.User
Windows.UI.Notifications.BadgeUpdateManagerForUser.CreateBadgeUpdaterForApplication
Windows.UI.Notifications.BadgeUpdateManagerForUser.CreateBadgeUpdaterForApplication(System.String)

Windows.UI.Notifications.BadgeUpdateManagerForUser.CreateBadgeUpdaterForSecondaryTile(System.String)

Item

[Windows.UI.Notifications.IAdaptiveNotificationContent](#)

Properties

Windows.UI.Notifications.IAdaptiveNotificationContent
Windows.UI.Notifications.IAdaptiveNotificationContent.Hints
Windows.UI.Notifications.IAdaptiveNotificationContent.Kind

Item

[Windows.UI.Notifications.KnownAdaptiveNotificationHints](#)

Properties

Windows.UI.Notifications.KnownAdaptiveNotificationHints
Windows.UI.Notifications.KnownAdaptiveNotificationHints.Align
Windows.UI.Notifications.KnownAdaptiveNotificationHints.MaxLines
Windows.UI.Notifications.KnownAdaptiveNotificationHints.MinLines
Windows.UI.Notifications.KnownAdaptiveNotificationHints.Style
Windows.UI.Notifications.KnownAdaptiveNotificationHints.TextStacking
Windows.UI.Notifications.KnownAdaptiveNotificationHints.Wrap

Item

[Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles](#)

Properties

Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Base
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.BaseSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Body
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.BodySubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Caption
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.CaptionSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Header
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.HeaderNumeral
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.HeaderNumeralSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.HeaderSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Subheader

Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.SubheaderNumeral
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.SubheaderNumeralSubtl
e
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.SubheaderSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Subtitle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.SubtitleSubtle
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.Title
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.TitleNumeral
Windows.UI.Notifications.KnownAdaptiveNotificationTextStyles.TitleSubtle

Item

[Windows.UI.Notifications.KnownNotificationBindings](#)

Properties

Windows.UI.Notifications.KnownNotificationBindings
Windows.UI.Notifications.KnownNotificationBindings.ToastGeneric

Item

[Windows.UI.Notifications.Notification](#)

Properties

Windows.UI.Notifications.Notification
Windows.UI.Notifications.Notification.#ctor
Windows.UI.Notifications.Notification.ExpirationTime
Windows.UI.Notifications.Notification.Visual

Item

[Windows.UI.Notifications.NotificationBinding](#)

Properties

Windows.UI.Notifications.NotificationBinding
Windows.UI.Notifications.NotificationBinding.Hints
Windows.UI.Notifications.NotificationBinding.Language
Windows.UI.Notifications.NotificationBinding.Template
Windows.UI.Notifications.NotificationBinding.GetTextElements

Item

[Windows.UI.Notifications.NotificationKinds](#)

Properties

Windows.UI.Notifications.NotificationKinds
Windows.UI.Notifications.NotificationKinds.Toast
Windows.UI.Notifications.NotificationKinds.Unknown

Item

[Windows.UI.Notifications.NotificationMirroring](#)

Properties

Windows.UI.Notifications.NotificationMirroring
Windows.UI.Notifications.NotificationMirroring.Allowed
Windows.UI.Notifications.NotificationMirroring.Disabled

Item

[Windows.UI.Notifications.NotificationVisual](#)

Properties

Windows.UI.Notifications.NotificationVisual
Windows.UI.Notifications.NotificationVisual.Bindings
Windows.UI.Notifications.NotificationVisual.Language
Windows.UI.Notifications.NotificationVisual.GetBinding(System.String)

Item

[Windows.UI.Notifications.ShownTileNotification](#)

Properties

Windows.UI.Notifications.ShownTileNotification
Windows.UI.Notifications.ShownTileNotification.Arguments

Item

[Windows.UI.Notifications.TileUpdateManagerForUser](#)

Properties

Windows.UI.Notifications.TileUpdateManagerForUser
Windows.UI.Notifications.TileUpdateManagerForUser.User
Windows.UI.Notifications.TileUpdateManagerForUser.CreateTileUpdaterForApplication(System.String)
Windows.UI.Notifications.TileUpdateManagerForUser.CreateTileUpdaterForApplicationF

orUser

Windows.UI.Notifications.TileUpdateManagerForUser.CreateTileUpdaterForSecondaryTile(System.String)

Item

[Windows.UI.Notifications.ToastNotificationManagerForUser](#)

Properties

Windows.UI.Notifications.ToastNotificationManagerForUser

Windows.UI.Notifications.ToastNotificationManagerForUser.History

Windows.UI.Notifications.ToastNotificationManagerForUser.User

Windows.UI.Notifications.ToastNotificationManagerForUser.CreateToastNotifier

Windows.UI.Notifications.ToastNotificationManagerForUser.CreateToastNotifier(System.String)

Item

[Windows.UI.Notifications.UserNotification](#)

Properties

Windows.UI.Notifications.UserNotification

Windows.UI.Notifications.UserNotification.AppInfo

Windows.UI.Notifications.UserNotification.CreationTime

Windows.UI.Notifications.UserNotification.Id

Windows.UI.Notifications.UserNotification.Notification

Item

[Windows.UI.Notifications.UserNotificationChangedEventArgs](#)

Properties

Windows.UI.Notifications.UserNotificationChangedEventArgs

Windows.UI.Notifications.UserNotificationChangedEventArgs.ChangeKind

Windows.UI.Notifications.UserNotificationChangedEventArgs.UserNotificationId

Item

[Windows.UI.Notifications.UserNotificationChangedKind](#)

Properties

Windows.UI.Notifications.UserNotificationChangedKind
Windows.UI.Notifications.UserNotificationChangedKind.Added
Windows.UI.Notifications.UserNotificationChangedKind.Removed

Item

[Windows.UI.Notifications.Management.UserNotificationListener](#)

Properties

Windows.UI.Notifications.Management.UserNotificationListener
Windows.UI.Notifications.Management.UserNotificationListener.Current
Windows.UI.Notifications.Management.UserNotificationListener.NotificationChanged
Windows.UI.Notifications.Management.UserNotificationListener.ClearNotifications
Windows.UI.Notifications.Management.UserNotificationListener.GetAccessStatus
Windows.UI.Notifications.Management.UserNotificationListener.GetNotification(System.
UInt32)
Windows.UI.Notifications.Management.UserNotificationListener.GetNotificationsAsync(
Windows.UI.Notifications.NotificationKinds)
Windows.UI.Notifications.Management.UserNotificationListener.RemoveNotification(Syst
em.UInt32)
Windows.UI.Notifications.Management.UserNotificationListener.RequestAccessAsync

Item

[Windows.UI.Notifications.Management.UserNotificationListenerAccessStatus](#)

Properties

Windows.UI.Notifications.Management.UserNotificationListenerAccessStatus
Windows.UI.Notifications.Management.UserNotificationListenerAccessStatus.Allowed
Windows.UI.Notifications.Management.UserNotificationListenerAccessStatus.Denied
Windows.UI.Notifications.Management.UserNotificationListenerAccessStatus.Unspecified

Item

[Windows.UI.WebUI.EnteredBackgroundEventArgs](#)

Properties

Windows.UI.WebUI.EnteredBackgroundEventArgs
Windows.UI.WebUI.EnteredBackgroundEventArgs.GetDeferral

Item

[Windows.UI.WebUI.EnteredBackgroundEventHandler](#)

Properties

Windows.UI.WebUI.EnteredBackgroundEventHandler

Windows.UI.WebUI.EnteredBackgroundEventHandler.Invoke(System.Object,Windows.ApplicationModel.IEnteredBackgroundEventArgs)

Item

[Windows.UI.WebUI.LeavingBackgroundEventArgs](#)

Properties

Windows.UI.WebUI.LeavingBackgroundEventArgs

Windows.UI.WebUI.LeavingBackgroundEventArgs.GetDeferral

Item

[Windows.UI.WebUI.LeavingBackgroundEventHandler](#)

Properties

Windows.UI.WebUI.LeavingBackgroundEventHandler

Windows.UI.WebUI.LeavingBackgroundEventHandler.Invoke(System.Object,Windows.ApplicationModel.ILeavingBackgroundEventArgs)

Item

[Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs](#)

Properties

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs.ActivatedOperation

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs.Kind

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs.Operation

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs.PreviousExecutionState

Windows.UI.WebUI.WebUIUserDataAccountProviderActivatedEventArgs.SplashScreen

Item

[Windows.UI.Xaml.ApplicationRequiresPointerMode](#)

Properties

Windows.UI.Xaml.ApplicationRequiresPointerMode
Windows.UI.Xaml.ApplicationRequiresPointerMode.Auto
Windows.UI.Xaml.ApplicationRequiresPointerMode.WhenRequested

Item

[Windows.UI.Xaml.ElementSoundKind](#)

Properties

Windows.UI.Xaml.ElementSoundKind
Windows.UI.Xaml.ElementSoundKind.Focus
Windows.UI.Xaml.ElementSoundKind.GoBack
Windows.UI.Xaml.ElementSoundKind.Hide
Windows.UI.Xaml.ElementSoundKind.Invoke
Windows.UI.Xaml.ElementSoundKind.MoveNext
Windows.UI.Xaml.ElementSoundKind.MovePrevious
Windows.UI.Xaml.ElementSoundKind.Show

Item

[Windows.UI.Xaml.ElementSoundMode](#)

Properties

Windows.UI.Xaml.ElementSoundMode
Windows.UI.Xaml.ElementSoundMode.Default
Windows.UI.Xaml.ElementSoundMode.FocusOnly
Windows.UI.Xaml.ElementSoundMode.Off

Item

[Windows.UI.Xaml.ElementSoundPlayer](#)

Properties

Windows.UI.Xaml.ElementSoundPlayer
Windows.UI.Xaml.ElementSoundPlayer.State
Windows.UI.Xaml.ElementSoundPlayer.Volume
Windows.UI.Xaml.ElementSoundPlayer.Play(Windows.UI.Xaml.ElementSoundKind)

Item

[Windows.UI.Xaml.ElementSoundPlayerState](#)

Properties

Windows.UI.Xaml.ElementSoundPlayerState
Windows.UI.Xaml.ElementSoundPlayerState.Auto
Windows.UI.Xaml.ElementSoundPlayerState.Off
Windows.UI.Xaml.ElementSoundPlayerState.On

Item

[Windows.UI.Xaml.EnteredBackgroundEventHandler](#)

Properties

Windows.UI.Xaml.EnteredBackgroundEventHandler
Windows.UI.Xaml.EnteredBackgroundEventHandler.Invoke(System.Object,Windows.ApplicationModel.EnteredBackgroundEventArgs)

Item

[Windows.UI.Xaml.FocusVisualKind](#)

Properties

Windows.UI.Xaml.FocusVisualKind
Windows.UI.Xaml.FocusVisualKind.DottedLine
Windows.UI.Xaml.FocusVisualKind.HighVisibility

Item

[Windows.UI.Xaml.LeavingBackgroundEventHandler](#)

Properties

Windows.UI.Xaml.LeavingBackgroundEventHandler
Windows.UI.Xaml.LeavingBackgroundEventHandler.Invoke(System.Object,Windows.ApplicationModel.LeavingBackgroundEventArgs)

Item

[Windows.UI.Xaml.Automation.Peers.InkToolbarAutomationPeer](#)

Properties

Windows.UI.Xaml.Automation.Peers.InkToolbarAutomationPeer

Item

[Windows.UI.Xaml.Automation.Peers.MediaPlayerElementAutomationPeer](#)

Properties

Windows.UI.Xaml.Automation.Peers.MediaPlayerElementAutomationPeer

Windows.UI.Xaml.Automation.Peers.MediaPlayerElementAutomationPeer.#ctor(Windows.UI.Xaml.Controls.MediaPlayerElement)

Item

[Windows.UI.Xaml.Controls.CommandBarDefaultLabelPosition](#)

Properties

Windows.UI.Xaml.Controls.CommandBarDefaultLabelPosition

Windows.UI.Xaml.Controls.CommandBarDefaultLabelPosition.Bottom

Windows.UI.Xaml.Controls.CommandBarDefaultLabelPosition.Collapsed

Windows.UI.Xaml.Controls.CommandBarDefaultLabelPosition.Right

Item

[Windows.UI.Xaml.Controls.CommandBarDynamicOverflowAction](#)

Properties

Windows.UI.Xaml.Controls.CommandBarDynamicOverflowAction

Windows.UI.Xaml.Controls.CommandBarDynamicOverflowAction.AddingToOverflow

Windows.UI.Xaml.Controls.CommandBarDynamicOverflowAction.RemovingFromOverflow

Item

[Windows.UI.Xaml.Controls.CommandBarLabelPosition](#)

Properties

Windows.UI.Xaml.Controls.CommandBarLabelPosition

Windows.UI.Xaml.Controls.CommandBarLabelPosition.Collapsed

Windows.UI.Xaml.Controls.CommandBarLabelPosition.Default

Item

[Windows.UI.Xaml.Controls.CommandBarOverflowButtonVisibility](#)

Properties

Windows.UI.Xaml.Controls.CommandBarOverflowButtonVisibility

Windows.UI.Xaml.Controls.CommandBarOverflowButtonVisibility.Auto

Windows.UI.Xaml.Controls.CommandBarOverflowButtonVisibility.Collapsed

Windows.UI.Xaml.Controls.CommandBarOverflowButtonVisibility.Visible

Item

[Windows.UI.Xaml.Controls.DynamicOverflowItemsChangingEventArgs](#)

Properties

Windows.UI.Xaml.Controls.DynamicOverflowItemsChangingEventArgs

Windows.UI.Xaml.Controls.DynamicOverflowItemsChangingEventArgs.#ctor

Windows.UI.Xaml.Controls.DynamicOverflowItemsChangingEventArgs.Action

Item

[Windows.UI.Xaml.Controls.FocusDisengagedEventArgs](#)

Properties

Windows.UI.Xaml.Controls.FocusDisengagedEventArgs

Item

[Windows.UI.Xaml.Controls.FocusEngagedEventArgs](#)

Properties

Windows.UI.Xaml.Controls.FocusEngagedEventArgs

Item

[Windows.UI.Xaml.Controls.ICommandBarElement2](#)

Properties

Windows.UI.Xaml.Controls.ICommandBarElement2

Windows.UI.Xaml.Controls.ICommandBarElement2.DynamicOverflowOrder

Windows.UI.Xaml.Controls.ICommandBarElement2.IsInOverflow

Item

[Windows.UI.Xaml.Controls.IInsertionPanel](#)

Properties

Windows.UI.Xaml.Controls.IInsertionPanel

Windows.UI.Xaml.Controls.IInsertionPanel.GetInsertionIndexes(Windows.Foundation.Point, System.Int32@, System.Int32@)

Item

[Windows.UI.Xaml.Controls.InkToolbar](#)

Properties

Windows.UI.Xaml.Controls.InkToolbar

Windows.UI.Xaml.Controls.InkToolbar.#ctor

Windows.UI.Xaml.Controls.InkToolbar.ActiveTool

Windows.UI.Xaml.Controls.InkToolbar.ActiveToolProperty

Windows.UI.Xaml.Controls.InkToolbar.Children

Windows.UI.Xaml.Controls.InkToolbar.ChildrenProperty

Windows.UI.Xaml.Controls.InkToolbar.InitialControls

Windows.UI.Xaml.Controls.InkToolbar.InitialControlsProperty

Windows.UI.Xaml.Controls.InkToolbar.InkDrawingAttributes

Windows.UI.Xaml.Controls.InkToolbar.InkDrawingAttributesProperty

Windows.UI.Xaml.Controls.InkToolbar.IsRulerButtonChecked

Windows.UI.Xaml.Controls.InkToolbar.IsRulerButtonCheckedProperty

Windows.UI.Xaml.Controls.InkToolbar.TargetInkCanvas

Windows.UI.Xaml.Controls.InkToolbar.TargetInkCanvasProperty

Windows.UI.Xaml.Controls.InkToolbar.ActiveToolChanged

Windows.UI.Xaml.Controls.InkToolbar.EraseAllClicked

Windows.UI.Xaml.Controls.InkToolbar.InkDrawingAttributesChanged

Windows.UI.Xaml.Controls.InkToolbar.IsRulerButtonCheckedChanged

Windows.UI.Xaml.Controls.InkToolbar.GetToggleButton(Windows.UI.Xaml.Controls.InkToolbar.Toggle)

Windows.UI.Xaml.Controls.InkToolbar.GetToolButton(Windows.UI.Xaml.Controls.InkToolbar.Tool)

Item

[Windows.UI.Xaml.Controls.InkToolbarBallpointPenButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolbarBallpointPenButton

Windows.UI.Xaml.Controls.InkToolbarBallpointPenButton.#ctor

Item

[Windows.UI.Xaml.Controls.InkToolbarCustomPen](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarCustomPen

Windows.UI.Xaml.Controls.InkToolBarCustomPen.#ctor

Windows.UI.Xaml.Controls.InkToolBarCustomPen.CreateInkDrawingAttributes(Windows.UI.Xaml.Media.Brush,System.Double)

Windows.UI.Xaml.Controls.InkToolBarCustomPen.CreateInkDrawingAttributesCore(Windows.UI.Xaml.Media.Brush,System.Double)

Item

[Windows.UI.Xaml.Controls.InkToolBarCustomPenButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton.#ctor

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton.ConfigurationContent

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton.ConfigurationContentProperty

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton.CustomPen

Windows.UI.Xaml.Controls.InkToolBarCustomPenButton.CustomPenProperty

Item

[Windows.UI.Xaml.Controls.InkToolBarCustomToggleButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarCustomToggleButton

Windows.UI.Xaml.Controls.InkToolBarCustomToggleButton.#ctor

Item

[Windows.UI.Xaml.Controls.InkToolBarCustomToolButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarCustomToolButton

Windows.UI.Xaml.Controls.InkToolBarCustomToolButton.#ctor

Windows.UI.Xaml.Controls.InkToolBarCustomToolButton.ConfigurationContent

Windows.UI.Xaml.Controls.InkToolBarCustomToolButton.ConfigurationContentProperty

Item

[Windows.UI.Xaml.Controls.InkToolBarEraserButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarEraserButton

Windows.UI.Xaml.Controls.InkToolBarEraserButton.#ctor

Item

[Windows.UI.Xaml.Controls.InkToolBarHighlighterButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarHighlighterButton

Windows.UI.Xaml.Controls.InkToolBarHighlighterButton.#ctor

Item

[Windows.UI.Xaml.Controls.InkToolBarInitialControls](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarInitialControls

Windows.UI.Xaml.Controls.InkToolBarInitialControls.All

Windows.UI.Xaml.Controls.InkToolBarInitialControls.AllExceptPens

Windows.UI.Xaml.Controls.InkToolBarInitialControls.None

Windows.UI.Xaml.Controls.InkToolBarInitialControls.PensOnly

Item

[Windows.UI.Xaml.Controls.InkToolBarPenButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarPenButton

Windows.UI.Xaml.Controls.InkToolBarPenButton.MaxStrokeWidth

Windows.UI.Xaml.Controls.InkToolBarPenButton.MaxStrokeWidthProperty

Windows.UI.Xaml.Controls.InkToolBarPenButton.MinStrokeWidth

Windows.UI.Xaml.Controls.InkToolBarPenButton.MinStrokeWidthProperty

Windows.UI.Xaml.Controls.InkToolBarPenButton.Palette

Windows.UI.Xaml.Controls.InkToolBarPenButton.PaletteProperty

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedBrush

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedBrushIndex

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedBrushIndexProperty

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedBrushProperty

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedStrokeWidth

Windows.UI.Xaml.Controls.InkToolBarPenButton.SelectedStrokeWidthProperty

Item

[Windows.UI.Xaml.Controls.InkToolBarPencilButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarPencilButton

Windows.UI.Xaml.Controls.InkToolBarPencilButton.#ctor

Item

[Windows.UI.Xaml.Controls.InkToolBarPenConfigurationControl](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarPenConfigurationControl

Windows.UI.Xaml.Controls.InkToolBarPenConfigurationControl.#ctor

Windows.UI.Xaml.Controls.InkToolBarPenConfigurationControl.PenButton

Windows.UI.Xaml.Controls.InkToolBarPenConfigurationControl.PenButtonProperty

Item

[Windows.UI.Xaml.Controls.InkToolBarRulerButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarRulerButton

Windows.UI.Xaml.Controls.InkToolBarRulerButton.#ctor

Windows.UI.Xaml.Controls.InkToolBarRulerButton.Ruler

Windows.UI.Xaml.Controls.InkToolBarRulerButton.RulerProperty

Item

[Windows.UI.Xaml.Controls.InkToolBarToggle](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarToggle

Windows.UI.Xaml.Controls.InkToolBarToggle.Custom

Windows.UI.Xaml.Controls.InkToolBarToggle.Ruler

Item

[Windows.UI.Xaml.Controls.InkToolBarToggleButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolBarToggleButton

Windows.UI.Xaml.Controls.InkToolBarToggleButton.ToggleKind

Item

[Windows.UI.Xaml.Controls.InkToolbarTool](#)

Properties

Windows.UI.Xaml.Controls.InkToolbarTool
Windows.UI.Xaml.Controls.InkToolbarTool.BallpointPen
Windows.UI.Xaml.Controls.InkToolbarTool.CustomPen
Windows.UI.Xaml.Controls.InkToolbarTool.CustomTool
Windows.UI.Xaml.Controls.InkToolbarTool.Eraser
Windows.UI.Xaml.Controls.InkToolbarTool.Highlighter
Windows.UI.Xaml.Controls.InkToolbarTool.Pencil

Item

[Windows.UI.Xaml.Controls.InkToolbarToolButton](#)

Properties

Windows.UI.Xaml.Controls.InkToolbarToolButton
Windows.UI.Xaml.Controls.InkToolbarToolButton.IsExtensionGlyphShown
Windows.UI.Xaml.Controls.InkToolbarToolButton.IsExtensionGlyphShownProperty
Windows.UI.Xaml.Controls.InkToolbarToolButton.ToolKind

Item

[Windows.UI.Xaml.Controls.LightDismissOverlayMode](#)

Properties

Windows.UI.Xaml.Controls.LightDismissOverlayMode
Windows.UI.Xaml.Controls.LightDismissOverlayMode.Auto
Windows.UI.Xaml.Controls.LightDismissOverlayMode.Off
Windows.UI.Xaml.Controls.LightDismissOverlayMode.On

Item

[Windows.UI.Xaml.Controls.MediaPlayerElement](#)

Properties

Windows.UI.Xaml.Controls.MediaPlayerElement
Windows.UI.Xaml.Controls.MediaPlayerElement.#ctor
Windows.UI.Xaml.Controls.MediaPlayerElement.AreTransportControlsEnabled
Windows.UI.Xaml.Controls.MediaPlayerElement.AreTransportControlsEnabledProperty

Windows.UI.Xaml.Controls.MediaPlayerElement.AutoPlay
Windows.UI.Xaml.Controls.MediaPlayerElement.AutoPlayProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.IsFullWindow
Windows.UI.Xaml.Controls.MediaPlayerElement.IsFullWindowProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.MediaPlayer
Windows.UI.Xaml.Controls.MediaPlayerElement.MediaPlayerProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.PosterSource
Windows.UI.Xaml.Controls.MediaPlayerElement.PosterSourceProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.Source
Windows.UI.Xaml.Controls.MediaPlayerElement.SourceProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.Stretch
Windows.UI.Xaml.Controls.MediaPlayerElement.StretchProperty
Windows.UI.Xaml.Controls.MediaPlayerElement.TransportControls
Windows.UI.Xaml.Controls.MediaPlayerElement.SetMediaPlayer(Windows.Media.Playback.MediaPlayer)

Item

[Windows.UI.Xaml.Controls.MediaPlayerPresenter](#)

Properties

Windows.UI.Xaml.Controls.MediaPlayerPresenter
Windows.UI.Xaml.Controls.MediaPlayerPresenter.#ctor
Windows.UI.Xaml.Controls.MediaPlayerPresenter.IsFullWindow
Windows.UI.Xaml.Controls.MediaPlayerPresenter.IsFullWindowProperty
Windows.UI.Xaml.Controls.MediaPlayerPresenter.MediaPlayer
Windows.UI.Xaml.Controls.MediaPlayerPresenter.MediaPlayerProperty
Windows.UI.Xaml.Controls.MediaPlayerPresenter.Stretch
Windows.UI.Xaml.Controls.MediaPlayerPresenter.StretchProperty

Item

[Windows.UI.Xaml.Controls.PivotHeaderFocusVisualPlacement](#)

Properties

Windows.UI.Xaml.Controls.PivotHeaderFocusVisualPlacement
Windows.UI.Xaml.Controls.PivotHeaderFocusVisualPlacement.ItemHeaders
Windows.UI.Xaml.Controls.PivotHeaderFocusVisualPlacement.SelectedItemHeader

Item

[Windows.UI.Xaml.Controls.RequiresPointer](#)

Properties

Windows.UI.Xaml.Controls.RequiresPointer
Windows.UI.Xaml.Controls.RequiresPointer.Never
Windows.UI.Xaml.Controls.RequiresPointer.WhenEngaged
Windows.UI.Xaml.Controls.RequiresPointer.WhenFocused

Item

[Windows.UI.Xaml.Controls.Maps.MapVisibleRegionKind](#)

Properties

Windows.UI.Xaml.Controls.Maps.MapVisibleRegionKind
Windows.UI.Xaml.Controls.Maps.MapVisibleRegionKind.Full
Windows.UI.Xaml.Controls.Maps.MapVisibleRegionKind.Near

Item

[Windows.UI.Xaml.Controls.Primitives.FlyoutBaseClosingEventArgs](#)

Properties

Windows.UI.Xaml.Controls.Primitives.FlyoutBaseClosingEventArgs
Windows.UI.Xaml.Controls.Primitives.FlyoutBaseClosingEventArgs.Cancel

Item

[Windows.UI.Xaml.Input.AccessKeyDisplayDismissedEventArgs](#)

Properties

Windows.UI.Xaml.Input.AccessKeyDisplayDismissedEventArgs
Windows.UI.Xaml.Input.AccessKeyDisplayDismissedEventArgs.#ctor

Item

[Windows.UI.Xaml.Input.AccessKeyDisplayRequestedEventArgs](#)

Properties

Windows.UI.Xaml.Input.AccessKeyDisplayRequestedEventArgs
Windows.UI.Xaml.Input.AccessKeyDisplayRequestedEventArgs.#ctor
Windows.UI.Xaml.Input.AccessKeyDisplayRequestedEventArgs.PressedKeys

Item

[Windows.UI.Xaml.Input.AccessKeyInvokedEventArgs](#)

Properties

Windows.UI.Xaml.Input.AccessKeyInvokedEventArgs

Windows.UI.Xaml.Input.AccessKeyInvokedEventArgs.#ctor

Windows.UI.Xaml.Input.AccessKeyInvokedEventArgs.Handled

Item

[Windows.UI.Xaml.Input.AccessKeyManager](#)

Properties

Windows.UI.Xaml.Input.AccessKeyManager

Windows.UI.Xaml.Input.AccessKeyManager.IsDisplayModeEnabled

Windows.UI.Xaml.Input.AccessKeyManager.IsDisplayModeEnabledChanged

Windows.UI.Xaml.Input.AccessKeyManager.ExitDisplayMode

Item

[Windows.UI.Xaml.Input.ContextRequestedEventArgs](#)

Properties

Windows.UI.Xaml.Input.ContextRequestedEventArgs

Windows.UI.Xaml.Input.ContextRequestedEventArgs.#ctor

Windows.UI.Xaml.Input.ContextRequestedEventArgs.Handled

Windows.UI.Xaml.Input.ContextRequestedEventArgs.TryGetPosition(Windows.UI.Xaml.UIElement, Windows.Foundation.Point@)

Item

[Windows.UI.Xaml.Media.BrushCollection](#)

Properties

Windows.UI.Xaml.Media.BrushCollection

Windows.UI.Xaml.Media.BrushCollection.#ctor

Windows.UI.Xaml.Media.BrushCollection.Size

Windows.UI.Xaml.Media.BrushCollection.Append(Windows.UI.Xaml.Media.Brush)

Windows.UI.Xaml.Media.BrushCollection.Clear

Windows.UI.Xaml.Media.BrushCollection.First

Windows.UI.Xaml.Media.BrushCollection.GetAt(System.UInt32)

Windows.UI.Xaml.Media.BrushCollection.GetMany(System.UInt32, Windows.UI.Xaml.Media.Brush[])

Windows.UI.Xaml.Media.BrushCollection.GetView

Windows.UI.Xaml.Media.BrushCollection.IndexOf(Windows.UI.Xaml.Media.Brush, System.UInt32@)

Windows.UI.Xaml.Media.BrushCollection.InsertAt(System.UInt32, Windows.UI.Xaml.Media.Brush)

Windows.UI.Xaml.Media.BrushCollection.RemoveAt(System.UInt32)

Windows.UI.Xaml.Media.BrushCollection.RemoveAtEnd

Windows.UI.Xaml.Media.BrushCollection.ReplaceAll(Windows.UI.Xaml.Media.Brush[])

Windows.UI.Xaml.Media.BrushCollection.SetAt(System.UInt32, Windows.UI.Xaml.Media.Brush)

Item

[Windows.UI.Xaml.Media.FastPlayFallbackBehaviour](#)

Properties

Windows.UI.Xaml.Media.FastPlayFallbackBehaviour

Windows.UI.Xaml.Media.FastPlayFallbackBehaviour.Disable

Windows.UI.Xaml.Media.FastPlayFallbackBehaviour.Hide

Windows.UI.Xaml.Media.FastPlayFallbackBehaviour.Skip

Item

[Windows.UI.Xaml.Media.MediaTransportControlsThumbnailRequestedEventArgs](#)

Properties

Windows.UI.Xaml.Media.MediaTransportControlsThumbnailRequestedEventArgs

Windows.UI.Xaml.Media.MediaTransportControlsThumbnailRequestedEventArgs.GetDeferral

Windows.UI.Xaml.Media.MediaTransportControlsThumbnailRequestedEventArgs.SetThumbnailImage(Windows.Storage.Streams.IInputStream)

Item

[Windows.UI.Xaml.Media.Animation.ConnectedAnimation](#)

Properties

Windows.UI.Xaml.Media.Animation.ConnectedAnimation

Windows.UI.Xaml.Media.Animation.ConnectedAnimation.Completed

Windows.UI.Xaml.Media.Animation.ConnectedAnimation.Cancel

Windows.UI.Xaml.Media.Animation.ConnectedAnimation.TryStart(Windows.UI.Xaml.UIElement)

Item

[Windows.UI.Xaml.Media.Animation.ConnectedAnimationService](#)

Properties

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService.DefaultDuration

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService.DefaultEasingFunction

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService.GetAnimation(System.String)

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService.GetForCurrentView

Windows.UI.Xaml.Media.Animation.ConnectedAnimationService.PrepareToAnimate(System.String, Windows.UI.Xaml.UIElement)

Item

[Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs](#)

Properties

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.RequestMessage

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.ServerCertificate

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.ServerCertificateErrors

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.ServerCertificateErrorSeverity

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.ServerIntermediateCertificates

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.GetDeferral

Windows.Web.Http.Filters.HttpServerCustomValidationRequestedEventArgs.Reject

Item

[Windows.Graphics.Printing3D.Printing3DFaceReductionOptions](#)

Properties

Windows.Graphics.Printing3D.Printing3DFaceReductionOptions

Windows.Graphics.Printing3D.Printing3DFaceReductionOptions.#ctor

Windows.Graphics.Printing3D.Printing3DFaceReductionOptions.MaxEdgeLength

Windows.Graphics.Printing3D.Printing3DFaceReductionOptions.MaxReductionArea
Windows.Graphics.Printing3D.Printing3DFaceReductionOptions.TargetTriangleCount

Item

[Windows.Media.Capture.AppCaptureVideoEncodingFrameRateMode](#)

Properties

Windows.Media.Capture.AppCaptureVideoEncodingFrameRateMode
Windows.Media.Capture.AppCaptureVideoEncodingFrameRateMode.High
Windows.Media.Capture.AppCaptureVideoEncodingFrameRateMode.Standard

Item

[Windows.Security.EnterpriseData.ProtectionPolicyAuditAction](#)

Properties

Windows.Security.EnterpriseData.ProtectionPolicyAuditAction
Windows.Security.EnterpriseData.ProtectionPolicyAuditAction.CopyToLocation
Windows.Security.EnterpriseData.ProtectionPolicyAuditAction.Decrypt
Windows.Security.EnterpriseData.ProtectionPolicyAuditAction.Other
Windows.Security.EnterpriseData.ProtectionPolicyAuditAction.SendToRecipient

Item

[Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo](#)

Properties

Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.#ctor(Windows.Security.EnterpriseData.ProtectionPolicyAuditAction,System.String)
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.#ctor(Windows.Security.EnterpriseData.ProtectionPolicyAuditAction,System.String,System.String,System.String)
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.Action
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.DataDescription
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.SourceDescription
Windows.Security.EnterpriseData.ProtectionPolicyAuditInfo.TargetDescription

Item

[Windows.Security.EnterpriseData.ProtectionPolicyRequestAccessBehavior](#)

Properties

Windows.Security.EnterpriseData.ProtectionPolicyRequestAccessBehavior
Windows.Security.EnterpriseData.ProtectionPolicyRequestAccessBehavior.Decrypt
Windows.Security.EnterpriseData.ProtectionPolicyRequestAccessBehavior.TreatOverridePolicyAsBlock

Item

[Windows.Services.Maps.LocalSearch.LocalLocationHoursOfOperationItem](#)

Properties

Windows.Services.Maps.LocalSearch.LocalLocationHoursOfOperationItem
Windows.Services.Maps.LocalSearch.LocalLocationHoursOfOperationItem.Day
Windows.Services.Maps.LocalSearch.LocalLocationHoursOfOperationItem.Span
Windows.Services.Maps.LocalSearch.LocalLocationHoursOfOperationItem.Start

Item

[Windows.Services.Maps.LocalSearch.LocalLocationRatingInfo](#)

Properties

Windows.Services.Maps.LocalSearch.LocalLocationRatingInfo
Windows.Services.Maps.LocalSearch.LocalLocationRatingInfo.AggregateRating
Windows.Services.Maps.LocalSearch.LocalLocationRatingInfo.ProviderIdentifier
Windows.Services.Maps.LocalSearch.LocalLocationRatingInfo.RatingCount

Item

[Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerEnteredEventArgs](#)

Properties

Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerEnteredEventArgs
Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerEnteredEventArgs.
#ctor
Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerEnteredEventArgs.
LocalLocations

Item

[Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerExitedEventArgs](#)

Properties

Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerExitedEventArgs
Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerExitedEventArgs.#ctor
Windows.UI.Xaml.Controls.Maps.MapControlBusinessLandmarkPointerExitedEventArgs.LocalLocations

Item

[Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs](#)

Properties

Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs.#ctor
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs.DisplayName
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs.Location
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerEnteredEventArgs.TransitProperties

Item

[Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs](#)

Properties

Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs.#ctor
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs.DisplayName
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs.Location
Windows.UI.Xaml.Controls.Maps.MapControlTransitFeaturePointerExitedEventArgs.TransitProperties

Item

[Windows.Services.Store.StoreAcquireLicenseResult](#)

Properties

Windows.Services.Store.StoreAcquireLicenseResult
Windows.Services.Store.StoreAcquireLicenseResult.ExtendedError

Windows.Services.Store.StoreAcquireLicenseResult.StorePackageLicense

Item

[Windows.Services.Store.StoreAppLicense](#)

Properties

Windows.Services.Store.StoreAppLicense
Windows.Services.Store.StoreAppLicense.AddOnLicenses
Windows.Services.Store.StoreAppLicense.ExpirationDate
Windows.Services.Store.StoreAppLicense.ExtendedJsonData
Windows.Services.Store.StoreAppLicense.IsActive
Windows.Services.Store.StoreAppLicense.IsTrial
Windows.Services.Store.StoreAppLicense.IsTrialOwnedByThisUser
Windows.Services.Store.StoreAppLicense.SkuStoreId
Windows.Services.Store.StoreAppLicense.TrialTimeRemaining
Windows.Services.Store.StoreAppLicense.TrialUniqueId

Item

[Windows.Services.Store.StoreAvailability](#)

Properties

Windows.Services.Store.StoreAvailability
Windows.Services.Store.StoreAvailability.EndDate
Windows.Services.Store.StoreAvailability.ExtendedJsonData
Windows.Services.Store.StoreAvailability.Price
Windows.Services.Store.StoreAvailability.StoreId
Windows.Services.Store.StoreAvailability.RequestPurchaseAsync
Windows.Services.Store.StoreAvailability.RequestPurchaseAsync(Windows.Services.Store.
StorePurchaseProperties)

Item

[Windows.Services.Store.StoreCollectionData](#)

Properties

Windows.Services.Store.StoreCollectionData
Windows.Services.Store.StoreCollectionData.AcquiredDate
Windows.Services.Store.StoreCollectionData.CampaignId
Windows.Services.Store.StoreCollectionData.DeveloperOfferId
Windows.Services.Store.StoreCollectionData.EndDate

Windows.Services.Store.StoreCollectionData.ExtendedJsonData
Windows.Services.Store.StoreCollectionData.IsTrial
Windows.Services.Store.StoreCollectionData.StartDate
Windows.Services.Store.StoreCollectionData.TrialTimeRemaining

Item

[Windows.Services.Store.StoreConsumableResult](#)

Properties

Windows.Services.Store.StoreConsumableResult
Windows.Services.Store.StoreConsumableResult.BalanceRemaining
Windows.Services.Store.StoreConsumableResult.ExtendedError
Windows.Services.Store.StoreConsumableResult.Status
Windows.Services.Store.StoreConsumableResult.TrackingId

Item

[Windows.Services.Store.StoreConsumableStatus](#)

Properties

Windows.Services.Store.StoreConsumableStatus
Windows.Services.Store.StoreConsumableStatus.InsufficientQuantity
Windows.Services.Store.StoreConsumableStatus.NetworkError
Windows.Services.Store.StoreConsumableStatus.ServerError
Windows.Services.Store.StoreConsumableStatus.Succeeded

Item

[Windows.Services.Store.StoreContext](#)

Properties

Windows.Services.Store.StoreContext
Windows.Services.Store.StoreContext.User
Windows.Services.Store.StoreContext.OfflineLicensesChanged
Windows.Services.Store.StoreContext.AcquireStoreLicenseForOptionalPackageAsync(Windows.ApplicationModel.Package)
Windows.Services.Store.StoreContext.GetAppAndOptionalStorePackageUpdatesAsync
Windows.Services.Store.StoreContext.GetAppLicenseAsync
Windows.Services.Store.StoreContext.GetAssociatedStoreProductsAsync(Windows.Foundation.Collections.IEnumerable{System.String})
Windows.Services.Store.StoreContext.GetAssociatedStoreProductsWithPagingAsync(Windows.Foundation.Collections.IEnumerable{System.String})

dows.Foundation.Collections.IIterable{System.String},System.UInt32)
Windows.Services.Store.StoreContext.GetConsumableBalanceRemainingAsync(System.String)
Windows.Services.Store.StoreContext.GetCustomerCollectionsIdAsync(System.String,System.String)
Windows.Services.Store.StoreContext.GetCustomerPurchaseIdAsync(System.String,System.String)
Windows.Services.Store.StoreContext.GetDefault
Windows.Services.Store.StoreContext.GetForUser(Windows.System.User)
Windows.Services.Store.StoreContext.GetStoreProductForCurrentAppAsync
Windows.Services.Store.StoreContext.GetStoreProductsAsync(Windows.Foundation.Collections.IIterable{System.String},Windows.Foundation.Collections.IIterable{System.String})
Windows.Services.Store.StoreContext.GetUserCollectionAsync(Windows.Foundation.Collections.IIterable{System.String})
Windows.Services.Store.StoreContext.GetUserCollectionWithPagingAsync(Windows.Foundation.Collections.IIterable{System.String},System.UInt32)
Windows.Services.Store.StoreContext.ReportConsumableFulfillmentAsync(System.String,System.UInt32,System.Guid)
Windows.Services.Store.StoreContext.RequestDownloadAndInstallStorePackagesAsync(Windows.Foundation.Collections.IIterable{System.String})
Windows.Services.Store.StoreContext.RequestDownloadAndInstallStorePackageUpdatesAsync(Windows.Foundation.Collections.IIterable{Windows.Services.Store.StorePackageUpdate})
Windows.Services.Store.StoreContext.RequestDownloadStorePackageUpdatesAsync(Windows.Foundation.Collections.IIterable{Windows.Services.Store.StorePackageUpdate})
Windows.Services.Store.StoreContext.RequestPurchaseAsync(System.String)
Windows.Services.Store.StoreContext.RequestPurchaseAsync(System.String,Windows.Services.Store.StorePurchaseProperties)

Item

[Windows.Services.Store.StoreDurationUnit](#)

Properties

Windows.Services.Store.StoreDurationUnit
Windows.Services.Store.StoreDurationUnit.Day
Windows.Services.Store.StoreDurationUnit.Hour
Windows.Services.Store.StoreDurationUnit.Minute
Windows.Services.Store.StoreDurationUnit.Month
Windows.Services.Store.StoreDurationUnit.Week
Windows.Services.Store.StoreDurationUnit.Year

Item

[Windows.Services.Store.StoreImage](#)

Properties

Windows.Services.Store.StoreImage
Windows.Services.Store.StoreImage.Caption
Windows.Services.Store.StoreImage.Height
Windows.Services.Store.StoreImage.ImagePurposeTag
Windows.Services.Store.StoreImage.Uri
Windows.Services.Store.StoreImage.Width

Item

[Windows.Services.Store.StoreLicense](#)

Properties

Windows.Services.Store.StoreLicense
Windows.Services.Store.StoreLicense.ExpirationDate
Windows.Services.Store.StoreLicense.ExtendedJsonData
Windows.Services.Store.StoreLicense.InAppOfferToken
Windows.Services.Store.StoreLicense.IsActive
Windows.Services.Store.StoreLicense.SkuStoreId

Item

[Windows.Services.Store.StorePackageLicense](#)

Properties

Windows.Services.Store.StorePackageLicense
Windows.Services.Store.StorePackageLicense.IsValid
Windows.Services.Store.StorePackageLicense.Package
Windows.Services.Store.StorePackageLicense.LicenseLost
Windows.Services.Store.StorePackageLicense.Close
Windows.Services.Store.StorePackageLicense.ReleaseLicense

Item

[Windows.Services.Store.StorePackageUpdate](#)

Properties

Windows.Services.Store.StorePackageUpdate
Windows.Services.Store.StorePackageUpdate.Mandatory
Windows.Services.Store.StorePackageUpdate.Package

Item

[Windows.Services.Store.StorePackageUpdateResult](#)

Properties

Windows.Services.Store.StorePackageUpdateResult
Windows.Services.Store.StorePackageUpdateResult.OverallState
Windows.Services.Store.StorePackageUpdateResult.StorePackageUpdateStatuses

Item

[Windows.Services.Store.StorePackageUpdateState](#)

Properties

Windows.Services.Store.StorePackageUpdateState
Windows.Services.Store.StorePackageUpdateState.Canceled
Windows.Services.Store.StorePackageUpdateState.Completed
Windows.Services.Store.StorePackageUpdateState.Deploying
Windows.Services.Store.StorePackageUpdateState.Downloading
Windows.Services.Store.StorePackageUpdateState.ErrorLowBattery
Windows.Services.Store.StorePackageUpdateState.ErrorWiFiRecommended
Windows.Services.Store.StorePackageUpdateState.ErrorWiFiRequired
Windows.Services.Store.StorePackageUpdateState.OtherError
Windows.Services.Store.StorePackageUpdateState.Pending

Item

[Windows.Services.Store.StorePackageUpdateStatus](#)

Properties

Windows.Services.Store.StorePackageUpdateStatus
Windows.Services.Store.StorePackageUpdateStatus.PackageBytesDownloaded
Windows.Services.Store.StorePackageUpdateStatus.PackageDownloadProgress
Windows.Services.Store.StorePackageUpdateStatus.PackageDownloadSizeInBytes
Windows.Services.Store.StorePackageUpdateStatus.PackageFamilyName
Windows.Services.Store.StorePackageUpdateStatus.PackageUpdateState
Windows.Services.Store.StorePackageUpdateStatus.TotalDownloadProgress

Item

[Windows.Services.Store.StorePrice](#)

Properties

Windows.Services.Store.StorePrice
Windows.Services.Store.StorePrice.CurrencyCode
Windows.Services.Store.StorePrice.FormattedBasePrice
Windows.Services.Store.StorePrice.FormattedPrice
Windows.Services.Store.StorePrice.FormattedRecurrencePrice
Windows.Services.Store.StorePrice.IsOnSale
Windows.Services.Store.StorePrice.SaleEndDate

Item

[Windows.Services.Store.StoreProduct](#)

Properties

Windows.Services.Store.StoreProduct
Windows.Services.Store.StoreProduct.Description
Windows.Services.Store.StoreProduct.ExtendedJsonData
Windows.Services.Store.StoreProduct.HasDigitalDownload
Windows.Services.Store.StoreProduct.Images
Windows.Services.Store.StoreProduct.InAppOfferToken
Windows.Services.Store.StoreProduct.IsInUserCollection
Windows.Services.Store.StoreProduct.Keywords
Windows.Services.Store.StoreProduct.Language
Windows.Services.Store.StoreProduct.LinkUri
Windows.Services.Store.StoreProduct.Price
Windows.Services.Store.StoreProduct.ProductKind
Windows.Services.Store.StoreProduct.Skus
Windows.Services.Store.StoreProduct.StoreId
Windows.Services.Store.StoreProduct.Title
Windows.Services.Store.StoreProduct.Videos
Windows.Services.Store.StoreProduct.GetIsAnySkulInstalledAsync
Windows.Services.Store.StoreProduct.RequestPurchaseAsync
Windows.Services.Store.StoreProduct.RequestPurchaseAsync(Windows.Services.Store.StorePurchaseProperties)

Item

[Windows.Services.Store.StoreProductPagedQueryResult](#)

Properties

Windows.Services.Store.StoreProductPagedQueryResult
Windows.Services.Store.StoreProductPagedQueryResult.ExtendedError
Windows.Services.Store.StoreProductPagedQueryResult.HasMoreResults
Windows.Services.Store.StoreProductPagedQueryResult.Products
Windows.Services.Store.StoreProductPagedQueryResult.GetNextAsync

Item

[Windows.Services.Store.StoreProductQueryResult](#)

Properties

Windows.Services.Store.StoreProductQueryResult
Windows.Services.Store.StoreProductQueryResult.ExtendedError
Windows.Services.Store.StoreProductQueryResult.Products

Item

[Windows.Services.Store.StoreProductResult](#)

Properties

Windows.Services.Store.StoreProductResult
Windows.Services.Store.StoreProductResult.ExtendedError
Windows.Services.Store.StoreProductResult.Product

Item

[Windows.Services.Store.StorePurchaseProperties](#)

Properties

Windows.Services.Store.StorePurchaseProperties
Windows.Services.Store.StorePurchaseProperties.#ctor
Windows.Services.Store.StorePurchaseProperties.#ctor(System.String)
Windows.Services.Store.StorePurchaseProperties.ExtendedJsonData
Windows.Services.Store.StorePurchaseProperties.Name

Item

[Windows.Services.Store.StorePurchaseResult](#)

Properties

Windows.Services.Store.StorePurchaseResult
Windows.Services.Store.StorePurchaseResult.ExtendedError
Windows.Services.Store.StorePurchaseResult.Status

Item

[Windows.Services.Store.StorePurchaseStatus](#)

Properties

Windows.Services.Store.StorePurchaseStatus
Windows.Services.Store.StorePurchaseStatus.AlreadyPurchased
Windows.Services.Store.StorePurchaseStatus.NetworkError
Windows.Services.Store.StorePurchaseStatus.NotPurchased
Windows.Services.Store.StorePurchaseStatus.ServerError
Windows.Services.Store.StorePurchaseStatus.Succeeded

Item

[Windows.Services.Store.StoreRequestHelper](#)

Properties

Windows.Services.Store.StoreRequestHelper
Windows.Services.Store.StoreRequestHelper.SendRequestAsync(Windows.Services.Store.StoreContext, System.UInt32, System.String)

Item

[Windows.Services.Store.StoreSendRequestResult](#)

Properties

Windows.Services.Store.StoreSendRequestResult
Windows.Services.Store.StoreSendRequestResult.ExtendedError
Windows.Services.Store.StoreSendRequestResult.Response

Item

[Windows.Services.Store.StoreSku](#)

Properties

Windows.Services.Store.StoreSku
Windows.Services.Store.StoreSku.Availabilities
Windows.Services.Store.StoreSku.BundledSkus

Windows.Services.Store.StoreSku.CollectionData
Windows.Services.Store.StoreSku.CustomDeveloperData
Windows.Services.Store.StoreSku.Description
Windows.Services.Store.StoreSku.ExtendedJsonData
Windows.Services.Store.StoreSku.Images
Windows.Services.Store.StoreSku.IsInUserCollection
Windows.Services.Store.StoreSku.IsSubscription
Windows.Services.Store.StoreSku.IsTrial
Windows.Services.Store.StoreSku.Language
Windows.Services.Store.StoreSku.Price
Windows.Services.Store.StoreSku.StoreId
Windows.Services.Store.StoreSku.SubscriptionInfo
Windows.Services.Store.StoreSku.Title
Windows.Services.Store.StoreSku.Videos
Windows.Services.Store.StoreSku.GetIsInstalledAsync
Windows.Services.Store.StoreSku.RequestPurchaseAsync
Windows.Services.Store.StoreSku.RequestPurchaseAsync(Windows.Services.Store.StorePurchaseProperties)

Item

[Windows.Services.Store.StoreSubscriptionInfo](#)

Properties

Windows.Services.Store.StoreSubscriptionInfo
Windows.Services.Store.StoreSubscriptionInfo.BillingPeriod
Windows.Services.Store.StoreSubscriptionInfo.BillingPeriodUnit
Windows.Services.Store.StoreSubscriptionInfo.HasTrialPeriod
Windows.Services.Store.StoreSubscriptionInfo.TrialPeriod
Windows.Services.Store.StoreSubscriptionInfo.TrialPeriodUnit

Item

[Windows.Services.Store.StoreVideo](#)

Properties

Windows.Services.Store.StoreVideo
Windows.Services.Store.StoreVideo.Caption
Windows.Services.Store.StoreVideo.Height
Windows.Services.Store.StoreVideo.PreviewImage
Windows.Services.Store.StoreVideo.Uri

Windows.Services.Store.StoreVideo.VideoPurposeTag

Windows.Services.Store.StoreVideo.Width

What's new in Windows 10 for developers, build 10586

Article • 10/26/2022

Windows 10 build 10586 (also known as the November Update or version 1511), in combination with Visual Studio 2019 and the updated SDK, provide the tools, features, and experiences to make remarkable Universal Windows Platform apps. [Install the tools and SDK](#) on Windows 10 and you're ready to either [create a new Universal Windows app](#) or explore how you can use your [existing app code on Windows](#).

Windows 10 build 10586 - November 2015

Feature	Description
User Experience	The new Windows.UI.StartScreen.JumpList and Windows.UI.StartScreen.JumpListItem classes provide apps with the ability to programmatically select the type of system-managed jump list they want to use, to add custom task entry points to their jump list, and to add custom groups to their jump list.
Input	Keyboard delivery interceptor. Enables an app to override the system processing of raw keyboard input, including shortcut keys, access keys (or hot keys), accelerator keys, and application keys, but excluding secure attention sequence (SAS) key combinations. Secure attention sequence (SAS) key combinations, including Ctrl-Alt-Del and Windows-L, continue to be processed by the system. Cross-process chaining of pointer input for both UWP apps and Windows desktop apps. New pointer events that enable cross-process chaining of input. Ink Presenter for Classic Desktop apps. The ink presenter APIs enable Microsoft Win32 apps to manage the input, processing, and rendering of ink input (standard and modified) through an InkPresenter object inserted into the app's DirectComposition visual tree.
Networking	For WebSockets users: MessageWebSocket.OutputStream.FlushAsync and StreamWebSocket.OutputStream.FlushAsync have been fully implemented, and wait for previously-issued WriteAsync calls to complete. Note that this may cause existing code to throw an exception if the WebSocket is in an invalid state when you call FlushAsync. A new property CookieUsageBehavior was added to the existing Windows.Web.Http.Filters.HttpBaseProtocolFilter class. This allows developers to have control of how cookies are handled by the system.

Feature	Description
ORTC	Microsoft Edge now implements ORTC (Object Real-Time Communications) enabling real-time audio/video calls on the web directly between browsers, mobile devices, and servers via native JavaScript APIs. Developers can now build advanced real-time audio/video communication applications on top of the Microsoft Edge browser using the ORTC API, with support for group video calls, simulcast, scalable video coding (SVC), and more. For a demo of a 1:1 audio/video call via the ORTC API between Microsoft Edge browsers, visit Test Drive sites and demos .
Microsoft Edge F12 Developer Tools	Microsoft Edge introduces great new improvements to F12 developer tools, including some of the most requested features from UserVoice . Explore new features in the DOM Explorer, Console, Debugger, Network, Performance, Memory, Emulation, and a new Experiments tool, that allows you to try out powerful new features before they're finished. The new tools are built in TypeScript, and are always running, so no reloads are required. In addition, F12 developer tools documentation is now part of the Microsoft Edge Dev site and fully available on GitHub . From this point on, the docs will not only be influenced by your feedback, but you're invited to contribute and help shape our documentation. For a brief video introduction to the F12 developer tools, visit Channel9's One Dev Minute.
Windows Hello	Windows Hello provides your app the ability to enable facial or fingerprint recognition to log on to a Windows system or device. The Providers APIs allow IHVs and OEMs to expose depth, infrared, and color cameras (and related metadata) for computer vision into UWP, and to designate a camera as participating in Windows Hello face authentication. The Windows.Devices.Perception namespace contains the client APIs that allow a UWP application to access the color, depth, or infrared data of computer vision cameras.
New Gaming API	Use the new <code>Windows.Gaming.UI.GameBar</code> class to receive notifications when Game bar is shown or dismissed.
Bluetooth APIs	Several APIs were added and updated to extend support for Bluetooth LE, device enumeration, and other features in Bluetooth. See Windows.Devices.Bluetooth namespace.
Smart Card APIs	Several <code>SmartCardCryptogram</code> APIs were added to the Windows.Devices.SmartCards namespace to support secure cryptogram payment protocols. Payment apps using host card emulation to support tap-to-pay can use these APIs for additional security and performance. Apps can create a key and protect limited-use transaction keys using the TPM. Apps can also leverage the NGC (Next Generation Credentials) framework to protect the keys with the user's PIN. These APIs delegate cryptogram generation to the system for enhanced performance. This also prevents any access to the keys and cryptograms by other apps.

Feature	Description
Updated Storage APIs	In the Windows.Storage.DownloadsFolder class , your app can now create a file or create a folder inside the Downloads folder for a specific User . In the Windows.Storage.StorageLibrary class , your app can now get a specified Library for a specific User .
Windows App Certification Kit	The Windows App Certification Kit has been updated with improved tests. For a complete list of updates, visit the Windows App Certification Kit page.
Design downloads	Check out our new UWP app design templates for Adobe Photoshop. We also updated our Microsoft PowerPoint and Adobe Illustrator templates and made a PDF version of our guidelines available. Visit the Design downloads page .

What's new in Windows 10 for developers, build 10240

Article • 10/20/2022

Windows 10 build 10240 and the updated SDK provide the tools, features, and experiences to make remarkable Universal Windows Platform apps. After [installing the tools and SDK](#) on Windows 10, you're ready to either [create a new Universal Windows app](#) or explore how you can use your [existing app code on Windows](#).

Here's a feature-by-feature look at what's new for you in Windows 10 build 10240 (Also known as Windows 10 version 1507).

Adaptive layouts

Feature	Description
Multiple Views for tailored content	XAML provides new support for defining tailored views (.xaml files) that share the same code file. This makes it easier for you to create and maintain different views that are tailored to a specific device family or scenario. If your app has distinct UI content, layout, or navigation models that are drastically different for different scenarios, build multiple views. For example, you might use a Pivot with navigation optimized for one-handed use on your mobile app, but use a SplitView with a navigation menu optimized for mouse on your desktop app.
StateTriggers	Using the new VisualState.StateTriggers feature, you can conditionally set properties based on window height/width or based on a custom trigger. Previously, you had to handle Window SizeChanged events in code and call VisualStateManager.GotoState .
Setters	Using the new VisualState.Setters syntax, you can use simplified markup to define property changes in VisualStateManager . Previously, you had to use a Storyboard and create animations to apply property changes such as changing the orientation of a StackPanel from Horizontal to Vertical. In Universal Windows apps, you can use this simpler Setter syntax: <code><setter target="stackPanel1.Orientation" value="Vertical" /></code>

XAML features

Feature	Description
---------	-------------

Feature	Description
Compiled data bindings (x:Bind)	In Universal Windows apps, you can use the new compiler-based binding mechanism enabled by the x:Bind property. Compiler-based bindings are strongly typed and processed at compile time, which is both faster and provides compile time errors when binding types are mismatched. And because bindings are translated to compiled app code, you can now debug bindings by stepping through code in Visual Studio to diagnose specific binding issues. You can also use x:Bind to bind to a method, like this: <code><textblock text="{x:Bind Customer.Address.ToString()}" /></code> For typical binding scenarios, you can use x:Bind in place of Binding, and get improved performance and maintainability.
Declarative incremental rendering of lists (x:Phase)	In Universal Windows apps, the new x:Phase attribute lets you perform incremental, or phased, rendering of lists using XAML instead of code. When panning long lists with complex items, your app might not be able to render items fast enough to keep up with the speed of panning, producing a poor experience for your users. Phased rendering lets you specify the rendering priority of individual elements in a list item, so only the most important parts of the list item are rendered in fast panning scenarios. This produces a smoother panning experience for your user. In Windows 8.1, you could handle the ContainerContentChanging event and write code to render list items in phases. In UWP apps, you can accomplish phased rendering declaratively using the x:Phase attribute. Used in conjunction with compiled bindings x:Bind, x:Phase lets you easily specify a rendering priority for each bound element in a data template. When panning, the work to render items is time-sliced based on the phase, which enables incremental item rendering.
Deferred loading of UI elements (x:deferLoadstrategy)	In Universal Windows apps, the new x:deferLoadstrategy directive lets you specify parts of your user interface to be delay-loaded, which improves start-up performance and reduces the memory usage of your app. For example, if your app UI has an element for data validation that is shown only when incorrect data is entered, you can delay loading of that element until it's needed. Then, the element objects aren't created when the page is loaded; instead, they're created only when there's a data error and they are needed to be added to the page's visual tree.
SplitView	The new SplitView control gives you a way to easily show and hide transient content. It's commonly used for top-level navigation scenarios like the "hamburger menu", where the navigation content is hidden, and slides in when needed as the result of a user action.

Feature	Description
RelativePanel	RelativePanel is a new layout panel that lets you position and align child objects in relation to each other or the parent panel. For example, you can specify that some text should always be positioned to the left side of the panel, and a Button should always align below the text. Use RelativePanel when creating user interfaces that do not have a clear linear pattern that would call for use a StackPanel or Grid .
CalendarView	The CalendarView control makes it easy to view and select dates and date ranges using a customizable, month based view. CalendarView supports features such as minimum, maximum, and blackout dates to limit which dates can be selected. You can also set custom density bars that can be used to show the general "fullness" of the schedule on a particular day.
CalendarDatePicker	CalendarDatePicker is a drop-down control that's optimized for picking a single date from a CalendarView where contextual information like the day of the week or fullness of the calendar is important. It's similar to the DatePicker control, but the DatePicker is optimized for picking a known date, such as a date of birth.
MediaTransportControls	The new MediaTransportControls class makes it easier to customize the transport controls of a MediaElement . In Windows 8.1, you could enable MediaElement 's built-in transport controls, or create your own transport controls that called MediaElement methods. Now you can use the built-in functionality of MediaTransportControls , and still easily customize the look to suit your app.
Property change notifications	In Universal Windows apps, you can listen for property changes on DependencyObjects , even for properties that don't have corresponding change events. The notification operates like an event, but is actually exposed as a callback. The callback takes a sender argument just like an event handler, but doesn't take an event argument. Instead, only the property identifier is passed to indicate which property. With this info your app can define a single handler for multiple property notifications. For more info, see RegisterPropertyChangedCallback and UnregisterPropertyChangedCallback .
Maps	The MapControl class been updated to provide aerial 3D imagery and street-level views. These new features and earlier mapping functionality are now available to Universal Windows apps. Add mapping to your app with the following APIs: Windows.UI.Xaml.Controls.Maps and Windows.Services.Maps . To start using these APIs in a Universal Windows app today, request a key from the Bing Maps Developer Center ↗ . For more info, see How to authenticate a Maps app . Also new for Windows 10, PC and phone users can download offline maps from the Settings app. When available, offline maps are used by the MapControl to display maps when no internet access is available.

Feature	Description
Input button mapping	The Windows.UI.Xaml.Input.KeyEventArgs class has a new OriginalKey property that, along with a corresponding update to Windows.System.VirtualKey , enables you to get the original, unmapped input button associated with the keyboard input event.
Inking	It's now simpler to use the robust inking functionality in Windows Runtime apps using C++, C#, or Visual Basic, thanks to the InkCanvas control and underlying InkPresenter classes. The InkCanvas control defines an overlay area for drawing and rendering ink strokes. The functionality for this control (input, processing, and rendering) comes from the InkPresenter , InkStroke , InkRecognizers , and InkSynchronizer classes. Important: These classes are not supported in Windows apps using JavaScript.

Updated XAML features

Feature	Description
---------	-------------

Feature	Description
CommandBar and AppBar updates	The CommandBar and AppBar controls have been updated to have a consistent API, behavior and user experience for UWP apps across device families. The CommandBar control for Universal Windows apps has been improved to provide a superset of AppBar functionality and greater flexibility in how you can use it in your app. You should use CommandBar for all new Universal Windows apps on Windows 10. In a CommandBar in Windows 8.1, you could use only controls that implemented ICommandBarElement, like AppBarButton. In Universal Windows apps, you can now put custom content in the CommandBar in addition to AppBarButtons. The AppBar control has been updated to let you more easily move your Windows 8.1 apps that use AppBar to the Universal Windows Platform. AppBar was designed to be used with full-screen apps, and to be invoked using edge gestures. Updates to the control account for issues such as windowed apps and the lack of edge gestures in Window 10. The Hidden AppBar.ClosedDisplayMode, previously only on Windows Phone, is now supported on all device families, letting you choose between different levels of hints for commands. The AppBar shows a minimal hint by default to provide consistency for you when upgrading your Windows 8.1 apps to Universal Windows apps where you can no longer rely on the edge gesture support in the platform.
GridView updates	Prior to Windows 10, the default GridView layout orientation was horizontal on Windows and vertical on Windows Phone. In UWP apps, GridView uses a vertical layout by default for all device families to ensure you have by consistent default experience.

Feature	Description
AreStickyGroupHeadersEnabled property	When you show grouped data in a ListView or GridView , the group headers now remain visible when the list is scrolled. This is important in large data sets where the header provides context for the data the user is viewing. However, in cases where there are only a few elements in each group, you might want to have the headers scroll off-screen with the items. You can set the AreStickyGroupHeadersEnabled property on ItemsStackPanel and ItemsWrapGrid to control this behavior.
GroupHeaderContainerFromItemContainer method	When you show grouped data in an ItemsControl , you can call the GroupHeaderContainerFromItemContainer method to get a reference to the parent header for the group. For example, if a user deletes the last item in a group, you can get a reference to the group header and remove both the item and group header together.
ChoosingGroupHeaderContainer event	The new ChoosingGroupHeaderContainer event on ListViewBase lets you set state on the group headers in a ListView or GridView . For example, you might handle this event to set the AutomationProperties.Nameproperty on the group header to represent the group in assistive technologies.
ChoosingItemContainer event	The new ChoosingItemContainer event on ListViewBase gives you greater control over UI virtualization in a ListView or GridView . Use this event in conjunction with the ContainerContentChanging event to maintain your own queue of recycled containers from which to draw upon as needed. For example, if the data source has been reset due to filtering, you can quickly match an already created set of visuals (ItemContainers) with their data to achieve best performance.

Feature	Description
List scrolling virtualization	The XAML ListView and GridView controls have a new ListViewBase.ChooseingItemContainer event that improves the performance of the control when a change occurs in the data collection. Instead of doing a complete reset of the list, which replays the entrance animation, the system now maintains items currently in view, along with focus and selection state; new and removed items in the viewport animate in and out smoothly. After a change in the data collection in which containers are not destroyed, an app can quickly match any "old" items with their previous container and skip further processing of container-lifecycle override methods. Only "new" items are processed and associated with recycled or new containers.
SelectRange method and SelectedRanges property	In Universal Windows apps, ListView and GridView controls now let you select items in terms of ranges of item indexes instead of item object references. This is a more efficient way to describe item selection because item objects don't need to be created for each selected item. For more info, see ListViewBase.SelectedRanges, ListViewBase.SelectRange, and ListViewBase.DeselectRange.
New ListViewItemPresenter APIs	ListView and GridView use item presenters to provide the default visuals for selection and focus. In UWP apps, ListViewItemPresenter and GridViewItemPresenter have new properties that let you further customize visuals for list items. The new properties are CheckBoxBrush, CheckMode, FocusSecondaryBorderBrush, PointerOverForeground, PressedBackground, and SelectedPressedBackground.

Feature	Description
SemanticZoom updates	The SemanticZoom control now has one consistent behavior for UWP apps across all device families. The default action to switch between the zoomed in view and the zoomed out view is to tap on a group header in the zoomed in view. This is the same as the behavior on Windows Phone 8.1, but is a change from Windows 8.1, which used the pinch gesture to zoom. To change views using pinch-to- zoom, set ScrollViewer.ZoomMode="Enabled" on the SemanticZoom's internal ScrollViewer. For Universal Windows apps, the zoomed out view replaces the zoomed in view and is the same size as the view that it replaced. This is the same as the behavior on Windows 8.1, but is a change from Windows Phone 8.1, where the zoomed out view took up the full size of the screen and was rendered on top of all other content.
DatePicker and TimePicker updates	The DatePicker and TimePicker controls now have one consistent implementation for Universal Windows apps across all device families. They also have a new look for Windows 10. The pop-up portion of the control now uses DatePickerFlyout and TimePickerFlyout controls on all devices. This is the same as the behavior on Windows Phone 8.1, but is a change from Windows 8.1, which used ComboBox controls. Using the flyout controls lets you easily create customized date and time pickers.
New ScrollViewer APIs	ScrollViewer has new DirectManipulationStarted and DirectManipulationCompleted events to notify your app when touch panning starts and stops. You can handle these events to coordinate your UI with these user actions.
MenuFlyout updates	In Universal Windows apps, there are new APIs that let you build better context menus more easily. The new MenuFlyout.ShowAt method lets you specify where you want the flyout to appear in relation to another element. (And your MenuFlyout can even overlap the boundaries of your app's window.) Use the new MenuFlyoutSubItem class to create cascading menus.

Feature	Description
New Border properties for ContentPresenter, Grid, and StackPanel	Common container controls have new border properties that let you draw a border around them without adding an additional Border element to your XAML. ContentPresenter , Grid , and StackPanel have these new properties: BorderBrush, BorderThickness, CornerRadius, and Padding.
New text APIs on ContentPresenter	ContentPresenter has new APIs that give you more control over text display: LineHeight, LineStackingStrategy, MaxLines, and TextWrapping.
System Focus Visuals	Focus visuals for XAML controls are now created by the system, instead of being declared as XAML elements in the control template. The focus visuals are not typically needed on mobile devices, and letting the system create and manage them as needed improves app performance. If you need greater control over focus visuals, you can override the system behavior and providing a custom control template that defines focus visuals. See UseSystemFocusVisuals and IsTemplateFocusTarget for more info.
PasswordBox.PasswordRevealMode	In Universal Windows apps, the PasswordRevealMode property replaces the IsPasswordRevealButtonEnabled property to provide consistent behavior across device families. Caution: Prior to Windows 10, the password reveal button was not shown by default; in Universal Windows apps it is shown by default. If the security of your app requires that the password is always obscured, be sure to set PasswordRevealMode to Hidden.
Control.IsTextScaleFactorEnabled	The IsTextScaleFactorEnabled property that was available on Windows Phone 8.1 is now available for Universal Windows apps across all device families.
AutoSuggestBox	The AutoSuggestBox control from Windows Phone 8.1 is now available for Universal Windows apps across all device families, and you should use it instead of SearchBox . AutoSuggestBox provides suggestions as the user types, and works well with various input types, like touch, keyboard, and Input Method Editors. It also has some new members to make it work better as a search box: the QueryIcon property and the QuerySubmitted event.