




"elec_hub_and_dyn" is a part of the Grabette/Gripette project, it is a under-HAT for rasp zero 2w with a USB hub and a Dynamixel device.

Release	Date	Designer	Check	Comments
A1	16/04/2026	EB	SN	Initial drawing
B1	01/06/2026	EB	SN	[fix] Spacers in the BoM [fix] DCDC is now 5A capable [fix] USB pogo-pins position [update] 5V DCDC is on Vbus [update] 4 mm spacers/pogo-pins [added] Test points + access to UART-Dynamixel [added] Hub reset rasp-accessible
B2	07/07/2026	EB	SN	[fix] DNPUSB-pogo pins [fix] Motor conn. -> Feetech [update] Motor voltage selection



- Supplying the motors:
- through Vbatt (from the XT60): R28 must be populated
 - through Dxl: R28 must be removed.
- Motor communication:
- USB (Dynamixel-TTL converter): R15 must be populated
 - Dynamixel: R15 must be removed.





Pollen Robotics/HF

Sheet: /

File: elec_gripette_hub_and_dyn.kicad_sch

Title: Gripette – USB hub and Dynamixel device

Size: A4


Date: 2026-07-07


Rev: **B2**

KiCad E.D.A. 9.0.9

Id: 1/5

USB 2.0 hub





To the
Rasp Pi



Pollen Robotics/HF

Sheet: /Power/
File: DCDC.kicad_sch


Title: Grippette – USB hub and Dynamixel device

Size: A4
KiCad E.D.A. 9.0.9


Date: 2026-05-27

Rev: B1
Id: 3/5

Dynamixel TTL



Dynamixel TTL
from Rasp.



DYNAMIXEL

