

Functional Obsolescence Death Pattern: Decomposing B1.11 by Formalizing the First Death Type Where an Entity No Longer Serves Its Intended Purpose

Derivation note: B2.52

Series: B (Paper 2 derivation) — Phase B2, Operational Variants and Decompositions

Parent note: B1.11 (Death as governed retirement with two distinct types)

Preceding note: B2.51 (Death mechanism operational specification)

Following notes: B2.53 (Lineage supersession death pattern), B2.54 (Archival reactivatability), B2.55 (Death governance and verification)

Author: Wenxin Li (Independent Researcher)

ORCID: 0009-0004-8065-3235

Date: May 12, 2026

License: Creative Commons Attribution 4.0 International (CC BY 4.0)

Attribution

This work derives from and formalizes the instinct/reasoning separation pattern introduced in “The Instinct/Reasoning Separation Outside the Model” (Li, April 2026), the second paper in the CKS theory series following “Coordination Outside the Model: A Human-Governed Substrate Pattern for AI Systems” (Li, April 2026). It does not introduce new axioms. Its sole contribution is to articulate, in operational form, the precise meaning of the functional obsolescence death pattern as that pattern is specified in the source paper, so that downstream work can adopt or argue against the pattern without ambiguity.

Abstract

The CKS lifecycle machinery, introduced in Paper 2, commits to two architecturally distinct death types for cells, aspects, and Selves: functional obsolescence and lineage supersession. B1.11 names both types as governed primitives within the lifecycle machinery. This note, B2.52, formalizes functional obsolescence as the first of those two types. Functional obsolescence is the death pattern that applies when an entity no longer serves its intended purpose: the purpose that justified the entity’s existence has been fulfilled, changed, eliminated, or superseded without a successor entity inheriting the operational role. The architectural result of functional obsolescence is genuine deletion—substrate content is removed and resources released—distinguishing it from lineage supersession, whose architectural result is retirement with archival. The pattern is governed: a seven-step governance sequence identifies the obsolescence candidate, assesses whether purpose is

indeed no longer served, authorizes the death decision, transfers operational responsibilities, transitions the entity to a closed state, closes the lineage chain, and records the death event. Operational responsibility transfer before closure is architecturally required, not optional. The no-successor framing distinguishes functional obsolescence from lineage supersession: in functional obsolescence the operational role ends; in lineage supersession a specific successor entity inherits it. The note formalizes the pattern, states what makes it architecturally distinctive, identifies the biological analog, traces inherited Paper 1 commitments, and establishes limits.

1. Why functional obsolescence needs to be formalized as a standalone operational variant

Paper 2 names two death types—functional obsolescence and lineage supersession—as the two primary patterns within the lifecycle primitive death. B1.11 establishes that death is a governed retirement decision with a type-appropriate architectural result. B2.51 provides the operational specification for the death mechanism: the substrate-level machinery through which death events are executed, recorded, and preserved. B2.52 now does the work that B2.51 did not: it formalizes the specific pattern that governs functional obsolescence cases—what triggers them, how they are assessed, what architectural result follows, and what the governance sequence requires.

The defensive-publication rationale for formalizing this as a standalone note is substantial. Functional obsolescence is not merely a parameter setting inside a generic decommissioning routine. It is a distinct architectural pattern with its own trigger logic (purpose fulfillment, change, elimination, or supersession without successor), its own architectural result (genuine deletion), its own governance sequence (seven steps with ordered dependencies), and its own operational constraints (responsibility transfer before closure; no-successor requirement; relational membership dissolution without affecting other memberships). Each of these is a patentable derivation from the source paper’s specification, and naming them in a single standalone note closes the prior-art territory against any subsequent claim to have invented governed purpose-assessment-driven deletion in a CKS-style AI coordination architecture.

The position of B2.52 within Phase B2 matters strategically. This note is the fifty-second in Phase B2, the second of five notes decomposing B1.11. B2.51 established the mechanism; B2.52 establishes the first pattern that mechanism instantiates; B2.53 will establish the second pattern; B2.54 will formalize archival reactivatability as it applies to lineage supersession; and B2.55 will formalize the governance and verification machinery that applies across both patterns. Subsequent Phase B2 notes after B2.55 will decompose B1.12 (the three evolution mechanisms framework). The decomposition is ordered; the prior-art chain is cumulative.

2. The functional obsolescence death pattern precisely stated

The trigger. Functional obsolescence applies when an entity—a cell, aspect, or Self—no longer serves its intended purpose. Purpose in this sense is the purpose that justified the entity’s existence at birth per the CKS lifecycle machinery. The source paper specifies four conditions any one of which constitutes purpose obsolescence:

- **Purpose fulfilled.** The purpose the entity was created to serve has been completed. This applies to one-time or bounded purposes where completion is a terminal state rather than an ongoing condition.
- **Purpose changed.** The operational domain has evolved in a direction that places the entity’s design out of alignment with what is now needed. The entity was correctly designed for the original purpose; the purpose has moved beyond the entity’s design envelope.
- **Purpose eliminated.** The need that generated the purpose no longer exists. The operational domain no longer requires what the entity provided.
- **Purpose superseded without successor.** The purpose is now served through different means, but no single entity has been designated to inherit the operational role. This condition is the distinguishing case between functional obsolescence and lineage supersession: in lineage supersession a specific successor inherits; in functional obsolescence the role simply ends.

The architectural result. The source paper is explicit on this point: functional obsolescence is the *deletion-type* death. Substrate content for the functionally obsolete entity is removed and the resources its substrate occupied are released. This is not archival; it is genuine deletion. The source paper contrasts the two death types precisely on this axis: functional obsolescence is deletion, lineage supersession is retirement with archival. The computational neighbor the source paper names for functional obsolescence is garbage collection—unreachable objects reclaimed, memory reused, object state lost unless separately persisted. The architectural commitment is to deletion.

The no-successor requirement. There is no successor entity in functional obsolescence. The operational role the entity performed is not assigned to another entity. It ends. This is the architectural property that distinguishes functional obsolescence from lineage supersession (B2.53). When a successor entity exists and inherits the operational role, the pattern is lineage supersession—a different death type with a different architectural result and different governance machinery. The presence or absence of a designated successor is the first diagnostic question in any death-type determination.

The governance sequence. Functional obsolescence is governed per A1.01. The following seven-step sequence constitutes the full governance path from obsolescence identification to closed state:

- Step 1 — Governance identifies obsolescence candidate.** An entity showing signs of functional obsolescence is flagged for assessment. Triggers may include declining operational activity levels, purpose-alignment anomalies, or domain change indicators that suggest the entity’s original purpose is no longer being served. Identification is a governance act, not an automated threshold

trigger—the flagging surfaces the entity for human assessment, not for automatic closure.

Step 2 — Governance assessment determines purpose is not served. A governed assessment evaluates whether the entity’s purpose falls into one of the four obsolescence conditions: fulfilled, changed, eliminated, or superseded without successor. The assessment is itself a governance act per A1.01 and is performed under criteria authored as orchestration rules per A2.04. The assessment produces a determination—purpose is or is not still served—that is recorded per A2.40 as substrate state.

Step 3 — Governance decision authorizes functional obsolescence death. The assessment finding is reviewed and a governance decision authorizes the death. This is the authority act under A1.01: the right to authorize entity closure, exercised by humans, with the decision recorded as substrate content per A2.40. No closure proceeds before this authorization.

Step 4 — Operational responsibility transfer. Before the entity is closed, its operational responsibilities must be resolved. For cells that are sole members of aspects, the aspect’s coordination rules must be updated. For aspects that are sole facets of Selves, the Self’s integration architecture must be updated. Shared cells that participated in the dying entity’s aspect continue in their other aspects through relational membership—only the dying entity’s membership is dissolved, without affecting any other memberships those cells hold. Authority that was assigned to the dying entity is reassigned or retired. This step is architecturally required; it is not optional. Proceeding to closure before responsibility transfer is complete constitutes a governance violation.

Step 5 — Entity transitions to closed state. With responsibilities transferred and authorization in place, the entity’s substrate content is deleted and resources released. This is the architectural result of functional obsolescence: genuine deletion. The entity is no longer operational, no longer addressable, and no longer substrate-resident.

Step 6 — Lineage chain closed. The entity’s lineage chain, established through the lineage-preserved mating and birth patterns, is closed with the functional obsolescence death event as terminus. The lineage record is preserved as substrate state per A1.07 retraceability, even though the entity itself is deleted. The chain’s preservation ensures that the entity’s complete lifecycle history remains inspectable per A2.01 for governance audit purposes.

Step 7 — Death event recorded per A2.40. The functional obsolescence death event is recorded as substrate content per A2.40’s six provenance metadata fields: what was closed, by whom, under what authority, when, with what rationale and evidence, and under which governance criteria. The recording is not merely administrative; it is the substrate-resident evidence that the governance sequence was followed and that the death was authorized rather than inadvertent.

3. What makes functional obsolescence architecturally distinctive

The functional obsolescence death pattern has three properties that collectively distinguish it from how AI components are typically decommissioned.

Explicit purpose assessment as prerequisite. Conventional decommissioning of AI components proceeds primarily on operational or administrative criteria: the component is no longer used, the licensing contract has expired, the infrastructure it runs on is being retired, or a platform migration makes it operationally unsupported. None of these criteria requires a determination that the component's *purpose* is no longer served. CKS functional obsolescence requires exactly that determination, formalized as a governance act over criteria authored as substrate-resident rules. An entity that is operationally inactive but whose purpose remains valid does not qualify for functional obsolescence; an entity that remains operationally active but whose purpose has been eliminated does qualify. The purpose-assessment gate is the architectural commitment that separates functional obsolescence from administrative or operational decommissioning.

Responsibility transfer as architectural requirement. Conventional component decommissioning may or may not include a handoff process; whether and how handoffs occur is typically an organizational decision made case-by-case. CKS functional obsolescence treats responsibility transfer as an architectural requirement that is part of the governance sequence itself, not a post-hoc organizational concern. The sequence cannot advance from Step 3 (authorization) to Step 5 (closure) without Step 4 (responsibility transfer) completing. This ordering is not a policy recommendation; it is the architectural specification of the death pattern.

Deletion with lineage preservation. Conventional garbage collection deletes object state without preserving lineage records. Conventional decommissioning may produce decommissioning records of varying completeness. CKS functional obsolescence commits to both: genuine deletion of the entity's substrate content (the deletion-shape architectural result) and preservation of the lineage chain and the death event record (the retraceability architectural result per A1.07 and A2.40). These two commitments are not in tension; they apply to different objects. The entity's operational content is deleted. The governance record of its existence, operation, and deletion is preserved. The combination makes functional obsolescence both resource-appropriate (deleted content does not continue to consume substrate resources) and audit-appropriate (the entity's complete lifecycle history remains inspectable).

The contrast with lineage supersession (B2.53) sharpens all three properties. Lineage supersession has no purpose-elimination requirement; a superior offspring emerging from mating or evolution triggers the pattern regardless of whether the parent's purpose is gone. Lineage supersession's operational responsibilities are inherited by the successor rather than transferred or dissolved. And lineage supersession's architectural result is archival, not deletion—the parent entity persists as addressable substrate content. The two death types share the governance-over-retirement commitment; they differ architecturally in every other respect.

4. The biological analog

The source paper names two biological neighbors for the functional obsolescence death type: programmed cell death (apoptosis) and, by extension, senescence.

Apoptosis is genetically controlled programmed cell death: caspase-cascade signaling triggers a systematic physical dismantling of the cell, with both cell structure and internal state genuinely destroyed and phagocytosed. The cell does not become dormant or archive its contents; it is deleted in the most literal biological sense. The apoptotic commitment is to deletion, and the architectural commitment of CKS functional obsolescence is the same. What CKS adds is the governance commitment over the deletion decision—the authority to determine whether purpose is gone, and the sequenced process through which that determination is made and acted on. Biology’s apoptosis proceeds under genetic programming; CKS functional obsolescence proceeds under human governance.

Senescence broadens the analog. At the organism level, senescence describes the progressive functional decline and eventual death of organisms when their biological purpose—in evolutionary terms, reproductive contribution and resource competition—has been served. The organism’s individual purpose, in the teleological framing, is complete. CKS functional obsolescence is the explicit governance instantiation of this shape: the entity’s purpose complete, the entity closed.

The biological analog functions as conceptual scaffold. The architectural substance of the pattern is governed purpose assessment followed by ordered closure: explicit determination that purpose is gone, authorized by humans under authored criteria, with responsibility transfer, deletion, lineage closure, and provenance recording. The analog illuminates the *shape* of the commitment; the architecture commits to the *governed* version of that shape.

One point of departure from biology is worth naming. Biology’s apoptosis is irreversible by architectural necessity—there is no reactivation path for a cell that has undergone apoptotic dismantling. CKS functional obsolescence shares the deletion commitment but operates within a governance architecture that preserves the *decision record* even as it removes the entity. The governance record—the authored criteria, the assessment determination, the authorization, the responsibility transfer record—remains substrate-resident per A2.40 after the entity is closed. This means that while the entity itself is deleted, the governance trail of its deletion is preserved, and a new entity could be created to serve a re-emergent version of the purpose if governance so determines. New birth is not reactivation; it is a new lifecycle beginning with a clean substrate. But the record of why the predecessor was closed informs the decision to create a successor.

5. Inherited Paper 1 commitments

Functional obsolescence is not a freestanding addition to the CKS architecture. It instantiates a cluster of Paper 1 commitments at the lifecycle layer, each of which is directly load-bearing for the pattern's operation.

A1.01 — Human-governed: authority not labor. The governance commitment from Paper 1 is the anchor for the entire functional obsolescence sequence. Every step that involves a decision—identification (Step 1), purpose assessment (Step 2), death authorization (Step 3), responsibility transfer (Step 4)—is a governance act under A1.01. Humans hold the authority; the labor of executing the steps may be performed by humans directly or by LLMs operating under human direction. The authority is not allocable; the labor is. The pattern is human-governed in the precise sense A1.01 defines: the three rights (inspect, modify, override) apply to the obsolescence criteria, the assessment determination, the authorization decision, and the death event record.

A2.04 — Rule authoring as governance. The obsolescence criteria that define what constitutes purpose obsolescence—what thresholds of operational activity signal fulfilled purpose, what domain-change indicators signal eliminated purpose, what alignment assessments confirm purpose-changed conditions—are authored as substrate-resident orchestration rules per A2.04. The criteria are not implicit or informal; they are explicit, inspectable, modifiable, and overridable per A1.01. Different entity types in a deployment may have different criteria, each authored as rules for their specific context.

A2.40 — Six provenance metadata fields. Each step in the governance sequence that produces a substrate-affecting decision or action is recorded per A2.40. The assessment determination (Step 2), the authorization (Step 3), the responsibility transfer completion (Step 4), and the death event itself (Step 7) each require provenance recording: what was decided or acted on, by whom, under what authority, at what time, with what rationale and evidence, and referencing which governing criteria. The six-field requirement applies at each of these steps. The functional obsolescence death event in particular must be fully recorded to close the governance sequence properly.

A1.07 — Path retraceability and the accountability vocabulary. The lineage closure in Step 6 implements the retraceability commitment from Paper 1. The entity's lineage chain—its origin, the governance decisions that shaped its lifecycle, and its functional obsolescence death event—constitutes a complete accountability record per A1.07's framework. The chain is preserved as substrate state even after the entity's operational content is deleted. Any subsequent audit of the death event can retrace the full lifecycle path from birth through closure.

A2.01 — The inspect right as standalone architectural commitment. The inspect right applies to the preserved lineage chain and death event record throughout the substrate's subsequent lifetime. Governance actors conducting post-hoc audits, regulatory inspections, or architectural reviews can inspect the functional obsolescence record at any time without scheduling or intermediation, per the temporal property of A1.01 and the operational content of A2.01.

6. Operational implications

Deployments implementing functional obsolescence govern several operational dimensions that the architectural pattern leaves as deployment decisions.

Configure obsolescence criteria per entity type. The authored criteria (per A2.04) for what constitutes functional obsolescence differ across entity types. Cells have purpose profiles tied to specific operational functions; aspects have purpose profiles tied to coordination arrangements among their member cells; Selves have purpose profiles tied to the enterprise function they serve. Each entity type's obsolescence criteria are authored as rules appropriate to that type. Deployments configure these criteria as part of their governance substrate initialization; the architecture does not specify universal criteria, only that criteria must be present and must be authored as substrate-resident rules.

Periodic governance review and event-triggered assessment. Governance identifies obsolescence candidates (Step 1) through two mechanisms: periodic review cycles that evaluate all entities against their obsolescence criteria, and event-triggered assessment where specific operational events—sustained inactivity, domain changes, organizational restructuring—flag entities for immediate purpose assessment. Deployments configure both mechanisms; the architecture requires governance identification but leaves the trigger mechanism as a deployment decision.

Responsibility transfer procedures vary by entity type. Step 4's responsibility transfer has different operational content depending on the entity being closed. For a cell that is a sole member of an aspect, the aspect's coordination rules need updating—the aspect either dissolves or reconfigures around its remaining members. For an aspect that is a sole facet of a Self, the Self's integration architecture needs updating. For shared cells (cells that participate in multiple aspects), only the dying entity's membership is dissolved; other memberships continue unchanged. The relational membership architecture per the CKS structural machinery handles this: membership is a substrate-resident relationship, not a property of the cell itself, so dissolving one membership does not disturb others.

Cross-partner functional obsolescence per A2.47. When the functionally obsolete entity participates in cross-partner compositions—entities or aspects whose members or facets span organizational boundaries—the responsibility transfer in Step 4 requires cross-partner authority. Governance actors from the relevant partners must participate in the transfer resolution. The cross-partner authority architecture per A2.47 governs which actors have authority over which dissolution decisions at the boundary.

Death event recording closes the governance trail. Step 7's A2.40 recording is not merely administrative documentation; it is the substrate-resident completion of the governance sequence. A functional obsolescence sequence that completes Steps 1 through 6 but fails to complete Step 7 has not properly closed the governance trail. The death event record is what makes the closure inspectable, auditable, and referenceable in subsequent governance decisions.

7. Limits

The functional obsolescence death pattern is precisely bounded. Stating what it does not commit to is as architecturally important as stating what it does.

Functional obsolescence does not delete the entity's governance record. The deletion commitment applies to the entity's *operational* substrate content—its DNA layer, action layer, and membership relationships. The lineage chain and the death event record per A2.40 are preserved as governance substrate after closure. Governance record and operational content are distinct substrate objects; deletion applies to the latter, not the former.

Functional obsolescence does not apply to entities still serving purpose. The purpose assessment (Step 2) must affirmatively determine that purpose is no longer served before authorization (Step 3) proceeds. An entity whose purpose assessment returns an inconclusive result, or whose purpose is still demonstrably being served, is not a candidate for functional obsolescence. The assessment gate is not a rubber-stamp; it is a governed determination that can return a negative finding.

Functional obsolescence is not automatic. Declining operational activity, domain changes, or purpose-alignment anomalies are signals that trigger governance identification (Step 1) and assessment (Step 2); they do not trigger automatic closure. The governance sequence is mandatory, and the authorization in Step 3 is a human governance act per A1.01. No threshold-based automation can substitute for governance authorization.

Functional obsolescence is distinct from lineage supersession per B2.53. The diagnostic criterion is the presence or absence of a designated successor entity. If a successor exists and inherits the operational role, the pattern is lineage supersession. If no successor exists and the role ends, the pattern is functional obsolescence. The two patterns share the governance-over-retirement commitment and the sequenced decision process; they differ in architectural result (deletion vs. archival), operational responsibility handling (dissolution vs. inheritance), and post-death addressability (none vs. continued substrate addressability of the archived entity).

Operational responsibility transfer is required before closure. Step 4 must complete before Step 5 proceeds. Closing an entity before its operational responsibilities have been transferred—leaving aspect coordination rules referencing a deleted cell, or Self integration architecture referencing a deleted aspect—is a governance violation. The sequence is ordered, and the ordering of Steps 4 and 5 is a hard architectural requirement, not a soft best practice.

The seven-step governance sequence is ordered. The steps have sequential dependencies. Assessment (Step 2) cannot precede identification (Step 1). Authorization (Step 3) cannot precede a completed assessment (Step 2). Closure (Step 5) cannot precede transfer (Step 4). Lineage closure (Step 6) cannot precede the actual closure event (Step 5). Recording (Step 7) closes the sequence and must reference the completed preceding steps. Reordering or skipping steps is a governance violation that

leaves the governance sequence incomplete and the substrate in an inconsistent state.

8. One-sentence test

A system instantiates the CKS functional obsolescence death pattern for a given entity if and only if the entity is closed under a seven-step governed sequence—identification, purpose assessment, authorization, operational responsibility transfer, deletion of operational content, lineage closure, and A2.40 death event recording—where the assessment affirms that the entity’s purpose has been fulfilled, changed, eliminated, or superseded without a successor entity, and where operational content is genuinely deleted rather than archived.

9. Why naming matters and what comes next

Naming functional obsolescence as a standalone architectural pattern does three kinds of work simultaneously.

First, it completes the description of the death primitive from Paper 2 at the operational level. B1.11 names two death types. B2.51 specifies the shared death mechanism. B2.52 (this note) specifies the functional obsolescence pattern. B2.53 will specify the lineage supersession pattern. Together, these four notes provide a complete operational decomposition of the death primitive across both its type-specific instantiations.

Second, it establishes the prior-art territory for governed purpose-assessment-driven deletion in CKS-style AI coordination architectures. Each of the pattern’s structural elements—the four-condition purpose-obsolescence trigger, the no-successor requirement, the seven-step governance sequence with ordered dependencies, the responsibility-transfer-before-closure constraint, the genuine-deletion architectural result, the lineage-preservation-with-deletion combination—is a distinct derivation from the source paper, formalized here as public prior art.

Third, it frames the contrast with lineage supersession that B2.53 will develop. The architectural difference between the two death types is not a parameter difference within a unified death primitive; it is a categorical difference in purpose trigger, operational result, and governance machinery. The two types require separate formalization precisely because conflating them—treating deletion and archival as parameterizations of one template—would misrepresent the architecture’s commitments. B2.52 establishes the deletion-type framing; B2.53 will establish the archival-type framing; B2.54 will formalize reactivatability as the property that makes lineage supersession’s archival result meaningful; and B2.55 will develop the governance and verification machinery that applies across both types. Phase B2 continues after B2.55 with B2.56 and beyond, decomposing B1.12 (the three evolution mechanisms framework) as the next set of operational variant notes.

Source papers

Li, W. (2026). *Coordination Outside the Model: A Human-Governed Substrate Pattern for AI Systems*. April 2026. ORCID: 0009-0004-8065-3235.

Li, W. (2026). *The Instinct/Reasoning Separation Outside the Model*. April 2026. ORCID: 0009-0004-8065-3235.

How to cite this note

Li, W. (2026). *Functional Obsolescence Death Pattern: Decomposing B1.11 by Formalizing the First Death Type Where an Entity No Longer Serves Its Intended Purpose*. Derivation Note B2.52. May 12, 2026. ORCID: 0009-0004-8065-3235.