

Interface name	Getting list of RR-node
Method	GET

URI parameter	type	overview	remarks
cluster_id	string	cluster ID	-

option parameter	type	required	overview	remarks
format	string	-	Acquired information type	“list”: list “detail-list”: Detailed list When omitted, same as “list”

option parameter	type	required	overview	remarks
user-type	string	○	user type	“operator”: administrator

list

URI	/v1/clusters/{cluster_id}/nodes/rrs?user-type=operator /v1/clusters/{cluster_id}/nodes/rrs?format=list&user-type=operator
-----	--

message	code	body	type	required	Allow null	Allow empty array	overview	remarks
request	-	-	-	-	-	-	-	-
response	200	rr_node_ids	string[]	○	×	○	List of node IDs of RR	-
		Refer to the “Error response format” sheet for error response						

Body uses JSON format.

detailed list

URI	/v1/clusters/{cluster_id}/nodes/rrs?format=detail-list&user-type=operator
-----	---

message	code	body	type	required	Allow null	Allow empty array	overview	remarks
request	-	-	-	-	-	-	-	-
response	200	rrs	object[]	○	×	○	information of RR-node	-
		Same as information in “rr” object in the “010602” sheet						
		Refer to the “Error response format” sheet for error response						

Body uses JSON format.