

Interface name	Creating or deleting breakout interface
Method	PATCH

URI parameter	type	overview	remarks
cluster_id	string	Switch cluster ID	-
fabric_type	string	Device type	"spines": Spine "leaves": Leaf
node_id	string	Device ID	-

option parameter	type	required	overview	remarks
notification address	string	<input type="radio"/>	Destination address to notify completion of operation	See "Asynchronous request format" sheet
notification port	string	<input type="radio"/>	Destination port to notify completion of operation	

URI	/v1/clusters/{cluster_id}/nodes/{fabric_type}/{node_id}/interfaces/breakout-ifs
-----	---

message	code	body	type	required	Allow null	Allow empty array	overview	remarks	
request	-		object[]	○	×	×	List of the target breakout IF	Set breakout IF to create or delete. Don't specify both "add" and "remove" at the same time.	
		op	string	○	×		Operation type for the target breakout IF	"add": Creating breakout IF "remove": Deleting breakout IF When creating, specifying "spines" in fabric_type at URI parameter results in an error.	
		path	string	○	×		Breakout IF ID	"add": "/" + "breakout IF ID for creating" "remove": "/" + "breakout IF ID for deleting"	
		value	object	×	○		Breakout IF information	- To specify multiple breakout IF ID, specify different op/path. - Specify all the breakout IF IDs to be created to separate one physical IF.	
		base if	string	○	×		Information on physical IF to be separated	Required for creating. Setting it when deleting causes an error.	
		physical if id	string	○	×		Physical IF ID to be separated	-	
		division number	int	○	×		Number of IFs to separate	-	
		breakout if speed	string	○	×		IF speed after separation	-	
response	202	operation id	string	○	×		ID for acquiring information of asynchronous operation	-	
Refer to the "Error response format" sheet for error response									

Body uses JSON format.

Asynchronous response

[illegible]