Interface name	traffic notification
Method	PUT

URI	/v1/MSFcontroller/traffic

message	code	body				type	required	Allow null	Allow empty array	overview	remarks
request	–	physical_unit				object	×	O		Traffic notification information(per physical unit)	–
			ifs			object[ ]	O	×	O	IF information list	–
				cluster_id		string	O	×		Cluster ID	–
				fabric_type		string	O	×		Node type(Leaf or Spine)	–
				node_id		string	O	×		Node ID	–
				if_type		string	O	×		IF type(see remark)	"physical-if":physical-IF "lag-if":LAG IF "breakout-if":breakoutIF
				if_id		string	O	×		IF ID	–
		cluster_unit				object	×	O		Traffic notification information(per cluster unit)	–
			clusters			object[ ]	O	×	O	Cluster information	–
				cluster_id		string	O	×		Cluster ID	–
				type		string	O	×		type(see remark)	"edge_point":edge-point "cluster_link-if":inter-cluster IF "internal":internal cluster
				if_id		string	×	O		ID(see remark)	Specified "type"'s ID (i.e. if type is edge-point, edge-point id is obtained.)
		slice_unit				object	×	O		Failure notification information(per slice unit)	–
			slices			object[ ]	O	×	O	Slice information	–
				slice_type		string	O	×		Slice type	"l2vpn":L2Slice "l3vpn":L3Slice
				slice_id		string	O	×		Slice ID	–
				cp_ids		string[ ]	O	×	O	CP ID list	–
response	200	–				–	–	–	–	–	–

Refer to the "Error response format" sheet for error response

Body uses JSON format.