Lixing Song

| CONTACT INFORMATION | lsong2@nd.edu | http://www3.nd.edu/~lsong2/ |

EDUCATION

University of Notre Dame, Notre Dame, IN, USA
Ph.D. in Computer Science and Engineering, 2014 - 2018(expected)
GPA 4.0/4.0; Advisor Aaron Striegel

Ball State University, Muncie, IN, USA
M.S. in Computer Science, 2013 - 2014
GPA 4.0/4.0; Advisor Shaoen Wu

The University of Southern Mississippi, Hattiesburg, MS, USA
PhD student in Computer Science, 2011-2013
GPA 4.0/4.0; Advisor Shaoen Wu

Wuhan University, Wuhan, China
B.E. in Communication Engineering, 2011
Overall GPA 83.5/100, Major GPA 87/100

RESEARCH INTERESTS

Wireless Networking: WiFi protocol optimization, cross-layer design, large scale realistic measurement, crowdsourcing, networks among smart phone

RESEARCH EXPERIENCE

Fully Funded Research Assistant at University of Notre Dame	08/2014 - present
Fully Funded Research Assistant at Ball State University	05/2013 - 05/2014
Fully Funded Research Assistant at University of Southern Mississippi	08/2011 - 04/2013

PROFESSIONAL PROJECTS

Exploring LTE Bandwidth Characterization   University of Notre Dame, Notre Dame, IN, USA
Leader   07/2017 - present
- Unlike the traditional Ethernet and WiFi network, the cellular network performs a central-control resource allocation. The bandwidth characterization on the cellular network would intrinsically different. We explore the physical layer information from testbed (via mobile_insight tool) to understand the various unique properties of cellular bandwidth. Eventually, we want to design an end-to-end bandwidth estimation tool that can help grasp the instant UE bandwidth in an efficient fashion.

Accurate and efficient passive WiFi characterization   University of Notre Dame, Notre Dame, IN, USA
Leader   09/2016 - present
- By leveraging the properties of frame aggregation in tandem with Block ACK, we proposed a novel technique to only use control packets to conduct accurate and comprehensive characterization on WiFi traffic. To further implement this approach, we find the de facto WiFi scan innately provides the opportunity to periodically listen on channels. Therefore, we posit that the characterization function can be embedded into scan operation. The approach has been evaluated in lab environment and wild scenarios. It is meaningful to inspire new WiFi chip design.

Leveraging Frame Aggregation for AP selection University of Notre Dame, Notre Dame, IN, USA
Leader   03/2016 - 08/2016
- This work leverages the frame aggregation characteristics of modern WiFi as the AP load estimation metric in order to help guide mobile client to selection the best AP. By adopting simple machine learning techniques, we are able to train the model to predict expected throughput based on instant collected measurements. The experimental results show the system achieves better selection accuracy than other cross-layer metrics.

Fast Mobile Network Characterization University of Notre Dame, Notre Dame, IN, USA
Leader 05/2015 - present
- The project aims to build a suite of tools to deliver **fast, lightweight, accurate** performance goals while doing so in a manner that does not require modification to the core of the client itself. We leverage inherent properties of TCP originally leveraged by Savage (TCP Sting) and expanded upon with the previous work on RIPPS (Rogue wireless Packet Payload Slicer) coupled with dynamic packet shaping. The estimation results intent to give instant estimation about link from various aspects, e.g, available bandwidth, achievable throughput and ect. The work is primarily built with C++ with `libpcap`. And it is under preparation to submit to SECON'17.

NetHealth University of Notre Dame, Notre Dame, IN, USA
Technical Support on Web Portal 01/2015 - present
- This project instruments five hundred smart-phone users coupling them with Bluetooth LE beacons, smartphone agents, and health armbands (Fitbit HR) over a period of two years. An additional four hundred+ users will also be equipped with a lightweight smartphone agent and Bluetooth LE beacons. The focus of the work is to explore network effects from a sociological perspective. Our particular research focus leverages the co-location data gleaned from the study to explore next-generation cellular and WiFi architectures.

WiFi Probe Requests Measurement Ultra Dense Scenario University of Notre Dame, Notre Dame, IN, USA
Co-Leader 08/2014 - 11/2015
- This project intents to reveal the impact of probe request frame in real world, especially football stadium. In order to conduct realistic measurement on the impact of Wifi probe request, we launch Wifi monitor data collection at football stadium during several home games. Through the data analysis plus further lab experiments, we attempt to find out in what degree probe request can effect network performance as well as energy.

SIMPLEX: Symbol-level Information MultiPLEX Ball State University, Muncie, IN, USA
Leader 05/2013 - 12/2013
- This project proposes a symbol-level information multiplexing mechanism *SIMPLEX* that exploits link margin in wireless networks to minimize channel under-utilization. Multiplexing is achieved by carrying extra information through a type of specially designed symbols inserted. The key enabler of the inserting and detecting such specially symbols is a per-bit channel assessment scheme that hierarchically estimates the error probability of a received symbol. Through the GNU SDR testbed experiments and NS3 simulation, we evaluate the performance of *SIMPLEX* on different network scenarios.

Wireless Shared key extraction from unauthorized channel Ball State University, Muncie, IN, USA
Leader 05/2013 - 12/2013
- This project designs a cross-layer solution that measures noise-free per-symbol channel dynamics across both time and frequency domain and derives keys from the highly fine-grained per-symbol reciprocal channel measurements. This solution consists of merits that: (1) the per-symbol granularity improves the volume of available uncorrelated channel measurements by orders of magnitude over per-frame granularity in conventional solutions and so does KGR; 2) the solution exploits subtle channel fluctuations in frequency domain that does not force users to move to incur enough temporal variations as conventional solutions require; and (3) it measures noise-free channel response that suppresses key bit disagreement between trusted users.

WiFi Cross-layer Rate Adaptation University of Southern Mississippi, Hattiesburg, MS, USA
Leader 08/2011 - 04/2013
- This project proposes accurate physical layer metric that derived from symbol offset on constellation map. By exploit this metric, it can achieve accurate wireless channel estimation in per-bit

granularity. With upper layer adaptive protocols support, the proposed method promises instant and accurate rate adaption under the highly dynamic wireless channel. The method is implemented and evaluated the performance on both soft-defined radio (GNU Radio) and NS3.

Wireless Sensor + SMS solution for remote monitor service Wuhan University, Wuhan, Hubei, China
Research Leader at National Innovative Experiment Program For Undergraduates
  • We implemented an experimental remote pressure monitoring system for large buildings. By constructing the wireless sensor network among sensor chips–TelosB from Standford, the data is gathered by one head node who is equipped with GSM module and decide to send SMS alert once urgent event detected.

PUBLICATIONS

Peer-Reviewed

1. **Lixing Song** and A. Striegel. Leveraging Frame Aggregation for Estimating WiFi Available Bandwidth. In: *14th Annual IEEE International Conference on Sensing, Communication, and Networking, SECON 2017, San Diego, CA, USA, June 12-14, 2017.* 2017, pp.1–9. DOI: 10.1109/SAHCN.2017.7964908. https://doi.org/10.1109/SAHCN.2017.7964908.

2. **Lixing Song** and A. Striegel. Leveraging Frame Aggregation to Improve AccessPoint Selection. In: *MobiWorld Workshop at INFOCOM'17, Atlanta, GA, USA, 1-4 May 2017.* **to be appeared**. 2017.

3. R. Purta, S. Mattingly, **Lixing Song**, O. Lizardo, D. Hachen, C. Poellabauer, and A. Striegel. Experiences measuring sleep and physical activity patterns across a large college cohort with fitbits. In: *Proceedings of the 2016 ACM International Symposium on Wearable Computers, ISWC 2016, Heidelberg, Germany, September 12-16, 2016.* 2016, pp.28–35. DOI: 10.1145/2971763.2971767. http://doi.acm.org/10.1145/2971763.2971767.

4. **Lixing Song**, S. Wu, and H. Wang. SIMPLEX: Symbol-Level Information Multiplex. *IEEE Internet of Things Journal* 3(5) (2016), 757–766.

5. X. Hu, **Lixing Song**, D. V. Bruggen, and A. Striegel. Is There WiFi Yet?: How Aggressive Probe Requests Deteriorate Energy and Throughput. In: *Proceedings of the 2015 ACM Internet Measurement Conference, IMC 2015, Tokyo, Japan, October 28-30, 2015.* 2015, pp.317–323. DOI: 10.1145/2815675.2815709. http://doi.acm.org/10.1145/2815675.2815709.

6. **L. Song** and S. Wu. AARC: Cross-layer wireless rate control driven by fine-grained channel assessment. In: *2015 IEEE International Conference on Communications, ICC 2015, London, United Kingdom, June 8-12, 2015.* 2015, pp.3311–3316. DOI: 10.1109/ICC.2015.7248835. http://dx.doi.org/10.1109/ICC.2015.7248835.

7. Y. Zhu, C. Tang, **L. Song**, S. Wu, and S. Biaz. Analytical and comparative investigation of 60 GHz wireless channels. *Telecommunication Systems* 60(1) (2015), 179–186.

8. Y. Zhu, **L. Song**, S. Wu, H. Wang, and C. Wang. Cooperative Stepwise Relaying and Combining for Multihop Vehicular Wireless Communication. *IEEE T. Vehicular Technology* 64(6) (2015), 2663–2671.

9. C. Tang, **L. Song**, J. Balasubramani, S. Wu, S. Biaz, Q. Yang, and H. Wang. Comparative Investigation on CSMA/CA-Based Opportunistic Random Access for Internet of Things. *IEEE Internet of Things Journal* 1(2) (2014), 171–179.

10. **L. Song** and S. Wu. Cross-layer wireless information security. In: *23rd International Conference on Computer Communication and Networks, ICCCN 2014, Shanghai, China, August 4-7, 2014.* 2014, pp.1–9. DOI: 10.1109/ICCCN.2014.6911744. http://dx.doi.org/10.1109/ICCCN.2014.6911744.

11. **L. Song**, S. Wu, H. Wang, and Q. Yang. Distributed MapReduce engine with fault tolerance. In: *IEEE International Conference on Communications, ICC 2014, Sydney, Australia, June 10-14, 2014.* 2014, pp.3626–3630. DOI: 10.1109/ICC.2014.6883884. http://dx.doi.org/10.1109/ICC.2014.6883884.

12. Y. Zhu, C. Tang, **L. Song**, Q. Yao, and S. Wu. Cooperative Binary Relaying and Combining for multi-hop wireless communication. In: *2012 IEEE Global Communications Conference, GLOBECOM 2012, Anaheim, CA, USA, December 3-7, 2012.* 2012, pp.4205–4210. DOI: 10.1109/GLOCOM.2012.6503777. http://dx.doi.org/10.1109/GLOCOM.2012.6503777.

Additional

1. **Lixing Song** and A. Striegel. "FMNC - rapid and accurate wifi characterization: demo". In: *Proceedings of the 22nd Annual International Conference on Mobile Computing and Networking, MobiCom 2016, New York City, NY, USA, October 3-7, 2016.* 2016, pp.499–500. DOI: 10.1145/2973750.2985619. http://doi.acm.org/10.1145/2973750.2985619.

In Preparation

1. **Lixing Song** and A. Striegel. *A Lightweight Cellular Bandwidth Characterization Scheme.* MobiCom'18. **To be submitted**. 2018.
2. **Lixing Song** and A. Striegel. *A Peek into the Secret Capabilities of WiFi Scans.* MobiSys'18. **To be submitted**. 2018.

INTELLECTUAL PROPERTIES

1. A. Striegel and **Lixing Song**. "Rapid End-to-End Path Characterization involving Wireless Network Hops". Patent US Patent Application 62/351,225 (US). June 2016.
2. **Lixing Song** and A. Striegel. "Novel Technique for Client-Side Passive Detection of WiFi Access Point Load". Copyright 2016 Notre Dame (US). 2016.
3. **Lixing Song** and A. Striegel. "Simplified Mechanism for Conveying Residual Capacity at a Wireless Access Point". Copyright 2016 Notre Dame (US). 2016.

PROFESSIONAL SERVICES

INFOCOM Student Volunteer   *04/2016 San Francisco, USA*

REVIEW EXPERIENCE

INFOCOM'2016(assigned)
EURASIP Journal on Wireless Communications and Networking
Journal of Network and Systems Management

TEACHING EXPERIENCE

Teaching Assistant for
`edX` course **Understanding Wireless: Technology, Economics, and Policy** with 7000+ participants
05/2015 - 08/2015

SELECTED HONORS

IEEE SECON Travel Grant, NSF, 2017
Excellent project at National Innovative Experiment Program For Undergraduates, WHU, 2011
Department 3rd Paper Winner of the Graduate Research Symposium, USM, 2011

COMPUTER SKILLS

Language: Python, C/C++/C#, Java/Android, Bash Script, Awk/Shell,
SQL, PHP, HTML, Matlab Simulink, GNUplot, R, Open MPI;
Library: libpcap, pandas, scikit learn;
Network Tools: GNU Radio, NS-3, Wireshark;
Testbed: Android Devices, USRP with GNU Radio, TelosB;
Environment: Unix/Linux&Windows;
Others: Django, Oauth, Apache, hcitool;