EVENT OVERVIEW

Select live event-time exposure or an as-if-today historical replay. Population uses 2023 Census.

Event Group

All

Event

Kaikōura, 2016

SOURCE AND BASIS

Event	Shaking Source	Exposure Basis
Kaikōura, 2016	official	As-if-today

Assessment

Exposure assessed

MMI Threshold

6

Magnitude

7.8

Maximum MMI

8.4

Buildings at MMI 6+


78,564

People at MMI 6+


83,276

H3 REPLAY CELLS / LIVE EPICENTRE / MMI INTENSITY

MMI Band MMI 4 MMI 5 MMI 6 MMI 7 MMI 8+



Buildings at MMI 6+ by Region



NZ HAZARD EXPOSURE MONITOR / stnzhem8495b7ca.z8.web.core.windows.net

Event Overview | Event Comparison | Regional Exposure | Event History | Data Health

Snapshot 6 Nov 2026 11:25 UTC

Open Website ↗

EVENT COMPARISON

Ten fixed earthquakes replayed against today's buildings and the 2023 population.

MMI Threshold

6

Historical Events

10

Largest Event Exposure

337,971


Event With Largest Exposure

Darfield, 2010


Damaging Events (Fixed MMI 6+)

7

Buildings at MMI 6+ by Event



People at MMI 6+ by Event



Event Comparison at MMI 6+ / Select a Row to Filter

Event	Magnitude	Max MMI	Exposed Buildings	Exposed Population
Darfield, 2010	7.2	8.4	337,971	534,594
Christchurch, Feb 2011	6.2	9.4	270,518	461,765
Christchurch, Jun 2011	6.0	8.8	236,306	406,499
Kaikōura, 2016	7.8	8.4	78,564	83,276
Eketāhuna, 2014	6.2	6.8	65,461	84,416
Lake Grassmere, 2013	6.5	8.0	26,492	31,464
Cook Strait, 2013	6.5	7.6	16,059	19,950
East Cape, 2016	7.1	5.2	0	0
Kermadec Islands, 2021	7.9	2.2	0	0
Taumarunui, Oct 2026	5.7	2.8	0	0

REGIONAL EXPOSURE

Cell-to-region attribution follows the majority building location; boundaries are approximate.

Event

Kaikōura, 2016

MMI Threshold

6

Buildings at MMI 6+

78,564

Share of National Stock

2.4%


Repeat Exposure Across 10 Replays

1,031,371

Strong Cells (Fixed MMI 6+)

491,689

REPEAT EXPOSURE ACROSS 10 REPLAYS / CENTROIDS



Region and district exposure at MMI 6+ / repeat exposure across 10 replays (fixed MMI 6+)

Region	Exposed Buildings	% Region Buildings Exposed	Accumulated Building Exposures
Marlborough Region	46,691	87.4%	79,965
Canterbury Region	18,496	4.6%	863,320
Wellington Region	12,031	6.0%	23,783
Tasman Region	1,344	2.6%	1,344
West Coast Region	2	0.0%	2
Manawatū-Whanganui Region	0	0.0%	62,957
Total	**78,564**	**9.0%**	**1,031,371**

EVENT HISTORY

Event time along the horizontal axis, magnitude vertically, bubble size by thresholded building exposure.

Region

- [ ] Auckland Region
- [ ] Bay of Plenty Region

Event Group


All

MMI Threshold

6

Events	Damaging Events (Fixed MMI 6+)	Largest Exposure Event	Largest Event Exposure
29	7	Darfield, 2010	337,971

Event Time × Magnitude / Bubble Area = Buildings at MMI 6+



Event Chronology / Buildings at MMI 6+


Event	Origin Time NZ	Magnitude	Exposed Buildings
Darfield, 2010	2010-09-04 04:35 NZST	7.2	337,971
Christchurch, Feb 2011	2011-02-22 12:51 NZDT	6.2	270,518
Christchurch, Jun 2011	2011-06-13 14:20 NZST	6.0	236,306
Cook Strait, 2013	2013-07-21 17:09 NZST	6.5	16,059
Lake Grassmere, 2013	2013-08-16 14:31 NZST	6.5	26,492
Eketāhuna, 2014	2014-01-20 15:52 NZDT	6.2	65,461
East Cape, 2016	2016-09-02 04:37 NZST	7.1	0
Kaikōura, 2016	2016-11-14 00:02 NZDT	7.8	78,564
Kermadec Islands, 2021	2021-03-05 08:28 NZDT	7.9	0
10 km south of Taumarunui	2026-10-09 02:53 NZDT	4.1	0
40 km north-west of Te Araroa	2026-10-11 13:40 NZDT	4.3	0
215 km north of Te Araroa	2026-10-14 09:35 NZDT	4.6	0
Taumarunui, Oct 2026	2026-10-15 18:25 NZDT	5.7	0
65 km north of Te Kaha	2026-10-18 00:32 NZDT	4.2	0
1205 km north-east of Cape Reinga	2026-10-21 12:24 NZDT	5.0	0

DATA HEALTH


Azure gold and runtime, read-only at refresh time; not a live dashboard.

Last Successful Run / UTC	Hours Since Run / At Snapshot	Failed Runs	Poison Messages / Incl. Drills	Station-Weighted Mae
6 Nov 2026 11:00	0	0	27	1.049

RECENT EVENT STATUS



RECENT SHAKING SOURCE



MODEL VALIDATION BY EVENT

Event	Validation Stations	Estimated MMI MAE
Kermadec Islands, 2021	1	2.821
Taumarunui, Oct 2026	181	2.309
Kaikōura, 2016	323	1.373
Darfield, 2010	425	1.160
East Cape, 2016	151	1.136
Christchurch, Feb 2011	201	0.861
Cook Strait, 2013	360	0.852
Christchurch, Jun 2011	193	0.849
Lake Grassmere, 2013	289	0.787
Eketāhuna, 2014	423	0.641

READ-ONLY AZURE SNAPSHOT. Housekeeping failures and poison-queue depth are captured at refresh time. Recent event status and shaking source come from the published index. The station-weighted MAE is indicative, not an actuarial loss estimate. Historical replays use current building outlines and 2023 population. Water cells and the Chatham Islands are outside the mapped exposure model.