SENSOR_SC438HAI
VER 1.0

P00.Cover
P01.Revision History
P02.Sensor
P03.Power
P04.Cononector
P05.IR-CUT


Revision History

Version	Date	Author	Description
V1.0	2025-05-28	Wu Bisheng	Create Project


AXERA


Page Name
Revision History


Size	Project Name - Rev	Designer: wubisheng@axera-tech.com
A4	SENSOR_SC438HAI	Checker: <Checker>
Date: Wednesday, May 28, 2025		Sheet 2 of 6




DIFF:100Ω











I2C ADDRESS(7-BIT)
0x30 : LOW
0x32 : HIGH





AXERA

Page Name: **Sensor**

Size	Project Name - Rev	Designer: wubisheng@axera-tech.com
A3	SENSOR_SC438HAI	Checker: <Checker>
Date: Thursday, May 29, 2025		Sheet 3 of 6









AXERA


Page Name
Power

Size	Project Name - Rev	Designer: wubisheng@axera-tech.com
A4	SENSOR_SC438HAI	Checker: <Checker>
Date: Wednesday, May 28, 2025		Sheet 4 of 6





TP is placed on the other side of the CMOS chip





IR-CUT Location Hole







AXERA

Page Name: Connector


Size	Project Name - Rev	Designer: wubisheng@axera-tech.com
A3	SENSOR_SC438HAI	Checker: <Checker>
Date: Wednesday, May 28, 2025		Sheet 5 of 6




CS=1,I2C mode
CS=0:SPI mode





I2C mode
SDO/SA0=1: address = 1101011b
SDO/SA0=0: address = 1101010b





A0=0/A1=0/A2=0
Address:1001000





限流电阻，根据实际的IRCUT模组来调整

AXERA

Page Name: IR CUT_IMU_TEMP

Size	Project Name - Rev	Designer: wubisheng@axera-tech.com
A3	SENSOR_SC438HAI	Checker: <Checker>
Date: Wednesday, May 28, 2025		Sheet 6 of 6