

Copyright (c) 2024, Oracle. All rights reserved. Oracle Confidential.

Duplicate for Standby fails with RMAN-05535 even when LOG_FILE_NAME_CONVERT is set (Doc ID 2756315.1)

In this Document

[Symptoms](#)

[Cause](#)

[Solution](#)

[References](#)

APPLIES TO:

Oracle Database - Enterprise Edition - Version 19.3.0.0.0 and later
Information in this document applies to any platform.

SYMPTOMS

RMAN duplicate for standby fails with RMAN-05535 although the LOG_FILE_NAME_CONVERT parameter is defined:

```
RMAN> run{
2> duplicate target database for standby nofilenamecheck from active database
3>
4> spfile
5>
6> set log_file_name_convert='<PATH1>/<ORACLE_SID>/redo1/', '<PATH1>/<ORACLE_SID>/redo1/', '<PATH1>/<ORACLE_SID>/redo2/', '<PATH1>/
<ORACLE_SID>/redo2/'
7>
8> set db_unique_name='<ORACLE_SID>s'
9> set fal_server='<ORACLE_SID>'
10> set log_archive_dest_1='LOCATION=<PATH1>/<ORACLE_SID>/arc/ reopen=30 VALID_FOR=(ALL_LOGFILES,ALL_ROLES) DB_UNIQUE_NAME=<ORACLE_SID>s'
11> set log_archive_dest_2='SERVICE=<ORACLE_SID>S ASYNC NOAFFIRM VALID_FOR=(ONLINE_LOGFILES,PRIMARY_ROLE) DB_UNIQUE_NAME=<ORACLE_SID>'
12> set log_archive_dest_state_1='ENABLE'
13> set log_archive_dest_state_2='DEFER'
14> set standby_file_management='MANUAL';
15> }
16>

.....
```

Recovery Manager is complete.

```
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo01.log' to 'broken0'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo01.log' to 'broken0'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo21.log' to 'broken1'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo21.log' to 'broken1'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo02.log' to 'broken2'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo02.log' to 'broken2'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo22.log' to 'broken3'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo22.log' to 'broken3'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo03.log' to 'broken4'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo03.log' to 'broken4'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo23.log' to 'broken5'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo23.log' to 'broken5'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo04.log' to 'broken6'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo04.log' to 'broken6'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo24.log' to 'broken7'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo24.log' to 'broken7'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo05.log' to 'broken8'
```

```
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo05.log' to 'broken8'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo25.log' to 'broken9'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo25.log' to 'broken9'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo06.log' to 'broken10'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo06.log' to 'broken10'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo26.log' to 'broken11'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo26.log' to 'broken11'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo41.log' to 'broken12'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo41.log' to 'broken12'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo61.log' to 'broken13'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo61.log' to 'broken13'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo42.log' to 'broken14'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo42.log' to 'broken14'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo62.log' to 'broken15'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo62.log' to 'broken15'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo43.log' to 'broken16'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo43.log' to 'broken16'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo63.log' to 'broken17'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo63.log' to 'broken17'
2021-02-15T08:36:00.199587+09:00
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo44.log' to 'broken18'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo44.log' to 'broken18'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo64.log' to 'broken19'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo64.log' to 'broken19'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo45.log' to 'broken20'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo45.log' to 'broken20'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo65.log' to 'broken21'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo65.log' to 'broken21'
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo46.log' to 'broken22'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo46.log' to 'broken22'
alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo66.log' to 'broken23'
Completed: alter database rename file '<PATH1>/<ORACLE_SID>/redo2/redo66.log' to 'broken23'
```

CAUSE

This issue is similar to Bug 30776075: RMAN DUPLICATE WITH SRLS ERROR RMAN-05535: WARNING: ALL REDO LOG FILES WERE NOT DEFINED PROPERLY.

This bug is awaiting the fix of the base Bug 23127716: SRL IS NOT CONVERTED BY LOG_FILE_NAME_CONVERT ON CASCADED STANDBY which at this time is currently open and under investigation.

SOLUTION

The workaround for this issue is to rename the redo log files manually.

1. Issue the 'alter database' command to rename the redo log files reported in the alert.log of the standby/auxiliary:

For example, if the alert log shows the following:

```
alter database rename file '<PATH1>/<ORACLE_SID>/redo1/redo01.log' to 'broken0'
```

execute the rename like the following:

```
alter database rename file '<ORACLE_HOME>/dbs/broken0' to '<PATH1>/<ORACLE_SID>/redo1/redo01.log';
```

2. Confirm the redo log filename have changed using the following query:

```
select v1.thread#, v1.group#, v2.member from v$log v1, v$logfile v2 where v1.group#=v2.group#  
order by v1.group#;
```

Repeat step #1 above for any redo logfile listed in the above query which has not been renamed.

3. The above steps does not create the redo log file, it just updates the controlfile with a valid location and name. Once all the redo log files have been renamed, you must execute the following to physically create them:

```
alter database clear logfile group <REDO LOG group number>;
```

The REDO LOG group value is the same as that returned by group# column in v\$logfile view.

4. Once complete, the standby database can begin redo apply.

REFERENCES

[BUG:23127716](#) - SRL IS NOT CONVERTED BY LOG_FILE_NAME_CONVERT ON CASCADED STANDBY

Didn't find what you are looking for?