



Fall Histogram of Numbers per Tow



Fall Histogram of Numbers per Tow



Fall Length Frequency by stratum

Stratum




Figure : Annual Kg/tow is in bottom right of each facet panel. Strata with <0.5% of total numbers in a given year are indicated by * in each facet panel.

Fall Length Frequency by stratum




Figure : Annual Kg/tow is in bottom right of each facet panel. Strata with <0.5% of total numbers in a given year are indicated by * in each facet panel.

Fall Length Frequency by Depth Bin

Depth




Figure : In broad terms, smaller fish tend to be found at shallower depths, while larger fish (when present) tend to be in deeper waters.

Fall Length Frequency by Temperature Bin (Celcius)






Figure : In broad terms, smaller fish tend to be found at shallower depths, while larger fish (when present) tend to be in deeper waters.

Spring Histogram of Numbers per Tow




Spring Histogram of Numbers per Tow



Spring Length Frequency by stratum

Stratum



Strata


1290
1250
1240
1230
1220
1210
1200
1190
1180
1170
1160
1150
1140
1130

Length

Figure : Annual Kg/tow is in bottom right of each facet panel. Strata with <0.5% of total numbers in a given year are indicated by * in each facet panel.

Spring Length Frequency by stratum

Stratum



Strata






Figure : Annual Kg/tow is in bottom right of each facet panel. Strata with <0.5% of total numbers in a given year are indicated by * in each facet panel.

Spring Length Frequency by Depth Bin



Length

Figure : In broad terms, smaller fish tend to be found at shallower depths, while larger fish (when present) tend to be in deeper waters.

Spring Length Frequency by Temperature Bin (Celcius)












Figure : In broad terms, smaller fish tend to be found in warmer waters, while larger fish (when present) tend to be in cooler waters.

Spring vs Fall Length Frequency

Season



Season

Spring

Fall

Length

Spring vs Fall Length Frequency

Season

Spring

Season

Spring
Fall

Fall

0

30

60

90

Length

