

Programming with Python: Glossary

Key Points

Python Fundamentals

- Basic data types in Python include integers, strings, and floating-point numbers.
- Use `variable = value` to assign a value to a variable in order to record it in memory.
- Variables are created on demand whenever a value is assigned to them.
- Use `print(something)` to display the value of something.
- Built-in functions are always available to use.

Analyzing Patient Data

- Import a library into a program using `import libraryname`.
- Use the `numpy` library to work with arrays in Python.
- The expression `array.shape` gives the shape of an array.
- Use `array[x, y]` to select a single element from a 2D array.
- Array indices start at 0, not 1.
- Use `low:high` to specify a slice that includes the indices from low to high-1.
- Use `#` some kind of explanation to add comments to programs.
- Use `numpy.mean(array)`, `numpy.max(array)`, and `numpy.min(array)` to calculate simple statistics.
- Use `numpy.mean(array, axis=0)` or `numpy.mean(array, axis=1)` to calculate statistics across the specified axis.

Visualizing Tabular Data

- Use the `pyplot` module from the `matplotlib` library for creating simple visualizations.

Storing Multiple Values in Lists

- `[value1, value2, value3, ...]` creates a list.
- Lists can contain any Python object, including lists (i.e., list of lists).
- Lists are indexed and sliced with square brackets (e.g., `list[0]` and `list[2:9]`), in the same way as strings and arrays.
- Lists are mutable (i.e., their values can be changed in place).
- Strings are immutable (i.e., the characters in them cannot be changed).

Repeating Actions with Loops

- Use `for` variable in sequence to process the elements of a sequence one at a time.
- The body of a `for` loop must be indented.
- Use `len(thing)` to determine the length of something that contains other values.

Analyzing Data from Multiple Files

- Use `glob.glob(pattern)` to create a list of files whose names match a pattern.
- Use `*` in a pattern to match zero or more characters, and `?` to match any single character.

Making Choices

- Use `if` condition to start a conditional statement, `elif` condition to provide additional tests, and `else` to provide a default.
- The bodies of the branches of conditional statements must be indented.
- Use `==` to test for equality.
- `X and Y` is only true if both `X` and `Y` are true.
- `X or Y` is true if either `X` or `Y`, or both, are true.
- Zero, the empty string, and the empty list are considered false; all other numbers, strings, and lists are considered true.
- `True` and `False` represent truth values.

Creating Functions

- Define a function using `def function_name(parameter)`.
- The body of a function must be indented.
- Call a function using `function_name(value)`.
- Numbers are stored as integers or floating-point numbers.
- Variables defined within a function can only be seen and used within the body of the function.
- Variables created outside of any function are called global variables.
- Within a function, we can access global variables.
- Variables created within a function override global variables if their names match.
- Use `help(thing)` to view help for something.
- Put docstrings in functions to provide help for that function.
- Specify default values for parameters when defining a function using `name=value` in the parameter list.
- Parameters can be passed by matching based on name, by position, or by omitting them (in which case the default value is used).
- Put code whose parameters change frequently in a function, then call it with different parameter values to customize its behavior.

Errors and Exceptions

- Tracebacks can look intimidating, but they give us a lot of useful information about what went wrong in our program, including where the error occurred and what type of error it was.

- An error having to do with the ‘grammar’ or syntax of the program is called a `SyntaxError`. If the issue has to do with how the code is indented, then it will be called an `IndentationError`.
- A `NameError` will occur when trying to use a variable that does not exist. Possible causes are that a variable definition is missing, a variable reference differs from its definition in spelling or capitalization, or the code contains a string that is missing quotes around it.
- Containers like lists and strings will generate errors if you try to access items in them that do not exist. This type of error is called an `IndexError`.
- Trying to read a file that does not exist will give you an `FileNotFoundError`. Trying to read a file that is open for writing, or writing to a file that is open for reading, will give you an `IOError`.

Defensive Programming

- Program defensively, i.e., assume that errors are going to arise, and write code to detect them when they do.
- Put assertions in programs to check their state as they run, and to help readers understand how those programs are supposed to work.
- Use preconditions to check that the inputs to a function are safe to use.
- Use postconditions to check that the output from a function is safe to use.
- Write tests before writing code in order to help determine exactly what that code is supposed to do.

Debugging

- Know what code is supposed to do before trying to debug it.
- Make it fail every time.
- Make it fail fast.
- Change one thing at a time, and for a reason.
- Keep track of what you’ve done.
- Be humble.

Command-Line Programs

- The `sys` library connects a Python program to the system it is running on.
- The list `sys.argv` contains the command-line arguments that a program was run with.
- Avoid silent failures.
- The pseudo-file `sys.stdin` connects to a program’s standard input.

Glossary

additive color model

A way to represent colors as the sum of contributions from primary colors such as red, green, and blue.

argument

A value given to a function or program when it runs. The term is often used interchangeably (and inconsistently) with parameter.

assertion

An expression which is supposed to be true at a particular point in a program. Programmers typically put assertions in their code to check for errors; if the assertion fails (i.e., if the expression evaluates as false), the program halts and produces an error message. See also: invariant, precondition, postcondition.

assign

To give a value a name by associating a variable with it.

body

(of a function): the statements that are executed when a function runs.

call stack

A data structure inside a running program that keeps track of active function calls.

case-insensitive

Treating text as if upper and lower case characters of the same letter were the same. See also: case-sensitive.

case-sensitive

Treating text as if upper and lower case characters of the same letter are different. See also: case-insensitive.

comment

A remark in a program that is intended to help human readers understand what is going on, but is ignored by the computer. Comments in Python, R, and the Unix shell start with a # character and run to the end of the line; comments in SQL start with --, and other languages have other conventions.

compose

To apply one function to the result of another, such as $f(g(x))$.

conditional statement

A statement in a program that might or might not be executed depending on whether a test is true or false.

comma-separated values

(CSV) A common textual representation for tables in which the values in each row are separated by commas.

default value

A value to use for a parameter if nothing is specified explicitly.

defensive programming

The practice of writing programs that check their own operation to catch errors as early as possible.

delimiter

A character or characters used to separate individual values, such as the commas between columns in a CSV file.

docstring

Short for “documentation string”, this refers to textual documentation embedded in Python programs. Unlike comments, docstrings are preserved in the running program and can be examined in interactive sessions.

documentation

Human-language text written to explain what software does, how it works, or how to use it.

dotted notation

A two-part notation used in many programming languages in which `thing.component` refers to the component belonging to `thing`.

empty string

A character string containing no characters, often thought of as the “zero” of text.

encapsulation

The practice of hiding something’s implementation details so that the rest of a program can worry about what it does rather than how it does it.

floating-point number

A number containing a fractional part and an exponent. See also: integer.

for loop

A loop that is executed once for each value in some kind of set, list, or range. See also: while loop.

function

A named group of instructions that is executed when the function's name is used in the code. Occurrence of a function name in the code is a function call. Functions may process input arguments and return the result back. Functions may also be used for logically grouping together pieces of code. In such cases, they don't need to return any meaningful value and can be written without the return statement completely. Such functions return a special value None, which is a way of saying "nothing" in Python.

function call

A use of a function in another piece of software.

global variable

A variable defined outside of a function. It can be used in global statements, and read inside functions.

heat map

A graphical representation of two-dimensional data in which colors, ranging on a scale of hue or intensity, represent the data values.

immutable

Unchangeable. The value of immutable data cannot be altered after it has been created. See also: mutable.

import

To load a library into a program.

in-place operators

An operator such as += that provides a shorthand notation for the common case in which the variable being assigned to is also an operand on the right hand side of the assignment. For example, the statement `x += 3` means the same thing as `x = x + 3`.

index

A subscript that specifies the location of a single value in a collection, such as a single pixel in an image.

inner loop

A loop that is inside another loop. See also: outer loop.

integer

A whole number, such as -12343. See also: floating-point number.

invariant

An expression whose value doesn't change during the execution of a program, typically used in an assertion. See also: precondition, postcondition.

library

A family of code units (functions, classes, variables) that implement a set of related tasks.

local variable

A variable defined inside of a function, that exists only in the scope of that function, meaning it cannot be accessed by code outside of the function.

loop variable

The variable that keeps track of the progress of the loop.

member

A variable contained within an object.

method

A function which is tied to a particular object. Each of an object's methods typically implements one of the things it can do, or one of the questions it can answer.

mutable

Changeable. The value of mutable data can be altered after it has been created. See immutable."

notebook

Interactive computational environment accessed via your web browser, in which you can write and execute Python code and combine it with explanatory text, mathematics and visualizations. Examples are IPython or Jupyter notebooks.

object

A collection of conceptually related variables (members) and functions using those variables (methods).

outer loop

A loop that contains another loop. See also: inner loop.

parameter

A variable named in the function's declaration that is used to hold a value passed into the call. The term is often used interchangeably (and inconsistently) with argument.

pipe

A connection from the output of one program to the input of another. When two or more programs are connected in this way, they are called a "pipeline".

postcondition

A condition that a function (or other block of code) guarantees is true once it has finished running. Postconditions are often represented using assertions.

precondition

A condition that must be true in order for a function (or other block of code) to run correctly.

regression

To re-introduce a bug that was once fixed.

return statement

A statement that causes a function to stop executing and return a value to its caller immediately.

RGB

An additive model that represents colors as combinations of red, green, and blue. Each color's value is typically in the range 0..255 (i.e., a one-byte integer).

sequence

A collection of information that is presented in a specific order. For example, in Python, a string is a sequence of characters, while a list is a sequence of any variable.

shape

An array's dimensions, represented as a vector. For example, a 5×3 array's shape is (5,3).

silent failure

Failing without producing any warning messages. Silent failures are hard to detect and debug.

slice

A regular subsequence of a larger sequence, such as the first five elements or every second element.

stack frame

A data structure that provides storage for a function's local variables. Each time a function is called, a new stack frame is created and put on the top of the call stack. When the function returns, the stack frame is discarded.

standard input

A process's default input stream. In interactive command-line applications, it is typically connected to the keyboard; in a pipe, it receives data from the standard output of the preceding process.

standard output

A process's default output stream. In interactive command-line applications, data sent to standard output is displayed on the screen; in a pipe, it is passed to the standard input of the next process.

string

Short for "character string", a sequence of zero or more characters.

syntax

The rules that define how code must be written for a computer to understand.

syntax error

A programming error that occurs when statements are in an order or contain characters not expected by the programming language.

tab completion

A feature of command-line interpreters, in which the program automatically fills in partially typed commands upon pressing the Tab key.

test oracle

A program, device, data set, or human being against which the results of a test can be compared.

test-driven development

The practice of writing unit tests before writing the code they test.

traceback

The sequence of function calls that led to an error.

tuple

An immutable sequence of values.

type

The classification of something in a program (for example, the contents of a variable) as a kind of number (e.g. floating-point, integer), string, or something else.

type of error

Indicates the nature of an error in a program. For example, in Python, an IOError to problems with file input/output. See also: syntax error.

variable

A value that has a name associated with it.

while loop

A loop that keeps executing as long as some condition is true. See also: for loop.