Appendix

Model selection and fit

Table 1: Model comparison results

	Model 1		Model 2		Model 3		Model 4		Model 5	
Term	Mean	SE	Mean	SE	Mean	SE	Mean	SE	Mean	SE
Barrier: Organic availability					0.236	0.037	0.17	0.037	0.170	0.037
Barrier: Buyer requirements					0.092	0.034	0.119	0.033	0.116	0.033
Barrier: Undesirable traits					0.104	0.037	0.109	0.036	0.106	0.036
Barrier: Insufficient quantity					0.025	0.035	0.001	0.034	0.000	0.034
Year: 2015 (vs. 2010)	-0.371	0.073					-0.22	0.075	-0.207	0.075
Year: 2020 (vs. 2010)	-0.413	0.086					-0.352	0.09	-0.363	0.092
Values organic seed			-0.274	0.033	-0.203	0.033	-0.191	0.033	-0.189	0.033
Farm size (log acres)			0.016	0.015	0.01	0.015	0.093	0.021	0.096	0.021
Crop diversity			-0.054	0.053	-0.092	0.052	-0.124	0.054	-0.121	0.054
Seed saved or traded (%)									-0.095	0.031
Certifiers request organic seed use									0.028	0.032
Forage crops (vs. Field)	0.819	0.093					0.953	0.092	0.919	0.093
Vegetable crops (vs. Field)	0.186	0.076					0.524	0.102	0.487	0.103
Western region (vs. North Central)	0.439	0.085					0.321	0.084	0.363	0.085
Northeastern region (vs. North Central)	0.325	0.094					0.285	0.093	0.285	0.093
Southern region (vs. North Central)	0.253	0.115					0.151	0.113	0.161	0.113
(Intercept)	-0.595	0.068	-0.442	0.087	-0.364	0.088	-0.959	0.145	-0.970	0.144

Table 2: Goodness of fit across models

Model	AIC	BIC	Log likelihood
Model 1	-4309	-4260	2163
Model 2	-4244	-4216	2127
Model 3	-4352	-4303	2185
Model 4	-4490	-4402	2261
Model 5	-4495	-4397	2266

Full model results

Table 3: Full model results

Term	Mean estimate	Standard error
Barrier: Organic availability	0.170	0.037
Barrier: Buyer requirements	0.116	0.033
Barrier: Undesirable traits	0.106	0.036
Barrier: Insufficient quantity	0.000	0.034
Year: 2015 (vs. 2010)	-0.207	0.075
Year: 2020 (vs. 2010)	-0.363	0.092
Values organic seed	-0.189	0.033
Farm size (log acres)	0.096	0.021
Crop diversity	-0.121	0.054
Seed saved or traded (%)	-0.095	0.031
Certifiers request organic seed use	0.028	0.032
Forage crops (vs. Field)	0.919	0.093
Vegetable crops (vs. Field)	0.487	0.103
Western region (vs. North Central)	0.363	0.085
Northeastern region (vs. North Central)	0.285	0.093
Southern region (vs. North Central)	0.161	0.113
(Intercept)	-0.970	0.144

Predicted conventional seed use




Figure 1: Predicted conventional seed use for field crop growers of two farmer profiles.




Figure 2: Predicted conventional seed use for forage crop growers of two farmer profiles.