

Weekly Check-In Log — Liz

Weight + Macros + Training + Recovery

How to Use

Fill this out every Monday morning before eating, after using the bathroom, in similar clothing (or none). Weight is most consistent this way. Bring this data to your weekly check-in conversation with the coach.

One rule: Do not compare this week's weight to last week in isolation. Look at the 4-week trend. Luteal phase can add 2–5 lbs of water. It means nothing.

Current Weekly Schedule

Day	Session	Note
Monday	Lower A	Fresh legs — 2 days before race
Tuesday	Upper A	Legs stay fresh for Wednesday
Wednesday	Race / Run	Weekly trail series
Thursday	Rest	Full recovery
Friday	Upper B	Upper only
Saturday	Trail Run	Aerobic base + race specificity
Sunday	Rest	Full rest

Week 1

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 2

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 3

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 4 — Deload

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 5

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 6

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 7

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 8 — Pre-Cirque Alta

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 9

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 10

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 11

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 12 — Cirque Alta Week

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 13 — Recovery

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 14

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 15

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 16

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____g

Fat: _____g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

Week 17 — Cirque Snowbird Week

Date: _____

Cycle Day: _____

Weight: _____ lbs

Nutrition (avg daily estimates):

Protein: _____ g

Carbs: _____ g

Fat: _____ g

Did you eat before every morning workout?: Y / N / Most days

Training Completed:

Monday — Lower A ■

Tuesday — Upper A ■

Wednesday — Race / Run ■

Thursday — Rest ■

Friday — Upper B ■

Saturday — Trail Run ■

Sunday — Rest ■

Missed sessions & why: _____

Recovery & Wellbeing:

Sleep quality avg (1–10): _____

Energy on training days (1–10): _____

Soreness level (1–10): _____

Stress level (1–10): _____

Breastfeeding:

Milk supply feel: Normal / Slightly lower / Lower / Higher

Any supply changes after specific days/workouts?:

Week notes / wins / struggles:

4-Week Reflection Template

Week 1 weight: _____ lbs

Week 2 weight: _____ lbs

Week 3 weight: _____ lbs

Week 4 weight: _____ lbs

4-week average: _____ lbs

Monthly Reflection:

Biggest win this month:

Biggest challenge:

What felt best in training:

What felt hardest:

Anything to adjust for next phase:

Body composition (optional — measurements more useful than weight):

Waist: _____ in

Hips: _____ in

Upper arm: _____ in

Thigh: _____ in

17-Week Weight Trend Summary

Week	Date	Weight	Cycle Day	Phase	Notes
1				Foundation	
2				Foundation	
3				Foundation	
4				Foundation — Deload	
5				Build	
6				Build	
7				Build	
8				Build	
9				Build	
10				Peak	
11				Taper	
12				Cirque Alta	
13				Recovery	

14				Rebuild	
15				Rebuild	
16				Peak	
17				Cirque Snowbird	

Interpreting Your Data

Weight fluctuations to expect:

- Luteal phase: +2–5 lbs (water — not fat, will resolve with period)
- Heavy sodium meal: +1–2 lbs next morning (resolves in 24 hrs)
- Starting a new training block: +1–3 lbs (muscle glycogen + water — good sign)
- Dehydration: artificially low weigh-in
- Period: often drops 2–4 lbs in days 1–3

What to look for:

- Downward trend over 4 weeks = progress (even if individual weeks fluctuate)
- Flat trend for 3+ weeks = something to adjust (usually nutrition or sleep)
- Upward trend without explanation = investigate (could be good — muscle gain)

Red flags — flag immediately:

- Weight drop >3 lbs in one week (usually undereating / dehydration)
- Milk supply drop paired with fatigue
- Persistent elevated soreness (>7/10 for 3+ days)