# McMASTER-CARR®

Purchase			
Order Ships in the morning  1 T-Slotted Framing  Double Six Slot Rail, Silver, 3" High x 1.5" Wide, Hollow, 3' Long  47065T108	2 Each	\$35.24 Each	\$70.48
Length, ft.  3			
Ships in the morning Linear Motion Shaft 1566 Carbon Steel, 1" Diameter, 36" Long 6061K65	2 Each	48.78 Each	97.56
Ships in the morning 3 Rotary Shaft 1566 Carbon Steel, 3/4" Diameter, 36" Long 1346K33	1 Each	34.48 Each	34.48
Delivers by next week Need this sooner?  4 T-Slotted Framing Single 4-Slot Rail, Silver, 1.5" High x 1.5" Wide, Solid,, 30 ft. length 47065T802	4 Each	30.00 Each	120.00
Length, in.  30			
Ships in the morning  5 Linear Motion Shaft 1566 Carbon Steel, 3/4" Diameter, 36" Long 6061K64	2 Each	36.16 Each	72.32
Ships in the morning  Vibrate-Damping Precision Flexible Shaft Coupling Clamping Hub, 2-7/64" Long, 1-5/8" OD, for 14mm Diameter 9845T4  For Shaft Dia.	1 Each	46.00 Each	46.00
14111111			

https://www.mcmaster.com/orders

#### 4/8/2020 Current Order | McMaster-Carr Ships in the morning Durometer 92A Spider for 1-5/8" OD Clamping Vibrate-21.32 21.32 1 **Damping Precision Flexible Shaft Coupling** Each Each 9845T22 Ships in the morning Vibrate-Damping Precision Flexible Shaft Coupling 46.00 46.00 1 Each Clamping Hub, 2-7/64" Overall Length, 1-5/8" OD, for 5/8" Each 9845T4 For Shaft Dia. 5/8" Ships in the morning **Rotary Shaft** 30.63 30.63 Each 1566 Carbon Steel, 5/8" Diameter, 36" Long Each 1346K26 Ships in the morning 10 High-Strength HTD Timing Belt Pulley 49.64 297.84 6 Each for 20mm Maximum Belt Width, Bushing Mount, 74.93mm Each OD 6497K113 Ships in the morning 11 Quick-Disconnect Bushing 14.02 56.08 4 Each JA Style, for 5/8" Shaft Diameter Each 6086K112 Ships in the morning 12 Vibrate-Damping Precision Flexible Shaft Coupling 25.24 25.24 1 Each Each Clamping Hub, 1-13/32" Overall Length, 1" OD, for 1/4" Diameter 9845T2 For Shaft Dia. 1/4" Ships in the morning 13 Vibrate-Damping Precision Flexible Shaft Coupling 25.24 25.24 1 Each Clamping Hub, 1-13/32" Overall Length, 1" OD, for 1/2" Each Diameter 9845T2

https://www.mcmaster.com/orders

1/2"

For Shaft Dia.

Ships in the morning  14 Durometer 92A Spider for 1" OD Clamping Vibrate- Damping Precision Flexible Shaft Coupling  9845T15	1 Each	10.92 Each	10.92
Ships in the morning  15 Clamping Shaft Collar for 5/8" Diameter, Zinc-Plated 1215 Carbon Steel 9961K19	4 Each	5.47 Each	21.88
Ships in the morning  16 T-Slotted Framing  Drop-in Nut with Stud 5/16"-18 Thread Size  47065T234	20 Each	1.71 Each	34.20
Ships in the morning 17 Black-Oxide Alloy Steel Socket Head Screw 5/16"-24 Thread Size, 1-1/4" Long 91251A385	1 Pack of 25 each	7.01 Pack	7.01
Ships in the morning 18 Ball Bearing Sealed, Trade Number R10-2RS, for 5/8" Shaft Diameter 60355K705	4 Each	9.40 Each	37.60
Ships in the morning  19 Multipurpose 6061 Aluminum  2" x 2", 6 Feet Long  9008K53  Length, ft.	1 Each	128.76 Each	128.76
Ships in the morning  20 High-Speed Linear Sleeve Bearing for 1" Shaft Diameter 6673K35	4 Each	15.86 Each	63.44
Ships in the morning 21 High-Speed Linear Sleeve Bearing for 3/4" Shaft Diameter 6673K15	2 Each	13.80 Each	27.60

https://www.mcmaster.com/orders

# Ships in the morning Lay-in Snap-Together Open Cable/Hose Carrier for 0.3" Maximum Cable OD/1.6" Total Cable Width, 3

for 0.3" Maximum Cable OD/1.6" Total Cable Width, 3 Feet Long

4409T27 Length, ft.

**√** 3

4/8/2020

Ships in the morning

9968K26

Ships in the morning

5773A14

Ships in the morning

9804K5

24 Linear Bearing Housing

22 External Retaining Ring

for 3/4" Shaft Diameter

23 Flat-Tip Retaining Ring Plier

for Rings That Fit 11/16"-7/8" OD

for One Bearing, for 1-1/4" Bearing OD

## Ships in the morning

26 Push-to-Connect Tube Fitting for Air
Straight Adapter, for 1/4" Tube OD x 1/4 NPT Male
5779K109

6 3.16 18.96
Each
5779K109

#### Ships in the morning

27 Push-to-Connect Tube Fitting for Air
Inline Tee Adapter, for 1/4" Tube OD x 1/4" Stem OD
Each
5779K693

#### Ships in the morning

2 10.30 20.60
Single 4-Slot Rail, Silver, 1.5" High, 1.5" Wide, Solid, 1' Each
Long
47065T103

Length, ft.

**✓** 

https://www.mcmaster.com/orders

4/9

#### Ships in the morning

29 T-Slotted Framing

Single 4-Slot Rail, Silver, 1.5" High, 1.5" Wide, Solid, 3'

1 23.71 Each Each

108.54

Each

23.71

217.08

47065T103

Long

Length, ft.



#### Ships in the morning

30 Lay-in Snap-Together Open Cable/Hose Carrier

for 0.9" Maximum OD/1.2" Wide Cable, 2.2" Bend Radius, 6' Long

4409T51

Length, ft.

**~** 6

# Ships in the morning

31 Low-Strength Steel Nylon-Insert Locknut

Zinc-Plated, 1/4"-20 Thread Size 90640A129

1 Pack of 100

Each

## Ships in the morning

91263A560

32 Zinc-Plated Alloy Steel Hex Drive Flat Head Screw

1/4"-20 Thread Size, 7/8" Long

odd 0.20, 770 - 2011g

1 Pack of

3

Each

25 each

each

3.61 Pack

58.28

Each

56.83

Each

4.27

Pack

3.61

174.84

4.27

#### Ships in the morning

33 Oversized Multipurpose 6061 Aluminum Sheet

1/2" Thick, 4" x 24"

89155K13

Sheet Size, in.

✓ 4" × 24"

#### Ships in the morning

34 Oversized Multipurpose 6061 Aluminum Sheet

5/8" Thick, 6" x 12"

3 Each 170.49

89155K14

Sheet Size, in.

✓ 6" × 12"

4/8/2020	Current Order   McMaster-Carr	
Ships in the morning 35 Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 1-3/4" Long, Partially Threader 91251A352		.47 6.47 ack
Ships in the morning 36 18-8 Stainless Steel Nylon-Insert Locknut 10-32 Thread Size 91831A411	_	.70 11.40 ack
Ships in the morning 37 18-8 Stainless Steel Thin Nylon-Insert Locknut	2 4	.14 8.28
10-32 Thread Size 90101A225	_	ack
Ships in the morning 38 Black-Oxide Alloy Steel Socket Head Screw	D	.31 10.31 ack
M3 x 0.5 mm Thread, 35 mm Long 91290A135	Pack of Pack of 50 each	· Oit
Ships in the morning 39 Black-Oxide Alloy Steel Socket Head Screw	· · · · · · · · · · · · · · · · · · ·	.20 11.20
5-40 Thread Size, 3/4" Long 91251A131	Pack of Pa 100 each	ack
Ships in the morning 40 Firm Polyurethane Tubing for Air and Water	1 12	.75 12.75
5/32" ID, 1/4" OD, Opaque White, 25 ft. length 5648K25		ach
Color		
White Length, ft.		
25		
Ships in the morning 41 Firm Polyurethane Tubing for Air and Water		.40 10.40
1/4" ID, 3/8" OD, Opaque White, 10 ft. length 5648K26	Each <sup>Ea</sup>	ach
Color		
O White		

https://www.mcmaster.com/orders

Length, ft.

**1**0

Ships in the morning  42 Clamping Shaft Collar for 1/2" Diameter, Zinc-Plated 1215 Carbon Steel 9961K17	4 Each	4.28 Each	17.12
Ships in the morning 43 Quick-Disconnect Bushing JA Style, for 1/2" Shaft Diameter 6086K111	2 Each	14.02 Each	28.04
Ships in the morning  44 T-Slotted Framing  Silver Corner Surface Bracket for 1.5" High Rail  47065T271	8 Each	8.77 Each	70.16
Ships in the morning  45 T-Slotted Framing  End-Feed Triple Nut, 5/16"-18 Thread Size  47065T99	2 Packs of 4 each	10.15 Pack	20.30
Ships in the morning  46 T-Slotted Framing  End-Feed Double Nut, Flanged-Button Head 5/16"-18 Thread  47065T149	2 Packs of 4 each	6.76 Pack	13.52
Ships in the morning 47 Ball Bearing Sealed with Extended Ring, for 1/2" Shaft Diameter, 3/8" Wide 6384K361	3 Each	13.24 Each	39.72
Ships in the morning  48 Set Screw Collar Ball Bearing with Steel Ring, Trade No. 7608-2RS, for 1/2" Shaft Diameter 4768K11	1 Each	37.88 Each	37.88
Ships in the morning  49 Rotary Shaft  1566 Carbon Steel, 1/2" Diameter, 12" Long  1346K17	1 Each	8.71 Each	8.71

https://www.mcmaster.com/orders 7/9

Ship 50	Carbide-Tipped Lathe Tool for External Grooving and Cutoff, Left-Hand, C6 Carbide, Ctl-120 3367A753	1 Each	14.20 Each	14.20
<b>Shi</b> r 51	Carbide-Tipped Lathe Tool C6 Carbide, Tool Bit Code AR-10, 5/8" x 5/8" Shank 3367A337	1 Each	10.02 Each	10.02
Ship 52	DIS in the morning Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 1-1/2" Long, Partially Threaded 91251A351	1 Pack of 50 each	10.84 Pack	10.84
<b>Shi</b> p 53	os in the morning Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 1-1/4" Long 91251A349	1 Pack of 50 each	12.37 Pack	12.37
-	os in the morning 3/4" Diameter Reduced-Shank High-Speed Steel Drill Bit 1" Size 8772A11	1 Each	61.80 Each	61.80
	os in the morning Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 1" Long 91251A347	1 Pack of 50 each	8.85 Pack	8.85
Shir 56	os in the morning Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 7/8" Long 91251A346	1 Pack of 50 each	6.68 Pack	6.68
<b>Տհ</b> iր 57	Dis in the morning High-Strength HTD Timing Belt Trade No. 1800-8m-20 6486K126	2 Each	59.68 Each	119.36

https://www.mcmaster.com/orders 8/9

#### Ships in the morning

58 High-Strength HTD Timing Belt

Trade No. 1600-8m-20

6486K638

56.17 56.17 1 Each

Each

# Ships in the morning

59 Multipurpose 6061 Aluminum

3" Thick x 6" Wide, 1/2 Feet Long

8975K288

Length, ft.

1/2

85.96 343.84 4 Each Each

Merchandise

\$3,242.36

Applicable shipping and tax will be added.

Your order is subject only to our terms and conditions, available at www.mcmaster.com or from our Sales Department.