McMASTER-CARR®

Purcha Order				
	nthe morning Slotted Framing	2	\$35.24	\$70.48
Do Loi	uble Six Slot Rail, Silver, 3" High x 1.5" Wide, Hollow, 3'	Each	Each	******
Lei	ngth, ft.			
~				
	3			
Shins in	n the morning			
-	near Motion Shaft	2	48.78	97.56
150	66 Carbon Steel, 1" Diameter, 36" Long	Each	Each	
606	61K65			
	n the morning			
	tary Shaft	1	34.48 Each	34.48
	66 Carbon Steel, 3/4" Diameter, 36" Long 46K33	Each	200	
10-	401.00			
Deliver	s by next week			
	s sooner?			
4 T-S	Slotted Framing	4	30.00	120.00
	ngle 4-Slot Rail, Silver, 1.5" High x 1.5" Wide, Solid,, 30	Each	Each	
	length 065T802			
	ngth, in.			
✓				
	30			
_	Monday morning from our New Jersey warehouse near Motion Shaft	2	36.16	72.32
	66 Carbon Steel, 3/4" Diameter, 36" Long	Each	Each	72102
	61K64			
Ships in	n the morning			
	tary Shaft	1	30.63	30.63
	66 Carbon Steel, 5/8" Diameter, 36" Long	Each	Each	
134	46K26			

Ships in the morning High-Strength HTD Timing Belt Pulley for 20mm Maximum Belt Width, Bushing Mount, 74.93mm OD 6497K113	6 Each	49.64 Each	297.84
Ships in the morning 8 Quick-Disconnect Bushing JA Style, for 5/8" Shaft Diameter 6086K112	4 Each	14.02 Each	56.08
Ships in the morning 9 Clamping Shaft Collar for 5/8" Diameter, Zinc-Plated 1215 Carbon Steel 9961K19	4 Each	5.47 Each	21.88
Ships in the morning 10 T-Slotted Framing Drop-in Nut with Stud 5/16"-18 Thread Size 47065T234	20 Each	1.71 Each	34.20
Ships in the morning 11 Black-Oxide Alloy Steel Socket Head Screw 5/16"-24 Thread Size, 1-1/4" Long 91251A385	1 Pack of 25 each	7.01 Pack	7.01
Ships in the morning 12 Ball Bearing Sealed, Trade Number R10-2RS, for 5/8" Shaft Diameter 60355K705	4 Each	9.40 Each	37.60
Ships in the morning 13 Multipurpose 6061 Aluminum 2" x 2", 6 Feet Long 9008K53 Length, ft.	1 Each	128.76 Each	128.76
6			
Ships in the morning 14 High-Speed Linear Sleeve Bearing for 1" Shaft Diameter 6673K35	4 Each	15.86 Each	63.44

27.60

Ships in the morning

16 External Retaining Ring 12 0.92 11.04 for 3/4" Shaft Diameter Each 9968K26

Ships in the morning

17 Flat-Tip Retaining Ring Plier
for Rings That Fit 11/16"-7/8" OD
Each
5773A14

3 ship in the morning, 3 ship Monday morning from our New Jersey warehouse

18 Linear Bearing Housing
for One Bearing, for 1-1/4" Bearing OD
Each
9804K5

1 ships in the morning, 1 ships Monday morning from our New Jersey warehouse

19 Lay-in Snap-Together Open Cable/Hose Carrier
for 0.3" Maximum Cable OD/1.6" Total Cable Width, 3 Feet Each
Long
4409T27
Length, ft.

√ 3

Ships in the morning

20 Push-to-Connect Tube Fitting for Air
Straight Adapter, for 1/4" Tube OD x 1/4 NPT Male

5779K109

6 3.16 18.96
Each

5779K109

Ships in the morning

21 Push-to-Connect Tube Fitting for Air
Inline Tee Adapter, for 1/4" Tube OD x 1/4" Stem OD
Each
5779K693

Each

1

Each

Ships in the morning

22 T-Slotted Framing

10.30 20.60 2 Each

23.71

Each

23.71

Single 4-Slot Rail, Silver, 1.5" High, 1.5" Wide, Solid, 1'

47065T103

Length, ft.

1

Ships in the morning

23 T-Slotted Framing

Single 4-Slot Rail, Silver, 1.5" High, 1.5" Wide, Solid, 3' Long

47065T103

Length, ft.

3

Ships in the morning

24 Lay-in Snap-Together Open Cable/Hose Carrier

2 108.54 217.08 Each Each

for 0.9" Maximum OD/1.2" Wide Cable, 2.2" Bend Radius, 6' Long

4409T51 Length, ft.

6

Ships in the morning

25 Low-Strength Steel Nylon-Insert Locknut

Zinc-Plated, 1/4"-20 Thread Size

90640A129

4.27 4.27 1 Pack

Pack of 100 each

Ships in the morning

26 Zinc-Plated Alloy Steel Hex Drive Flat Head Screw

1/4"-20 Thread Size, 7/8" Long

91263A560

1 3.61 3.61

Pack Pack of 25 each

3

Ships in the morning

27 Oversized Multipurpose 6061 Aluminum Sheet

1/2" Thick, 4" x 24"

Each

58.28 174.84 Each

89155K13

Sheet Size, in.

4" × 24"

Ships in the morning 28 Oversized Multipurpose 6061 Aluminum Sheet 5/8" Thick, 6" x 12" 89155K14	3 Each	56.83 Each	170.49
Sheet Size, in.			
6" × 12"			
Ships in the morning 29 Black-Oxide Alloy Steel Socket Head Screw 10-32 Thread Size, 1-3/4" Long, Partially Threaded 91251A352	1 Pack of 25 each	6.47 Pack	6.47
Ships in the morning 30 18-8 Stainless Steel Nylon-Insert Locknut 10-32 Thread Size 91831A411	2 Packs of 100 each	5.70 Pack	11.40
Ships Monday morning from our New Jersey warehouse 31 18-8 Stainless Steel Thin Nylon-Insert Locknut 10-32 Thread Size 90101A225	2 Packs of 50 each	4.14 Pack	8.28
Ships in the morning 32 Black-Oxide Alloy Steel Socket Head Screw M3 x 0.5 mm Thread, 35 mm Long 91290A135	1 Pack of 50 each	10.31 Pack	10.31
Ships in the morning 33 Black-Oxide Alloy Steel Socket Head Screw 5-40 Thread Size, 3/4" Long 91251A131	1 Pack of 100 each	11.20 Pack	11.20
Ships in the morning 34 Firm Polyurethane Tubing for Air and Water 5/32" ID, 1/4" OD, Opaque White, 25 ft. length 5648K25	1 Each	12.75 Each	12.75
Color White Length, ft. 25			

Shi 35	ps in the morning Firm Polyurethane Tubing for Air and Water 1/4" ID, 3/8" OD, Opaque White, 10 ft. length 5648K26	1 Each	10.40 Each	10.40
	Color White			
	Length, ft. 10			
Shi 36	ps in the morning Clamping Shaft Collar for 1/2" Diameter, Zinc-Plated 1215 Carbon Steel 9961K17	4 Each	4.28 Each	17.12
Shi 37	ps in the morning Quick-Disconnect Bushing JA Style, for 1/2" Shaft Diameter 6086K111	2 Each	14.02 Each	28.04
Shi 38	ps in the morning T-Slotted Framing Silver Corner Surface Bracket for 1.5" High Rail 47065T271	8 Each	8.77 Each	70.16
Shi 39	ps in the morning T-Slotted Framing End-Feed Triple Nut, 5/16"-18 Thread Size 47065T99	2 Packs of 4 each	10.15 Pack	20.30
Shi 40	ps in the morning T-Slotted Framing End-Feed Double Nut, Flanged-Button Head 5/16"-18 Thread 47065T149	2 Packs of 4 each	6.76 Pack	13.52
Shi 41	ps in the morning Ball Bearing Sealed with Extended Ring, for 1/2" Shaft Diameter, 3/8" Wide 6384K361	3 Each	13.24 Each	39.72

4/19/2020	Current Order Mo	cMaster-Carr	
Ships in the morning 42 Set Screw Collar Ball Bearing with Steel Ring, Trade No. 7608-2RS, for	1/2" Shaft Ea	1 37.88 ach Each	37.88
Diameter 4768K11			
Ships in the morning 43 Rotary Shaft 1566 Carbon Steel, 1/2" Diameter, 12" Lo 1346K17	ng Ea	1 8.71 ach Each	8.71
Ships in the morning 44 Carbide-Tipped Lathe Tool for External Grooving and Cutoff, Left-Ha Ctl-120 3367A753	nd, C6 Carbide, Ea	1 14,20 ach Each	14.20
Ships in the morning 45 Carbide-Tipped Lathe Tool C6 Carbide, Tool Bit Code AR-10, 5/8" x 5 3367A337	/8" Shank Ea	1 10.02 ach Each	10.02
Ships in the morning 46 Black-Oxide Alloy Steel Socket Head Sci 10-32 Thread Size, 1-1/2" Long, Partially 91251A351			10.84
Ships in the morning 47 Black-Oxide Alloy Steel Socket Head Sci 10-32 Thread Size, 1-1/4" Long 91251A349	r ew Pack 50 ea		12.37
Ships in the morning 48 3/4" Diameter Reduced-Shank High-Spe 1" Size 8772A11		1 61.80 ach Each	61.80
Ships in the morning 49 Black-Oxide Alloy Steel Socket Head Sci 10-32 Thread Size, 1" Long 91251A347	rew Pack 50 ea		8,85

Ships in the morning 50 Black-Oxide Alloy Steel Socket Head Screw 6.68 6.68 1 Pack 10-32 Thread Size, 7/8" Long Pack of 50 each 91251A346 Ships in the morning 51 High-Strength HTD Timing Belt 59,68 119,36 2 Each Trade No. 1800-8m-20 Each 6486K126 Ships in the morning 52 High-Strength HTD Timing Belt 56.17 56.17 1 Each Trade No. 1600-8m-20 Each 6486K638 Ships in the morning 53 Multipurpose 6061 Aluminum 85.96 343.84 4 Each 3" Thick x 6" Wide, 1/2 Feet Long Each 8975K288 Length, ft. 1/2 Ships in the morning 54 Servomotor Precision Flexible Shaft Coupling 163.21 163.21 1 Each for 1/2" x 5/8" Diameter, 2-23/64" Overall Length, 2-7/32" Each OD 2764K612 Ships in the morning 55 Servomotor Precision Flexible Shaft Coupling 80.84 80.84 1 Each Each for 1/4" x 1/2" Shaft Diameter, 1-1/2" Overall Length, 1-11/32" OD 2764K312

Merchandise \$3,311.69

Applicable shipping and tax will be added.

Your order is subject only to our terms and conditions, available at www.mcmaster.com or from our Sales Department.