

frequencyTables

Table of contents

1	Frequency Tables	1
1.1	Setup	1
1.2	Frequencies	2

1 Frequency Tables

1.1 Setup

1.1.0.1 Load libraries

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr      1.2.1      v readr      2.2.0
v forcats    1.0.1      v stringr    1.6.0
v ggplot2    4.0.3      v tibble     3.3.1
v lubridate  1.9.5      v tidyr      1.3.2
v purrr      1.2.2
-- Conflicts ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()     masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
library(descr)
library(janitor)
```

Attaching package: 'janitor'

The following object is masked from 'package:descr':

`crosstab`

The following objects are masked from 'package:stats':

`chisq.test`, `fisher.test`

1.1.0.2 data

```
# mtcars  
data(mtcars)
```

1.1.0.3 variables

```
names(mtcars)
```

```
[1] "mpg"  "cyl"  "disp" "hp"   "drat" "wt"   "qsec" "vs"   "am"   "gear"  
[11] "carb"
```

1.2 Frequencies

```
tabyl(mtcars, cyl)
```

```
cyl  n percent  
  4 11 0.34375  
  6  7 0.21875  
  8 14 0.43750
```

```
freq(as.ordered(mtcars$cyl), plot = FALSE)
```

```
as.ordered(mtcars$cyl)  
      Frequency Percent Cum Percent  
4           11    34.38      34.38
```

6	7	21.88	56.25
8	14	43.75	100.00
Total	32	100.00	

```
cars_table <- freq(as.ordered(mtcars$cyl), plot = FALSE)
```