













## Increased growing-season productivity drives earlier autumn leaf senescence in temperate trees

Deborah Zani, Thomas W. Crowther, Lidong Mo, Susanne S. Renner and Constantin M. Zohner

*Science* **370** (6520), 1066-1071.  
DOI: 10.1126/science.abd8911

### Limits to the growing season

The length of the growing season in temperate forests has been increasing under recent climate change because of earlier leaf emergence and later leaf senescence. However, Zani *et al.* show that this trend might be reversed as increasing photosynthetic productivity begins to drive earlier autumn leaf senescence (see the Perspective by Rollinson). Using a combination of experimental, observational, and modeling studies based on European forest trees, the researchers conclude that leaf senescence will advance by 3 to 6 days by the end of the 21st century rather than lengthening by 1 to 3 weeks as current phenological models have predicted. In turn, this predicted phenological pattern will limit the capacity of temperate forests to mitigate climate change through carbon uptake.

*Science*, this issue p. 1066; see also p. 1030

#### ARTICLE TOOLS

<http://science.sciencemag.org/content/370/6520/1066>

#### SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2020/11/23/370.6520.1066.DC1>

#### RELATED CONTENT

<http://science.sciencemag.org/content/sci/370/6520/1030.full>

#### REFERENCES

This article cites 71 articles, 6 of which you can access for free  
<http://science.sciencemag.org/content/370/6520/1066#BIBL>

#### PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

---

*Science* (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2020, American Association for the Advancement of Science