

Do growing season length and growth relate?

And if not, why not?

And if we're not sure, why is that?

Team Grephon

August 8, 2023

## Contents

<b>1</b>	<b>The table is done in late June!</b>	<b>1</b>
<b>2</b>	<b>Outline</b>	<b>2</b>
<b>3</b>	<b>Figure ideas</b>	<b>8</b>
<b>4</b>	<b>Where to find other notes</b>	<b>10</b>

## 1 The table is done in late June!

*Remember what our main new aims for the paper:* We're interested in constraints, resource limitations, species and interdisciplinarity; we should stay focused on this. Species too...

*What we have found overall (3 July 2023 meeting):*

1. Lizzie reported out on the question of which studies do or don't find relationships. Seems like of the common growth metrics, annual cores do not find our definition and they don't always find their definition either. No relationships with country or biome jump out (pretty biased towards certain places though). We need to do some more work to look at species as that looks complicated, but nothing jumped out in which species do or do not show relationships.
2. Team external: lots of tree ring studies look at external and they all find a relationship. Not many experiments do and whether they find a relationship or not is more mixed than for tree rings. Next steps for this could be that the experimental and forest-scale results need to connect better: maybe this means looking at better metrics than temp and precip (such as PET) or looking at interactions or TBD.
3. Team endogenous found three major types of effects: provenance, species (and functional types) and 'growing early' (Zohner paper bolus; though Frederik only mentioned Zani

paper: ‘Greater GPP, higher Photosynthesis, earlier growing season leads to earlier senescence (Zani 2020)’). Very few studies mechanistically try to understand what causes provenance, species effects. (Of the 56 rows in our table 23 indicate that authors have looked and 21 found evidence for endogenous factors. These are mostly provenance / experimental studies, hardly any tree ring studies. )

- (a) Maybe we (or physiologists) need to review what the mechanisms could be? Ideas are...
    - i. Leaf life span
    - ii. Trade-offs between reproduction and growth
    - iii. budset programming
    - iv. Proportion of determinate vs. indeterminate buds. Can we get info on that?
    - v. Maybe group species by CSR or shade tolerance?
    - vi. Check out Silvics manual ([https://www.srs.fs.usda.gov/pubs/misc/ag\\_654/table\\_of\\_contents.htm](https://www.srs.fs.usda.gov/pubs/misc/ag_654/table_of_contents.htm))
    - vii. It could be nice to discuss the tradeoffs involved of a tree’s growing season ending. Potential gains in growth, fruit production and reserve allocation vs. Tissue damages and fitness loss (unripened fruits, dieback), loss of nutrients in foliage due to delayed senescence.
  - (b) Whatever it is, we need to somehow see it scale up to latitudinal variation (provenance effects); this reality seems to be missing from Zohner and other work
4. Next steps from Frederik: It seems there is not much to get out of the table regarding endogenous factors. If we would like to include a section in the paper about this I suggest we gather and discuss the current hypothesis around this topic. What comes into my mind is: amortization time, reach a certain reserve level, distinguish between determinate and indeterminate growth, photoperiodic constraints and induction of bud set, senescence and dormancy. I would be interested to do that!

Also, Lizzie checked out Rossi *et al.* 2013 (cited in Korner paper from 2023) and it does not appear relevant to our table. See <https://link.springer.com/article/10.1007/s00442-006-0625-7> if you want to check for yourself.

## 2 Outline

- 1. Introduction (what’s happened in the past and where this paper goes)
  - (a) Multiple fields assume longer GSL means more growth
  - (b) Unexpected controversy over GSL<sup>1</sup> and tree growth

---

<sup>1</sup>GSL: growing season length; RL: resource limitation

- i. But ... Tree ring old studies do show GSL x growth (ring width) ... this might be inferred through tree line or such.
  - ii. Back when: Ecosystem scale growth (NPP?) increases with warming
  - iii. New studies: New studies (all tree rings?) don't show GSL x growth (ring width)
  - iv. Here, we. ...
    - A. Hypotheses for why GSL x growth is not found are not equally tested across fields: Constraint issues in provenance but not tree ring etc.
    - B. Our premise is that some hypotheses for what's going may be tractably already answered by combining data across fields/methods
    - C. And, you could go far by cross-field tweaking of what each field is doing
- (c) How warmer temperatures increase tree growth, or not
  - i. How they could ...
    - A. fundamentally, temperature limits biological processes and is a dominant controller of biological time.
    - B. Too cool is bad, too hot is also bad.
    - C. These upper limits to rates means absolute time matters also (it's the bottom of the rate equation)
    - D. temperature should thus limit growth through two major pathways
    - E. Directly by increasing rates
    - F. Through extending periods when development and growth are possible – extending absolute period of absolute time available (versus relative time)
  - ii. Where do we see this? Trends over elevation and trends over latitude (??)
- (d) Why this might not happen...
  - i. Measurement issues
  - ii. Biophysical constraints (endogenous)
  - iii. Resource limitations (exogenous)
- 2. Section: Review three reasons for not growing
  - (a) Overview paragraph of three reasons
    - i. Measurement – see box/figure (include measurement only here or briefly so we move through it fast; Table results: What metrics of growth? could fit here)
    - ii. Resource limitation (exogenous)
    - iii. Constraints

- (b) Set up table results:
  - i. Which fields are tackling this question?
  - ii. People are not measuring the same thing

(c) Resource limitation, evidence for an against \_\_\_\_\_

- i. Nutrients
- ii. Water
- iii. Is this more species-specific?

Table can help us with this?

(d) Constraints, evidence for an against \_\_\_\_\_

- i. Leaf life span
- ii. Budset stuff ... (Zohner, Sool.)
- iii. Evidence across species? Or which is species-specific

Table can help us with this?

(e) Endo vs exo focus breaks down by field

3. Tying it altogether/where do we go next?

- (a) Climate change as rediscovering dusty, old fundamentals, but also possibly things we maybe never figured out
- (b) Growth x reproduction trade-off
- (c) No mention of fruiting/reproduction in the papers we reviewed, right?
- (d) local adaptation vs plasticity in growth strategies
- (e) what are the effect sizes of growth x GSL in the old literature (across elevational gradients; did they also do across latitude?) versus effect sizes within a site
- (f) Definitions matter, but only inasmuch as they better define the problem/question (and so are not our focus here)
- (g) Lag effects of growth and the complexity of storage in trees

4. Future work should ...

- (a) Look into local adaptation vs plasticity in growth strategies
- (b) What actual effect sizes do we expect within site across years for different species?
- (c) Stop schmering across species. Think and measure stuff about species that matters?
  - i. Determinate vs indeterminate buds
  - ii. Successional stage
  - iii. Phylogeny?
  - iv. Functional groups? (This would merge to ecosystem models.)

- (d) Endogenous factors we need to study:
  - i. Local adaptation in GSL x growth patterns (budset? budburst? this is not yet well formulated)
  - ii. species are more or less limited by plastic vs. local adaptation to growth
  - iii. So core common gardens and estimate this, especially on a yearly basis (not every 5 years) across spp.
  - iv. Leaf longevity?
- (e) Test for possible endogenous drivers with flux towers? (To bridge some of the current method x endo/evo divide)

### **Stuff in need of a home in outline**

- 1. This is important!
  - (a) Carbon storage and climate change
  - (b) Fundamental to physiology, species assembly
- 2. Basics: GDD model of growth suggests GSL x growth (with some base temperature for GDD)

### **Where are we submitting?**

*Nature Climate Change* (3-4K, 4-6 figures), *Global Change Biology*, *New Phytologist* ... thinking of places where we will get an interdisciplinary audience.

**Methods:** Found 33 refs through ISI search on 12 April 2023: "growing season length" AND "tree ring\*" (ALL FIELDS). We then looked through citations within and cited since, as well as incidental during the review process.

## Stuff that might work for the future directions

*Plan is to do the table, then work with fresh heads on the future directions .. THEN come back and look at these notes*

1. If you want to resolve this debate, you need comparable estimates – you have to report similar models
2. Some of the fields (tree rings, where we found so far studies do not look consistently at growing season length x growth, they are more interested in spring temperatures x growth) do not care as much about the mechanism... but it really matters
3. Very difficult to compare studies as terms are defined differently (e.g., growing season length) ... could compare what the terms mean across fields
  - (a) Semantic issues make it difficult to know what is or has been tested
  - (b) Everyone is measuring stuff in a slightly different way makes it really hard to compare (especially when everyone is doing only part of the diagram (see figure idea below))
  - (c) Briefly about growing season length: Which to measure? Actual growth end/start as growth (but which growth) or phenological start/end ...
4. Two major ways to measure growing season length: phenological and growth data (xylogenesis)
1. Tree ring people should ... get better phenology data and a better sampling design ... and figure out the transfer  $f(x)$ 
  - (a) core trials with phenology data
  - (b) PEP725 x ITRB plot – sampling overlap; sample more places/species with the phenology data
  - (c) Take more fine-scale measurements
2. Permanent plot data (provenance/forestry plots) need some temporal resolution and need more allometry data
  - (a) Do they have GSL?
  - (b) They calculate growth every 5 years, they need annual data!
  - (c) Allometry here is big opportunity: measuring at different heights (more fine-scale data)
3. Greenhouse/chamber experiments
  - (a) Our experiment (which needs a name)!
  - (b) VPD x temperature curves – figure those out, include more xylogenesis here
4. Big experiments
  - (a) You could do one for this topic

- (b) Measure GSL and tree rings in other ones: FACE, Phynwald, Rainout things, SPRUCE
- 5. Constraint experiments (yes, messy topic ... not sure where all this goes ...)
  - (a) Give plants everything they want and show they still shut down growth at the same time (this goes with some full factorial experiments with drought etc. so we could estimate when the constrain matters ... we could say 'of course there is a constraint but we need to better understand when it would matter with climate change)
  - (b) How do people show constraints?
    - i. You sort of need the mechanism ... molecular, experiment on proximate cues etc.
    - ii. Show variation across latitude often for this
- 6. Species! Species differences – keep thinking about where to fit this in; can we look at representativity across tree ring / phenology / experiments (mention competition in future directions; we have to get a handle on this conceptual diagram first)

**Wait, WTF is a constraint? Or is there a gradient of constraint to RL ...**

- 1. Lifespan determination growth mush
  - (a) Seasonal growth stops: Budset, Zohner equinox paper
  - (b) Does high temperature fit here? (Definitely on a different timescale)
- 2. High temperature limitation – enzymatically it's over
- 3. Low temperature limitation – sort of like energy limitation
- 4. Things we feel sure are resource limitation
  - (a) Nutrients
  - (b) Water
- 5. Terms we could use. ...
  - (a) Phenomenological without a real mechanism (plants stop growing at the same time every year)
  - (b) External versus internal
  - (c) Abiotic versus biotic
- 6. Kavya adds: I was thinking a little more about the whole constraints vs. limitation thing and this is a thought I had: Is the distinction between resource limit and constraint that resource limitation occurs across a spectrum while constraints have more rigid boundaries (even for the same organism)? In this case (and following Alana's cool figure), temp could be both — at the two ends of the spectrum it's a constraint (cannot photosynthesize below or above a threshold (enzymatic limits)) but in the middle, it's a resource limitation? Or

maybe up till Topt it a resource limit and beyond that it becomes a constraint? Also I think it would be good for us to distinguish between net C uptake and allocation to growth? As in trees might still be photosynthesizing but not growing, or not growing in the ways we think they would. Or maybe this just goes into the measurement box with the idea that we aren't measuring the correct/all of the facets of growth.

7. Janneke then added: problem is that temperature influences the rate of everything to do with growth and resource uptake (e.g., water and nitrogen) and is also damaging agent (e.g., frost, denaturing)

### Things that need a home

1. Patterns of GSL x growth across elevation/latitude
2. What is growing season length? (Actually when growth starts? Or something else?)
3. Measurement issues
  - (a) Maybe they are growing and you measured the wrong thing
  - (b) What scale of effect can we detect (and do we expect)?
  - (c) Maybe we are measuring the wrong species ...
4. Conifers (tree ring data) versus deciduous (phenology data)
5. Conifers: Does leafout matter in conifers or would it be much more related to when they start photosynthesizing with old leaves?
6. Species diversity in tree ring studies ... maybe make table on whether the studies with tree rings and growth have looked at dominant canopy species
7. Maybe ... which species have budset constraints been shown in?

add to  
Janneke's  
table?

## 3 Figure ideas

1. Ruben's figure
2. Alana's rate x temperature (x limitations) figure: maybe add in agriculture
3. Conceptual of connections (sort of path diagram figure)
  - (a) Start simple: temp  $\rightarrow$  GSL  $\rightarrow$  growth (this was NEP x growth studies from a while ago; and the tree ring people go backwards along this diagram)
  - (b) Next: Just the conceptual: temp  $\rightarrow$  GSL  $\rightarrow$  growth PLUS resource bubble
  - (c) Supp figure on measurements? Figure with methods layered on, maybe do just for start and end of GSL or such
  - (d) Layer onto this figure: What each fields offer – size of arrow is the number of studies that do it



- (e) Layer onto this figure: What each field could offer if they did x, y, z – FUTURE directions also
- (f) We need relative magnitude of these arrows
- (g) Message here: Full path diagram of what is happening is more complicated than perhaps is being let on, and no one has tested it fully
  - i. The provenance people have a lot to offer but they don't measure annual growth ... they have the constraint information, but asking it for a different reason.
  - ii. Could they manipulate temp and resource?
  - iii. Or we need the tree ring people to work on this: tree rings across distribution → response + variability of response
  - iv. Greenhouse/growth chamber folks can do the full figure
- 4. ISI cross-pollination currently across fields or see <https://www.connectedpapers.com/>
  - (a) tree rings in climatology
  - (b) tree rings in ecology
  - (c) constraint folks
  - (d) forestry plots (provenance trials)
  - (e) experiments ...
- 5. PEP725 x ITRB plot
- 6. Figure for future part?
- 7. Table/figure on advantages/limitations for each approach? Key places where interdisciplinary opportunities (leverage)

## 4 Where to find other notes

[grephon/notes/2023SpringLucidEtc/Grephon\\_Lucid board notes - Google Docs.pdf](#) is a file extracting the main take-homes from our Lucidboard work (December 2022 until sometime in early 2023). You can also see the Lucid board in PDF file: Grephon December 2022 brainstorm

See [treeringnotes.pdf](#) for our notes from reading papers in fall 2022.

In August 2023, Lizzie reviewed this doc and the Lucid board (again) and a little the notes from last year, she pulled out the following:

Stuff to probably work into ms ...

- Biophysical constraints
  - To what extent can the internal phenological program constrain C uptake/additional growth and influence the fate of C?

- Do phenological shifts push the growing season into periods of low VPD? This should enhance growth if turgor is the limit, but might lead to more regional variation in response. Can we test this with treeNet data?
- How much local adaptation is there in  $G \times P$ ?
- Show PEP725 + ITRB overlay (w/ Rubén) and highlight potential of this data in understanding growth-phenology
- What data / experiments needs to be collected to determine this either way?
- Close on why this is important to get right
- Stuff we critically need to know
  - When does growth happen for different species (early versus late season) and how flexible is this pattern?
  - How photoperiod matters (or doesn't and why folks get it wrong in dendro so much)
  - Better understanding of NSCs and phenology - are we seeing differences across wood anatomy or is it even more species specific or population specific
  - Differences in patterns across space/species/source populations?
- It may not be a long-term stable strategy to try to adjust growth dramatically year-to-year, so should we really expect this correlation?
- Cite Knott et al. 2022 'Phenological response to climate variation in a northernred oak plantation: Links to survival and productivity' – no growth data, we really need more common garden studies

Especially cool ideas to do someday (but maybe not in this paper)

- What does the flux tower data tell us about the availability of photosynthate for growth? Can we use this to make assumptions about the sugars going elsewhere, like to heartwood?
- Compare numbers: ring growth across elevations/across time/in dendro studies/dendrometers
- What is the regional variation like in the growth phenology relationship? Are there places where growth is clearly increasing? If so, what is the climate like? Where would we expect growth to increase with a longer GS? Where would we not?
- Statistical issues