

Designing climate-resilient agriculture through crop portfolios

Abstract (1000 characters): Hotter, drier summers and increasing extremes are challenging growers across the world. This is especially clear in Europe where summer heat is increasing faster than in the Arctic. Maintaining agricultural regions that continue to provide economic livelihoods, high-quality products while continuing traditional practices requires understanding of the climate resiliency of current crops, and how to best exploit it. Here I propose to leverage new data on plant responses to heat extremes and cutting-edge genetics research in Montpellier with my skills in hierarchical modeling to address this. Working with data across varieties and clones of one of the world’s most economically important crops—winegrapes—we will quantify heat tolerance across cultivars and clones to help growers develop climate-smart portfolios.

Background

Resilient agricultural systems today must deal with the increasing stressors of climate change. Hotter, drier summers and increasing extremes in heat, cold and precipitation are challenging growers across the world. This is especially true in Europe where summer heat is increasing faster than in the Arctic. Across Europe, the Mediterranean region has emerged as one of the most impacted by increasing temperatures (CITES), with reports of crop damage and failures are increasing alongside the heat. High temperatures can slow plant development and cause tissue damage couple2024clusters, leading to yield declines and making it harder for growers to maintain croplands. How to develop agricultural regions that continue to provide economic livelihoods and high-quality products while continuing traditional practices with climate change is one of the greatest challenges of the next century. Meeting this challenge requires a greater understanding of the climate resiliency of current crops, and how to best exploit it as the climate continues to shift.

One of the most effective methods for climate resiliency is to exploit the diversity of existing climate tolerance in current crops. Different crop species and different cultivars within species require and can tolerate different levels of heat. Matching this diversity to future climates can thus allow growers to maintain many of their traditional practices and plant the same species well into the future—depending on the climate diversity of that crop species, and how well we can estimate it.

Progress in forecasting when growers should change their planting regimes with climate change has been slow because of our limited knowledge of the temperature response of different crops. Fundamental temperature response curves (FIG) underlie the biology of all organisms and are critical to forecasting crops with climate change. These models usually capture the non-linear effect of temperature, where increasing temperatures beyond some fundamental minimum (below which cells cannot grow) generally accelerate development and growth until some maximum rate—which defines the optimal temperature. Higher optima generally means higher heat tolerance—and plants that can continue to grow through heat waves. At temperatures higher than this optimum, development and growth slows and then stalls, driving crop failures.

Estimating temperature responses curves—and their critical values of the temperature minimum, optimum and maximum—is extremely difficult. To date most estimates of complete temperature response curves exist for only a handful of herbaceous crops that are amenable to small-scale experiments (generally done in controlled environment chambers where temperatures are held constant and rates can be carefully measured). Heat tolerance estimates in many species, and effectively all woody species, rely on modeling approaches that cannot robustly estimate temperature maxima or minima (and thus they are usually fixed) and where estimates are easily biased by data quality issues (e.g., far more data for one species than another).

Today, many models of future food security assume that growers will need to shift their crops over

time with increasing climate change, but generally only can forecast major shifts—for example, from winegrapes to avocados—that would require immense human adaptation and the likely loss of traditional practices. Improved estimates of the temperature response of different crop species and their cultivars could rapidly help growers develop more climate resilient systems. Such information would allow growers to exploit the full climate diversity of their existing crop species, before considering a major shift.

Estimates across a large number of cultivars would also help growers develop climate resilient portfolios of cultivars—selecting the best mix of cultivars for each grower given their preferences and region. A portfolio of cultivars can better handle climate variation year to year, as several may perform best in slightly cooler years and several others in slightly warmer years. At the same time, adjusting the mixture over time can help adapt to long-term trends due to anthropogenic climate change. The concept of a careful portfolio of climatically matched cultivars is not novel, but how much it is used depends on local practices and the particular crop. It also depends on growers having the information they need on how different cultivars respond to climate.

What?

Working with colleagues in Montpellier, I will leverage new methods alongside newly available genetic and development data to estimate the climate resiliency of one of the world’s most economically important crops [?]*—*winegrapes. We plan to use winegrapes as a case study because they currently have the data on seasonal development and genetic information required to build the most robust models, but our approach will be specifically designed to extend to other crops.

Our approach will overcome the major data quality issues that have stymied previous efforts to estimate full temperature response curves across cultivars—called varieties in winegrapes—through multi-level (also known as hierarchical) modeling. This approach estimates at once an overall species-level temperature response curve at the same time it estimates differences across varieties, while accounting for uneven sampling and spatial variation. Highly uneven data across cultivars is a common problem in crops, including winegrapes, because a few varieties are often very popular, widely planted and have extensive data (e.g., Chardonnay, Pinot noir), while other varieties are less common but may harbor excellent heat tolerance or other temperature response attributes that could be make them ideal for adapting to climate change (e.g., Xinomavro). I have developed new modeling approaches CITENACHO that can handle this uneven sampling by incorporating genetic relatedness information on cultivars to better estimate each variety. They also can be adapted to include additional layers of genetic information. For example, within each winegrapes variety multiple clones exist (where each clone has unique somatic mutation differences) and this can be further incorporated into the models to better understand climate resiliency within each variety and clone, allowing growers to fine-tune their portfolios.

This approach relies on the extensive data and expertise of my colleagues in Montpellier, who have recently helped lead a major new analysis of the genetic relatedness of winegrape varieties, which we leverage here. They also provide a depth of knowledge of traditional practices and current challenges for winegrowing in France, making the proposed work better positioned to directly aid growers. Additionally, they have seasonal development data required to estimate temperature response curves (described further below) observed over high temperatures. The lack of observational data at high temperatures has limited previous work to estimate optimum and maximum temperatures for crops, but recent heat extremes in Montpellier have pushed plants into these regions. My colleagues have been on the forefront of documenting this couple2024clusters and provide rare data and expertise we will leverage. This project thus brings together my modeling expertise, with the expertise on winegrape genetic diversity, response to heat extremes and critical regional and

larger-scale understanding of winegrowing.

How?

Our approach centers around (1) the domestication of winegrapes across Europe’s extensive climate gradient that led to cultivars (varieties) that likely vary strongly in their heat tolerance and (2) the shared evolutionary history of winegrape cultivars that we can use for more robust estimates across diverse varieties. We will accomplish this models that use long-term observations seasonal development data (also called phenological data), which captures the progression of the timing of major developmental stages, from budburst to flowering, and fruit ripening (veraison). For this we will mainly leverage an incredible collection of data across hundreds of varieties, which is unique in the world for its diversity of varieties—the Vassal-Montpellier Grapevine Biological Resources Center. Alongside these data, we expect to include additional data from resources across INRAe and other regional programs that have collected data on seasonal development. Climate data will be drawn from a widely-used and validated gridded historical dataset (E-OBS, CITES), as well as potentially finer-scale data provided by collaborators. If time allows we will generate forecasts of the future variety suitability for European winegrowing regions using scenarios from CMIP6 (global models of future climate) [?, ?, ?] and shapefiles for winegrowing regions provided by my collaborator, Dr. Ignacio Morales-Castilla).

My collaborators in Montpellier have extensive expertise in winegrape variety diversity, viticultural practices, impacts of climate change on viticulture and how to develop more sustainable agriculture to promote biodiversity, healthy environments and food security at once. In preparing this application, I have worked closely with my proposed hosts Drs. Thierry Lacombe, Vincent Segura and Patrice This (who each work across varying institutes in Montpellier, including L’Institut Agro Montpellier, INRAe, UMR Agap) and plan to be formally hosted by DAAV team (Diversité, Adaptation et Amélioration de la Vigne) at the AGAP Institute (see letter by Claire Billot, director of AGAP Institute), which has a major focus on the theme of my work: adapting agriculture to climate change. My hosts are experts on variety diversity in winegrapes, especially Lacombe and This who are scientific directors of Vassal-Montpellier Grapevine Biological Resources Center, where much of the data will come from. Segura provides expertise especially in genomic approaches including cutting-edge approaches to linking plant traits to their genetics, which will aid the project. Together, they will help select varieties for the model, provide seasonal development data for the varieties and their genetic relationships, and make sure output is relevant to growers.

With data on the seasonal development and genetic relatedness of the varieties, we will combine two unique modeling approaches my lab has developed to estimate temperature response curves across winegrape varieties. The first is a new type of thermal development curve (Fig. fig:tempcurve), designed to estimate all parameters (e.g., minimum, maximum and optimal temperatures) together and thus more accurately estimate temperatures responses and their uncertainty CITEMIKE. The second is a hierarchical approach (CITES) that leverages genetic relationships between cultivars to best estimate the heat tolerance of each cultivar. Each approach has successfully been applied in other cases to woody plants, but have not been combined to estimate thermal responses across diverse cultivars. Given sufficient information on clones (within cultivars) we will additionally add this hierarchical level to separate out the climate adaptation potential of clones versus cultivars. This approach allows us to include all varieties for which we have genetic data and some seasonal development data, thus we hope to develop estimates for hundreds of varieties. We will include all the most widely planted varieties, which are currently economically important to growers, alongside all other varieties for which we can find data.

Our modeling approach focuses on the temperature response as the main metric of climate resiliency.

This metric is critical for determining which varieties will ripen within a growing season, and for estimating the temperature at which development and growth stops. Thus, it both predicts when warming will allow cool region growers to successfully ripen varieties that need more heat, and when warming may make some varieties too heat intolerant for a region, and thus when growers will need to switch to varieties with a higher temperature optimum. While this approach does not include the critical climate predictor of drought, which can slow and stall plant development, drought and temperature closely interact. Because our approach relies on observational data where drought and temperature covary, we will inherently include drought within the estimated temperature response curves. This approach thus includes drought within the temperature response and represents an important first step to later models that could attempt to tease apart how temperature and drought each drive plant development.

Working together in advance to maximize the impact of my Fulbright time: My proposed collaborators in Montpellier and I have already been in touch about the project, including our approach, data, opportunities for additional collaboration, and outreach (outreach detailed more below). In particular I have discussed with Drs. Lacombe, Segura and This how we can best leverage genetic/genomic data for the modeling, and seasonal development data, and opportunities for support and training of a student through the project. If funded we plan to reach out also to Drs. Jean-Frederic Terral and Laurent Bouby of ISEM, based at the University of Montpellier). Beyond Montpellier we plan to draw on help and advice from colleagues at INRAE-Avignon (especially Dr. Iñaki García de Cortázar-Atauri) and in Bordeaux Sciences Agro, and Bordeaux University's Institut des Sciences de la Vigne et du Vin (especially Kees van Leeuwen) to make sure the project is well designed, for utility in Montpellier and across French winegrowing regions, with implications for its use across Europe.

Timeline: Data gathering will begin well before the official start of the visit to Montpellier, with the goal of starting work on model design and parameterization in March 2028 when I arrive. In my first month I plan meetings to review and refine my modeling plan with my collaborators, who bring unique expertise in variety diversity, its genetics and how to make results most immediately useful to growers. Model development and fitting will be an iterative process focused on design, parameterization, validating and eventually forecasting. I expect continual consultations with my French collaborators and likely two months of discussion and

effort for fitting and validation. In May I hope to begin using the model to prepare historical results, followed by forecasting with the model in June and finalizing results in July.




Figure 1: This project will estimate a temperature response curve for winegrapes as a crop, including heat tolerance variation across cultivars. Here we show current results for veraison thermal development (left) and variation in the optimal temperature for three cultivars (right) but this project will extend to up to 200 different cultivars (exact number depends on data for each phenological stage) and more accurately model them given genetic information.

Impact, outcomes & benefits

Our aim is to provide one major building block to climate-smart agriculture: robust estimates of the thermal tolerance of a crop, and its underlying genetic levels, to help growers develop a portfolio approach to future climate. This information should allow growers to build portfolios of varieties that can deal with current climate means and extremes, and help them decide when to shift this portfolio as the climate shifts in the future. The proposed work is highly innovative at both the level of fundamental scientific knowledge—elucidating how genetic diversity at multiple levels shapes thermal responses—and at the applied level. Thermal response curves determine what varieties can ripen in which climates, and when it will be too hot for them to grow with increasing climate change, making our project a critical component of helping agriculture shift in step with climate change to maintain yields and healthy environments. Further, our approach is designed to be a blueprint for modeling climate resiliency through cultivars in other crops and we plan a series of outreach events to connect with communities across Montpellier.

We expect the work will lead to one to two publications in high-profile journals (e.g., *Nature Climate Change*, *Science*, *PNAS*), which we will communicate to the public through press releases and then at various conferences and seminar series I am involved with. My research on winegrapes to date has generated high interest, both in research and public spheres, with papers often leading to dozens of radio and print stories, including by the BBC, NPR, *The Guardian*, *Washington Post*, *El Mundo* and France24 News. Additionally, we will communicate results in academic (e.g., universities), grower-focused (e.g., Napa County Farm Bureau, BC Winegrape Council) and mixed venues (e.g., international Cool Climates Wine Symposium), as well a suite of planned seminars while I am in Montpellier. Currently, my hosts and I have planned one seminar, likely at AGAP open to the whole scientific community of Montpellier, with an additional lecture at L’Institut Agro Montpellier and/or at the University of Montpellier. To reach professionals working in viticulture we plan a presentation through the Agro Institute’s corporate chair, and at IFV (L’Institut Français de la Vigne et du Vin), an institute dedicating to preserving and improving varietal and clonal heritage of winegrapes in France, which works across government and industry.

Importantly, I expect this research will also open new lines of communication. Climate change is a global challenge and solutions will come from shared problem solving and resilience. My hope is this research will help develop new links with growers and researchers in Europe and in turn foster deeper connections with their counterparts in North America. My collaborators and I have designed this project as a major and critical building block that we hope to build upon. While we will work currently in Europe, we hope to extend our models and estimates to North America and potentially beyond. With additional data on soil moisture and/or plant water stress, our approach can be extended to understand the dual forces of thermal and drought stress. We thus see many opportunities to build upon the project here, developing a lasting collaboration to design more climate resilient vineyards for the decades to come.

-
- [1] Coupel-Ledru, A., Westgeest, A. J., Albasha, R., Millan, M., Pallas, B., Doligez, A., Flutre, T., Segura, V., This, P., Torregrosa, L., et al. (2024). Clusters of grapevine genes for a burning world. *The New phytologist*.
 - [2] Morales-Castilla, I., de Cortazar-Atauri, I. G., Cook, B. I., Lacombe, T., Parker, A., van Leeuwen, C., Nicholas, K. A., and Wolkovich, E. M. (2020). Diversity buffers winegrowing regions from climate change losses (vol 117, pg 2864, 2020). *Proceedings of the National Academy of Sciences of the United States of America* *117*, 30860–30860.