



中國地質大學
China University of Geosciences

艰苦朴素 求真务实

地大精神


map2loop-Notebook的地质数据

11




map2loop-Jupyter Notebook中的示例代码，需要的数据集，一个是从ASUD上自动下载的，一个是自备的数据集（下面介绍）。

需要理解我国的地质数据下载及包含的信息，这个很重要。




层理点

背斜
向斜



(c) Digital Terrain Model



SRTM 90m 栅格数据

(b) Stratigraphic (overlies ->) Relationships

Turee Creek Group -> Boolgeeda Iron Formation
Wittenoom Formation -> Marra Mamba Iron Formation
Marra Mamba Iron Formation -> Jeerinah Formation
Jeerinah Formation -> Bunjinah Formation
Bunjinah Formation -> Pyradie Formation
Pyradie Formation -> Boongal Formation
Weeli Wolli Formation -> Brockman Iron Formation

从ASUD提取的二分层序关系

图1 输入map2loop的6类输入: (a) 基岩地质图(1:50万); (b) 前7类的层序关系;
(c) SRTM DTM



“最低输入数据标准”

- geology polygons with stratigraphic code and rock type info (required)
- fault polylines (required)
- bed dips as points in dip, dip direction (required)
- mineral deposit layer (optional)
- fold axial trace layer (optional)

地质图（矢量格式）：

- (1) 带层序编号和岩石类型信息的多边形（必须的）
- (2) 断层多段线（必须的）
- (3) 层理dip（dip和dip方向的点）（必须的） bedding point
- (4) 矿物沉积层（可选） mindeps point
- (5) 褶皱轴向轨迹层（可选）



2 输入数据

map2loop使用Geopandas库从几种格式（shapefiles, MapInfo tab, JSON）文件加载数据，地理空间数据可以是任意标准的参考坐标系统（EPSG）。使用这些库加载和转换输入的地质几何和属性（表2）。

Table 2. Geometric features imported and saved by *map2loop* and *map2model*. The geometric objects refer to specific *Geopandas* data objects.

	Geometric object	Input geological feature	Augmented-output geological feature
→	Point	Bedding	Bedding, contacts, faults, fold axial traces
→	Polyline	Faults, fold axial traces	None
	MultiPolyline	Faults, fold axial traces	None
→	Polygon	Stratigraphic domains	None
	MultiPolygon	Stratigraphic domains	None
→	Raster	DTM	DTM



2 输入数据

map2loop与map2model使用的**6种输入数据**（图1），这2个库使用一个配置文件，用户指定GIS层的哪个场。Jupyter Notebook帮助用户从输入层创建**HJSON**格式的配置文件（**Utility 1 – Configfilegenerator.ipynb**）。map2loop需要的**最低输入数据**见附录A。



2.1 Chronostratigraphic Polygon（必须）和 MultiPolygon layer

The layer may contain a mixture of single Polygons, MultiPolygons (sets of Polygons with the same non-spatial attributes), and or Polygons with holes (also stored as MultiPolygons, 图3)。这些对象作为Geopandas数据对象。

每个Polygon需要包含如下元素：

- （1）定义节点的有序封闭循环x y坐标的列表；
 - （2）层序编号或更低层级（如formation, member）的名称，称之为"units"
 - （3）一个或更多高层级的层序定义（如group, supergroup, spuersuite, province），称之为"groups"
 - （4）一个或更多岩性描述，有助于确定unit是否是火山、基石或其他类型的侵入体或其他类型的沉积岩？
 - （5）**可选地**（但重要的）：细尺度层序单元的最大和最小估计年代。
- 基岩地质图包含各formation的最大和最小年代，但是由于缺少绝对的地质年代约束，一个group内共享相同的范围。



2.2 Fault Polyline （必须）和 MultiPolyline layer

该矢量层描述在**surface**处的断层或窄的剪切带的位置、方向和位移信息。

该层由**MultiPolylines**（具有相同非空间属性的**Polylines**组）混合组成。**map2loop**将**MultiPolylines**分解为分离的**Polylines**，允许正确实施断层长度和方向的分析。比用户定义长度还短的断层给过滤掉，降低模型的复杂度。

各**Polyline**需要包含如下元素：

- （1）定义节点的顺序开放循环**xy**坐标列表；
- （2）唯一的识别号，以某种方式标记断层；
- （3）在中点处存储断层的倾角和倾角方向（或走向）。

使用1:50万的地质图，由**map2loop**过滤提取断层。



2.3 Fold axial trace Polyline layer (可选)

map2loop过滤地质图，提取褶皱轴向轨迹。



2.4 Bedding orientation point layer

该矢量层描述层理的局部方向，一般不包含在地质图内，但可以从单独的数据库或地质野薄找到。还可以通过航拍图像解译或3点分析得到。

各点应包含如下元素：

- (1) 定义Point的单个xy坐标
- (2) 倾角信息
- (3) 倾角方向或走向信息，这里称为“azimuth”，以避免混淆
- (4) 层理的Polarity (upright or overturned)

使用2016 WAROX露头数据集。



2.5 Reference stratigraphy

Australian Stratigraphic Units Database, ASUD, 可以下载组(formation)的层级及上层的层序细节信息, 如2.1节提到的最大-最小年代的Polygon。层序信息一般没有空间信息, 但假设映射的层序年代Polygon与ASUD的编码相同, 如此得到层序关系(如A overlies B), map2model执行拓扑分析, 这样有助于定义地图区域上的局部层序。map2loop目前从ASUD数据集(定义相邻层序关系对, A overlies B)密集提取, 来定义局部层序(图1b)。

(b) Stratigraphic (overlies ->) Relationships

Turee Creek Group -> Boolgeeda Iron Formation
Wittenoom Formation -> Marra Mamba Iron Formation
Marra Mamba Iron Formation -> Jeerinah Formation
Jeerinah Formation -> Bunjinah Formation
Bunjinah Formation -> Pyradie Formation
Pyradie Formation -> Boongal Formation
Weeli Wolli Formation -> Brockman Iron Formation

图1(b)



中國地質大學
China University of Geosciences

艰苦朴素 求真务实

溫家寶

艰苦朴素
求真务实
溫家寶


2.6 Digital terrain model

SRTM 90m






map2loop-Jupyter Notebook自备数据集 说明



Bedding point必须的
矿物沉积层 可选的
可选的
必须的
必须的
必须的



ArcGIS 10.0 打开数据集的界面



(1) 带层序编号和岩石类型信息的Polygon（必须的）

geol_clip.shp

	A	B	C
1	UNITNAME	code	colour
2	Hart_Dolerite	P_ha_od	#8EE4B4
3	Broome_Mowla_and_Melligo	K_bm_st	#DFFE88
4	King_Leopold_Sandstone	P_KM1_st	#ECCBA7
5	Yampi_Formation	P_KMy_sta	#ECCBA7
6	Wallal_Sandstone	J_wa_st	#ADFED5
7	Pentecost_Sandstone	P_KMp_st	#ECCBA7
8	Carson_Volcanics	P_KMc_bb	#D2F4E1
9	Warton_Sandstone	P_KMw_st	#F5E5D3
10	Gidley_Granophyre	A_FFgi_gv	#FEBFBA
11	Erskine_Sandstone	R_er_st	#BAFCEC
12	Wotjulum_Porphyr	P_wj_gmap	#FECFCB
13	Maitland_River_Supersuite	A_MR_g	#FE9E98
14	Jarlemai_Siltstone	J_ja_sl	#DFFE88
15	Miaree_Granite	A_MRmi_gm	#FE9E98
16	Winning_Group	K_WN_sf	#DFFE88
17	Fortescue_Group	A_FO_od	#8EE4B4
18	Elgee_Siltstone	P_KMe_xsl_kd	#E6A89A
19	Hearson_Cove_Monzogranite	A_MRhe_gmp	#FE9E98
20	Mount_Roe_Basalt	A_FOr_b	#C4C798
21	Noonkanbah_Formation	P_no_sf	#B5E1FC
22	Bastion_Group	P_BA_s	#D5B9AA
23	Gidley_Granophyre	A_FFgi_og	#A5E9C3
24	Kylena_Formation	A_FOk_b	#C4C798
25	Antrim_Plateau_Volcanics	E_ap_xbb_s	#EFBEE7
26	Speewah_Group	P_SP_s	#E99ECE
27	Louden_Volcanic_Member	A_CDb1_xb_s	#63FD67
28	Regal_Formation	A_re_b	#D4EFB9
29	Cleaverville_Formation	A_GCe_ca	#6BC3F9

500kibg_colours.csv



(1) 带层序编号和岩石类型信息的Polygon（必须的）

Table

geol_clip

FID	Shape	gml_id	objectid	lithstrtno	code	unitname	gswastatus	rank
0	Polygon	geol_500k.15789	15791	2258	A-HAm-cib	Marra Mamba Iron Formation	Formal	Formation
1	Polygon	geol_500k.15268	15270	4124	A-HAu-xsl-ci	Mount McRae Shale and Mount Sylvia Formation	Informal	Formation
2	Polygon	geol_500k.15980	15982	4104	P-HAo-ci	Boolgeeda Iron Formation	Formal	Formation
3	Polygon	geol_500k.15265	15267	4124	A-HAu-xsl-ci	Mount McRae Shale and Mount Sylvia Formation	Informal	Formation
4	Polygon	geol_500k.15792	15794	2257	A-HAd-kd	Wittenoom Formation	Formal	Formation
5	Polygon	geol_500k.6146	6146	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
6	Polygon	geol_500k.7277	7278	2219	A-F0-od	Fortescue Group	Informal	Formation
7	Polygon	geol_500k.6145	6145	2219	A-F0-od	Fortescue Group	Informal	Formation
8	Polygon	geol_500k.6144	6144	2219	A-F0-od	Fortescue Group	Informal	Formation
9	Polygon	geol_500k.8405	8406	2257	A-HAd-kd	Wittenoom Formation	Formal	Formation
10	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
11	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
12	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
13	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
14	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
15	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
16	Polygon	geol_500k.14339	14340	3368	A-F0j-xs-b	Jeerinah Formation	Formal	Formation
17	Polygon	geol_500k.14310	14311	4113	A-F0n-hho	Run-inah Formation	Formal	Formation

Group



(1) 带层序编号和岩石类型信息的Polygon（必须的）

Table

geol_sfp

descriptn	parentcode	parentname
Chert banded iron-formation mudstone and siltstone; minor carbonate; metamorphosed	A-HAL-xkt-ci	Hamersley Group lower
Mudstone siltstone chert banded iron-formation and dolomite; metamorphosed	A-HAL-xkt-ci	Hamersley Group lower
Fine-grained finely laminated iron-formation mudstone siltstone and chert; metamorphosed	P_HAU-xci-f	Hamersley Group upper
Mudstone siltstone chert banded iron-formation and dolomite; metamorphosed	A-HAL-xkt-ci	Hamersley Group lower
Thinly bedded dolomite and dolomitic shale with minor black chert shale banded iron formation and sandstone	A-HAL-xkt-ci	Hamersley Group lower
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Dolerite dyke or sill	A-FO-xb-s	Fortescue Group
Dolerite dyke or sill	A-FO-xb-s	Fortescue Group
Dolerite dyke or sill	A-FO-xb-s	Fortescue Group
Thinly bedded dolomite and dolomitic shale with minor black chert shale banded iron formation and sandstone	A-HAL-xkt-ci	Hamersley Group lower
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Siliciclastic sedimentary rocks mafic volcanic rocks and minor felsic volcanic rocks; local carbonate rocks chert	A-FOS5-xs-b	Fortescue Group sequence 5
Pillowed and massive basaltic flows; basaltic breccia and basaltic volcanic sandstone; minor chert; amygdaloidal	A-FOS5-xs-b	Fortescue Group sequence 5
	A-FOS5-xs-b	Fortescue Group sequence 5

code



(1) 带层序编号和岩石类型信息的Polygon（必须的）

Table

geol_clip

rocktype1	lithname1	qualifier1	qualifier2	mixedrock	rocktype2
sedimentary other chemical or biochemical	iron formation	banded			
sedimentary siliciclastic	siltstone/mudstone			Mixed	sedimentary other chemical or biochemical
sedimentary other chemical or biochemical	iron formation				
sedimentary siliciclastic	siltstone/mudstone			Mixed	sedimentary other chemical or biochemical
sedimentary carbonate	dolostone/dolomite				
sedimentary siliciclastic				Mixed	igneous mafic volcanic
igneous mafic intrusive	dolerite				
igneous mafic intrusive	dolerite				
igneous mafic intrusive	dolerite				
sedimentary carbonate	dolostone/dolomite				
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
sedimentary siliciclastic				Mixed	igneous mafic volcanic
igneous mafic volcanic	basalt	millined			



艰苦朴素 求真务实

(1) 带层序编号和岩石类型信息的Polygon（必须的）

WWW.CUG.EDU.CN



艰苦朴素 求真务实

formation	member	bed	state	watetectunit	ssuite_tec	suite_tec
Marra Mamba Iron Formation			Western Australia	West Australian Craton		
Mount McRae Shale and Mount Sylvia Formation			Western Australia	West Australian Craton		
Boolgeeda Iron Formation			Western Australia	West Australian Craton		
Mount McRae Shale and Mount Sylvia Formation			Western Australia	West Australian Craton		
Wittenoom Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
			Western Australia	West Australian Craton		
			Western Australia	West Australian Craton		
			Western Australia	West Australian Craton		
Wittenoom Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Jeerinah Formation			Western Australia	West Australian Craton		
Bundinah Formation			Western Australia	Large igneous province & Fortescue Large Ig.		

Supergroup – group – formation – member -bed



艰苦朴素 求真务实

11-11-10

的)

rbasin

[illegible]



(1) 带层序编号和岩石类型信息的Polygon（必须的）

basin	subbasin	subbasin_e	orogen	province	prov_tzone
Hamersley Basin			Capricorn Orogen		
Hamersley Basin			Capricorn Orogen		
Hamersley Basin			Capricorn Orogen		
Hamersley Basin			Capricorn Orogen		
Hamersley Basin			Capricorn Orogen		
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin					
Fortescue Basin					
Fortescue Basin					
Hamersley Basin			Capricorn Orogen		
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				
Fortescue Basin	Northeast Pilbara Sub-basin; Northwest Pilbara Sub				



艰苦朴素 求真务实

shape_area

WWW.CUG.EDU.CN



(2) 断层多段线（必须的）

faults_clip.shp

Table

faults_clip

FID	Shape	gml_id	objectid	feature	type	fname	code	dip	dip_est	dip_dir
0	Polyline	linear_500k.7344	7344	Fault or shear zone, major	exposed	None		90	-999	45
1	Polyline	linear_500k.7436	7436	Fault or shear zone, major	exposed	None		90	-999	45
2	Polyline	linear_500k.7439	7439	Fault or shear zone, major	exposed	None		90	-999	45
3	Polyline	linear_500k.5471	5471	Fault or shear zone	exposed	None		90	-999	45
4	Polyline	linear_500k.962	962	Fault or shear zone	exposed	None		90	-999	45
5	Polyline	linear_500k.2229	2229	Fault or shear zone	exposed	None		90	-999	45
6	Polyline	linear_500k.2235	2235	Fault or shear zone	exposed	None		90	-999	45
7	Polyline	linear_500k.2248	2248	Fault or shear zone	exposed	None		90	-999	45
8	Polyline	linear_500k.2843	2843	Fault or shear zone	exposed	None		90	-999	45
9	Polyline	linear_500k.2997	2997	Fault or shear zone	exposed	None		90	-999	45
10	Polyline	linear_500k.3496	3496	Fault or shear zone	exposed	None		90	-999	45
11	Polyline	linear_500k.3498	3498	Fault or shear zone	exposed	None		90	-999	45
12	Polyline	linear_500k.5252	5252	Fault or shear zone	exposed	None		90	-999	45
13	Polyline	linear_500k.5298	5298	Fault or shear zone	exposed	None		90	-999	45
14	Polyline	linear_500k.5475	5475	Fault or shear zone	exposed	None		90	-999	45
15	Polyline	linear_500k.5484	5484	Fault or shear zone	exposed	None		90	-999	45



(2) 断层多段线（必须的）

faults_clip.shp

plunge	plunge_est	plunge_dir	max_age_ev	min_ag	symbol	extract_da	shape_leng	fdipest_va	f_length
0					Fault or shear zone, majo	2016-06-29	.696075	None	2013.825012
0					Fault or shear zone, majo	2016-06-29	.215472	None	20398.167266
0					Fault or shear zone, majo	2016-06-29	.344530	None	35247.789929
0					Fault or shear zone, expo	2016-06-29	.022973	None	2363.15637
0					Fault or shear zone, expo	2016-06-29	.027184	None	2805.655743
0					Fault or shear zone, expo	2016-06-29	.058889	None	3602.300744
0					Fault or shear zone, expo	2016-06-29	.191623	None	16771.902009
0					Fault or shear zone, expo	2016-06-29	.068989	None	7375.732544
0					Fault or shear zone, expo	2016-06-29	.209410	None	8401.232406
0					Fault or shear zone, expo	2016-06-29	.144270	None	14710.040274
0					Fault or shear zone, expo	2016-06-29	.212902	None	22078.032014
0					Fault or shear zone, expo	2016-06-29	.146143	None	15681.763068
0					Fault or shear zone, expo	2016-06-29	.033900	None	3484.327628
0					Fault or shear zone, expo	2016-06-29	.077828	None	822.382873
0					Fault or shear zone, expo	2016-06-29	.042940	None	4407.264293
0					Fault or shear zone, expo	2016-06-29	.028535	None	2980.007179
0					Fault or shear zone, expo	2016-06-29	.030849	None	3275.664409
0					Fault or shear zone, expo	2016-06-29	.074018	None	7519.876538
0					Fault or shear zone, expo	2016-06-29	.037058	None	3960.975363
0					Fault or shear zone, expo	2016-06-29	.063097	None	6746.415398
0					Fault or shear zone, expo	2016-06-29	.023527	None	2522.451375
0					Fault or shear zone, expo	2016-06-29	.039098	None	2572.026858
0					Fault or shear zone, expo	2016-06-29	.062307	None	2826.476157
0					Fault or shear zone, expo	2016-06-29	.089243	None	7145.334682
0					Fault or shear zone, expo	2016-06-29	.043725	None	4494.784666
0					Fault or shear zone, expo	2016-06-29	.142243	None	786.143534



(3) 层理倾角 (dip和dip方向的点) (必须的)

Table

structure_clip

FID	Shape	dip	feature	structypei	azimuth2	index_righ	gml_id	objectid
0	Point	40	Bed	BEIN	385	44	geol_500k.7875	7876
1	Point	60	Bed	BEIN	365	31	geol_500k.16188	16190
2	Point	35	Bed	BEIN	435	31	geol_500k.16188	16190
3	Point	45	Bed	BEIN	180	59	geol_500k.16613	16615
4	Point	65	Bed	BEIN	385	58	geol_500k.16190	16192
5	Point	60	Bed	BEIN	370	31	geol_500k.16188	16190
6	Point	40	Bed	BEIN	360	11	geol_500k.14339	14340
7	Point	33	Bed	BEIN	380	18	geol_500k.7579	7580
8	Point	58	Bed	BEIN	368	58	geol_500k.16190	16192
9	Point	62	Bed	BEIN	378	31	geol_500k.16188	16190
10	Point	60	Bed	BEIN	388	31	geol_500k.16188	16190
11	Point	18	Bed	BEIN	245	31	geol_500k.16188	16190
12	Point	55	Bed	BEIN	365	31	geol_500k.16188	16190
13	Point	30	Bed	BEIN	335	58	geol_500k.16190	16192
14	Point	70	Bed	BEIN	400	19	geol_500k.9861	9862
15	Point	50	Bed	BEIN	190	22	geol_500k.14368	14369
16	Point	55	Bed	BEIN	190	22	geol_500k.14368	14369
17	Point	28	Bed	BEIN	150	17	geol_500k.14310	14311
18	Point	30	Bed	BEIN	420	31	geol_500k.16188	16190
19	Point	29	Bed	BEIN	235	31	geol_500k.16188	16190
20	Point	28	Bed	BEIN	110	17	geol_500k.14310	14311
21	Point	50	Bed	BEIN	190	22	geol_500k.14368	14369
22	Point	55	Bed	BEIN	190	22	geol_500k.14368	14369
23	Point	63	Bed	BEIN	355	43	geol_500k.15988	15990
24	Point	25	Bed	BEIN	105	28	geol_500k.16191	16193
25	Point	21	Bed	BEIN	435	31	geol_500k.16188	16190
26	Point	28	Bed	BEIN	110	22	geol_500k.14368	14369
27	Point	25	Bed	BEIN	385	18	geol_500k.7579	7580
28	Point	15	Bed	BEIN	330	11	geol_500k.14339	14340
29	Point	15	Bed	BEIN	330	11	geol_500k.14339	14340
30	Point	55	Bedding, show		368	31	geol_500k.16188	16190
31	Point	40	Bedding, show		370	31	geol_500k.16188	16190

structure_clip

(0 out of 118 Selected)

structure_clip.shp



(4) 矿物沉积层 (可选)

mindeps_clip.shp

FID	Shape	gml_id	site_code	site_title	short_name	site_commo	site_type_	
0	Point	mindeps_2018_28350.901	S0001175	Beasley River Limonites	Beasley R	Fe	Deposit	Unspecified
1	Point	mindeps_2018_28350.909	S0001184	Brockman 2 - Pit 4 (Brockman)	Brockman 2 Pit 4	Fe	Mine	Openpit
2	Point	mindeps_2018_28350.910	S0001185	Brockman 3 (Brockman)	Brockman 3	Fe	Deposit	Unspecified
3	Point	mindeps_2018_28350.911	S0001186	Brockman 1 Iron	Brockman 1	Fe	Deposit	Unspecified
4	Point	mindeps_2018_28350.1070	S0001387	Turner Syncline Section 17 Main West	Sec 17 Main West	Fe	Mine	Openpit
5	Point	mindeps_2018_28350.1071	S0001388	Turner Syncline Section 10	Turner Syncline Sec 10	Fe	Mine	Openpit
6	Point	mindeps_2018_28350.1223	S0001587	Brockman 4 - Pit 3 Central	Pit 3 - Central	Fe	Mine	Openpit
7	Point	mindeps_2018_28350.1224	S0001588	Brockman Syncline Resources Group	Brockman Syncline	Fe	Mine	Openpit
8	Point	mindeps_2018_28350.1234	S0001599	Rocklea South	Rocklea South	Fe	Deposit	Unspecified
9	Point	mindeps_2018_28350.2306	S0002943	Brockman 543E	Brockman 543E	Fe	Deposit	Unspecified
10	Point	mindeps_2018_28350.2307	S0002944	Brockman 2 Group	Brockman 2 Detr	Fe	Mine	Openpit
11	Point	mindeps_2018_28350.2308	S0002945	Brockman 4 - Deposit N	Brockman 4 N	Fe	Deposit	Unspecified
12	Point	mindeps_2018_28350.2309	S0002946	Boolgeeda	Boolgeeda	Fe	Deposit	Unspecified
13	Point	mindeps_2018_28350.2313	S0002950	Brockman 3 (Marra Mamba)	Brockman 3 Marra Mamba	Fe	Deposit	Unspecified
14	Point	mindeps_2018_28350.2324	S0002964	Turner Syncline B1 Main	B1 Main	Fe	Mine	Openpit
15	Point	mindeps_2018_28350.2325	S0002965	Turner Syncline B26	Turner Syncline B26	Fe	Deposit	Unspecified
16	Point	mindeps_2018_28350.2342	S0002982	Turner Syncline West Resource Estim	Turner Syncline W	Fe	Mine	Openpit
17	Point	mindeps_2018_28350.2511	S0003220	Hardey River Sand 1	Hardey River Sand 1	Sd, Gvl	Mine	Openpit
18	Point	mindeps_2018_28350.2677	S0003430	Brockman 4 - Deposit M	Brockman 4 M	Fe	Deposit	Unspecified
19	Point	mindeps_2018_28350.2678	S0003431	Brockman 4 - Deposit O	Brockman 4 O	Fe	Deposit	Unspecified
20	Point	mindeps_2018_28350.2679	S0003432	Brockman 4 - Deposit Q	Brockman 4 Q	Fe	Deposit	Unspecified
21	Point	mindeps_2018_28350.2680	S0003433	Brockman 4 - Deposit R	Brockman 4 R	Fe	Deposit	Unspecified
22	Point	mindeps_2018_28350.3444	S0004387	Brockman 2 - Pit 1 (Detritals)	Brockman 2 Pit 1	Fe	Mine	Openpit



(5) 褶皱轴向轨迹层（可选）

Table

Table

folds_clip								
	FID	Shape	gml_id	objectid	feature	type	fname	code
•	0	Polyline	linear_500k.11202	11202	Fold axial trace	anticline, exposed	Rocklea Dome	
	1	Polyline	linear_500k.13532	13532	Fold axial trace	syncline, exposed	Boolgeeda Syncline	
	2	Polyline	linear_500k.13533	13533	Fold axial trace	syncline, exposed	Boolgeeda Syncline	
	3	Polyline	linear_500k.13632	13632	Fold axial trace	syncline, exposed	Panhandle Syncline	
	4	Polyline	linear_500k.13665	13665	Fold axial trace	syncline, exposed	Turner Syncline	
	5	Polyline	linear_500k.9633	9633	Fold axial trace	anticline, exposed		
	6	Polyline	linear_500k.11909	11909	Fold axial trace	syncline, exposed		

dip	dip_est	dip_dir	plunge	plunge_est	plunge_dir	max_age_ev	min_age_ev	symbol	extract_da
0			0					Fold axial trace; anticline, exposed	2016-06-29
0			0					Fold axial trace; syncline, exposed	2016-06-29
0			0					Fold axial trace; syncline, exposed	2016-06-29
0			0					Fold axial trace; syncline, exposed	2016-06-29
0			0					Fold axial trace; syncline, exposed	2016-06-29
0			0					Fold axial trace; anticline, exposed	2016-06-29
0			0					Fold axial trace; syncline, exposed	2016-06-29



Search Stratigraphic Units

Names entered or modified in period from	<input type="text" value="DD/MM/YYYY"/>		<input type="text" value="DD/MM/YYYY"/>	
Names reserved in period from	<input type="text" value="DD/MM/YYYY"/>		<input type="text" value="DD/MM/YYYY"/>	
Stratigraphic name(s)	<input type="text"/>			
State/region(s)	<div>Queensland South Australia Tasmania Victoria Western Australia</div>			
Province(s)	<input type="text"/>			
Stratigraphic number(s)	<input type="text"/>			
Reserved By (Originator)	<input type="text"/>			
Minimum Age	<div>Please select</div>	Maximum Age	<div>Please select</div>	
Rank	<div>Bed</div>	Status	<div>Please select</div>	
Current	<div>Yes</div>			
<div>Clear</div> <div>Search</div>				

西澳大利亚的地层单元数据集 (ASUD)

<https://asud.ga.gov.au/search-stratigraphic-units>



我们国家的地质数据中心

中科院地质所地质科学数据共享网

<http://www.geoscience.cn/index.htm#/portal/>很多链接无效，有的地质数据，如地学断面数据集，给提供jpg格式的图片。

地质云3.0

不知道怎么检索和下载。

国家地球系统科学数据中心

<http://www.geodata.cn/>数据很老，且都要付费。

地质科学数据出版系统（全国地质资料馆，中国地质调查局） -- 这个最靠谱！

数据服务系统: <http://dcc.cgs.gov.cn/>

李晨阳，王新春，何春珍，吴轩，孔昭煜，李晓蕾. 2019. 全国1:200000 数字地质图（公开版）空间数据库.中国地质, 46(S1):1-10.



地质科学数据出版系统

联系地址：北京市西城区阜外大街45号

电 话：010-58584343

邮 编：100037

E-mail: geodb@mail.cgs.gov.cn

传 真：010-58584400

地质资料馆网址: <http://www.ngac.org.cn/>

1. 本数据仅供下载者本人学习和研究使用，不得二次分发，不得转卖！
2. 用户在使用本数据时，应尊重数据作者的劳动成果，在使用本数据的相应研究成果中务必明确标注引用了本数据。
3. 摘取数据中的部分记录创作新数据的作者需要遵循10%引用原则，即从本数据中摘取的数据记录少于新数据集总记录量的10%，同时需要对摘取的数据记录标注数据来源。
4. 本网站不承担用户因使用本数据而可能对自己和他人造成的任何形式的损失或伤害。
5. 禁止爬取数据，本网站限制每个账号每天下载5个数据，当前已下载0个。
6. 请填写真实信息，填写信息错误会面临下载功能被取消或者封号的风险。

下载登记

单 位：中国地质大学（武汉）

联 系 人：李健

联系电话：13971209102

同意

取消

<http://dcc.ngac.org.cn/?ssoguid=34db329ec1d3406388868e692ba821be>




当前位置: 首页 > 地质数据 > 基础地质

资源目录

关键词/地名等关键词

- ☐ 全国1/50万地质图数据
 - imgpla 可预览 可下载
- ☐ 1:500K China Geological Map
 - imgpla 可预览 可下载
- ☐ 全国1/20万地质图
 - imgpla 可预览 可下载
- ☐ 全国1/20万地质图空间数据
 - imgpla 可预览 可下载
- ☐ 全国1/25万地质图
 - imgpla 可预览 可下载
- ☒ 全国1/5万地质图
 - imgpla 可预览 可下载
- ☐ H50E022002南村市幅
 - imgpla 可预览 可下载
- ☐ H50E007018南陵县幅
 - imgpla 可预览 可下载
- ☐ I50E021018新电合幅
 - imgpla 可预览 可下载
- ☐ I50E022018来安县幅
 - imgpla 可预览 可下载
- ☐ I50E023018静乐县幅
 - imgpla 可预览 可下载
- ☐ H50E010018三溪口镇幅
 - imgpla 可预览 可下载
- ☐ H50E010017陈村幅
 - imgpla 可预览 可下载





中国地质大学

China University of Geosciences

艰苦朴素 求真务实

艰苦奋斗 求真务实

基础

X64



3D GeoModeler



¥9,085.00/月

MapGIS 三维地学建模-高级版

基础

X64



3D GeoModeler



¥5,750.00/月

MapGIS 三维地学建模-基础版

基础

X64



3D SceneBuilder



¥6,098.00/月

MapGIS三维场景构建工具

石油

X64




OIL



¥3,000.00/月

MapGIS 10 for Desktop 石油版 X64

地矿



★★★★★



¥8,000.00/月

三维地质建模-试用版

地矿



¥4,637.00/月

MapGIS城市地质二三维分析评价系统
(专业版)



MapGIS to ArcGIS

	MapGIS	ArcGIS
矢量格式	WT	Point
	WL	Polyline
	WP	Polygon



中國地質大學
China University of Geosciences

艰苦朴素 求真务实

温家宝

艰苦朴素
求真务实
温家宝

中国地质大学