chordx

A package to write song lyrics with chord diagrams in Typst.

v0.3.0

March 1, 2024

 $\underline{https://github.com/ljgago/typst\text{-}chords}$

Leonardo Javier Gago

Contents

1.]	Reference	3
	1.1. Chart Chords	3
	1.1.1. new-chart-chords	3
	1.1.2. chart-chord	3
	1.2. Piano Chords	5
	1.2.1. new-piano-chords	6
	1.2.2. piano-chord	7
	1.3. Single Chords	
	1.3.1. new-single-chords	
	1.3.2. single-chord	

1. Reference

1.1. Chart Chords

- new-chart-chords()
- chart-chord()

1.1.1. new-chart-chords

Return a new function with default parameters to generate chart chords for stringed instruments.

Parameters

```
new-chart-chords(
  frets-amount: integer,
  size: length,
  style: string,
  font: string
) -> function
```

frets-amount integer

Presets the frets amount (the grid rows). **Optional**.

Default: 5

```
size length
```

Presets the chart size. The default value is set to the chord name's font size. **Optional**.

Default: 12pt

```
style string
```

Sets the chart style. **Optional**.

- "normal: chart with right angles.
- "round: chart with round angles.

Default: "normal"

font string

Sets the name of the text font. **Optional**.

Default: "Linux Libertine"

1.1.2. chart-chord

Is the returned function by **new-chart-chords**.

Parameters

```
chart-chord(
  tabs: string,
  fingers: string,
  capos: string,
  fret: integer,
  frets-amount: integer,
  size: length,
  name: string content
) -> content
```

tabs string

Shows the tabs on the chart. **Optional**.

- **x**: mute note.
- **o**: air note.
- **n**: without note.
- **number**: note position on the fret.

The string length of tabs defines the number of strings on the instrument.

Example:

- "x32010" (6 strings C Guitar chord).
- "0003" (4 strings C Ukulele chord).

Default: ""

fingers string

Shows the finger numbers. **Optional**.

- **n**, **x**, **o**: without finger,
- **number**: one finger

Example: "n32n1n" - (Fingers for guitar chord: C)

Default: ""

capos string

Adds one or many capos on the chart. **Optional**.

- 1st digit **fret**: fret position.
- 2nd digit **start**: lowest starting string.
- 3rd digit **end**: highest ending string.

Example: "115" \equiv "1,1,5" \Rightarrow "fret,start,end"

With "|" you can add capos:

Example: "115|312" \equiv "1,1,5|3,1,2" \Rightarrow "fret,start,end|fret,start,end"

Default: ""

fret integer

Shows the fret number that indicates the starting position of the fretboard. **Optional**.

Default: none

frets-amount integer

Sets the frets amount (the grid rows). **Optional**.

Default: frets-amount

size length

Sets the chart size. The default value is set to the chord name's font size. **Optional**.

Default: size

```
name string or content
```


Shows the chord name. **Required**.


Example:

```
#import "@preview/chordx:0.3.0": *

#let chart-chord = new-chart-chords(size: 18pt)
#let chart-chord-round = new-chart-chords(style: "round", size: 18pt)

#chart-chord(tabs: "x32010", fingers: "n32n1n")[C]
#h(2em)
#chart-chord(tabs: "ooo3", fingers: "ooo3")[C]
#h(4em)
#chart-chord-round(tabs: "xn332n", fingers: "o13421", fret: 3, capos: "115")[Cm]
#h(2em)
#chart-chord-round(tabs: "onnn", fingers: "n111", capos: "313")[Cm]
```







1.2. Piano Chords

- new-piano-chords()
- piano-chord()

1.2.1. new-piano-chords

Return a new function with default parameters to generate piano chords.

Parameters

```
new-piano-chords(
  layout: string,
  fill: color,
  style: string,
  size: length,
  font: string
) -> function
```

layout string

Presets the layout and size of the piano, "C", "2C", "F", "2F". **Optional**.

- "C": the piano layout starts from key **C1** to **E2** (17 keys).
- "2C": the piano layout starts from key **C1** to **B2** (24 keys, two octaves).
- "F": the piano layout starts from key **F1** to **B2** (19 keys).
- "2F": the piano layout stars from key **F1** to **E3** (24 keys, two octaves).

Default: "C"

fill color

Presets the fill color of the pressed key. **Optional**.

Default: gray

style string

Sets the piano style. **Optional**.

- "normal: piano with right angles.
- "round: piano with round angles.

Default: "normal"

size length

Presets the size. The default value is set to the chord name's font size. **Optional**.

Default: 12pt

font string

Sets the name of the text font. **Optional**.

Default: "Linux Libertine"

1.2.2. piano-chord

Is the returned function by **new-piano-chords**.

Parameters

```
piano-chord(
  keys: string,
  fill: color,
  layout: string,
  size: length,
  name: string content
) -> content
```

```
keys string
Keys chord notes from C1 to E3 (Depends on your layout). Optional.
Example: "C1, E1b, G1" (Cm chord)
Default: ""
```

```
fill color
```

Sets the fill color of the pressed key. **Optional**.

Default: fill

layout string

Sets the layout and size of the piano, "C", "2C", "F", "2F". **Optional**.

- "C": the piano layout starts from key **C1** to **E2** (17 keys).
- "2C": the piano layout starts from key **C1** to **B2** (24 keys, two octaves).
- "F": the piano layout starts from key **F1** to **B2** (19 keys).
- "2F": the piano layout stars from key F1 to E3 (24 keys, two octaves).

Default: layout

```
size length
```

Sets the size. The default value is set to the chord name's font size. **Optional**.

Default: size

```
name string or content


Shows the chord name. Required.
```


Example:

```
#import "@preview/chordx:0.3.0": *

#let piano-chord = new-piano-chords(layout: "F", size: 18pt)
#let piano-chord-round = new-piano-chords(layout: "F", size: 18pt, style: "round")

#piano-chord(keys: "B1, D2#, F2#", fill: blue)[B]
#h(4em)
#piano-chord-round(keys: "B1, D2#, F2#", fill: red)[B]
```





1.3. Single Chords

- new-single-chords()
- single-chord()

1.3.1. new-single-chords

The single chords are chords without diagram used to show the chord name over a word.

Parameters

```
new-single-chords(..text-params: auto) -> function

..text-params auto
Are the same parameters of text from the standard library of typst. Required.
```

1.3.2. single-chord

Is the returned function by **new-single-chords**.

Parameters

```
single-chord(
  body: content,
  name: content,
  position: content
)
```

body content

Is the word or words where the chord goes. **Required**.

name content

Displays the chord name over the selected words in the body. **Required**.

position content

Positions the chord over a specific character in the body. **Required**.

- []: chord name centered on the body.
- [number]: the chord name starts over a specific body character. (First position [1])

Example:

```
#import "@preview/chordx:0.3.0": *

#let chord = new-single-chords(style: "italic", weight: "semibold")

#chord[Jingle][G][2] bells, jingle bells, jingle #chord[all][C][2] the #chord[way!][G][2] \
#chord[Oh][C][] what fun it #chord[is][G][] to ride \
In a #chord[one-horse][A7][2] open #chord[sleigh,][D7][3] hey!
```

G C G

Jingle bells, jingle all the way!

C G

Oh what fun it is to ride

A7 D7

In a one-horse open sleigh, hey!