

chordx

A package to write song lyrics with chord diagrams in Typst.

v0.8.0

July 9, 2026

<https://github.com/ljgago/typst-chords>

Leonardo Javier Gago

Contents

1. Reference	3
1.1. Chart Chords	3
1.1.1. chart-chord	3
1.2. Piano Chords	7
1.2.1. piano-chord	7
1.3. Single Chords	10
1.3.1. single-chord	10

1. Reference

1.1. Chart Chords

- [chart-chord\(\)](#)

1.1.1. chart-chord

Generates a chart chord for stringed instruments.

Parameters

```
chart-chord(
  ..text-params: auto,
  tabs: str,
  fingers: str,
  capos: str,
  fret: none int,
  frets-amount: int,
  design: str,
  position: str,
  background: color,
  for-transpose: int,
  show-transpose: int,
  name: str content
) -> content
```

..text-params **auto**

Embeds the native **text** parameters from the standard library of **typst**. **Optional**.

tabs **str**

Shows the tabs on the chart. **Optional**.

- **x**: mute note.
- **o**: air note.
- **n**: without note.
- **number**: note position on the fret.

The string length of tabs defines the number of strings on the instrument.

Example:

- "x32o1o" - (6 strings - C Guitar chord).
- "ooo3" - (4 strings - C Ukulele chord).

Default: ""

fingers `str`

Shows the finger numbers. **Optional.**

- **n, x, o**: without finger,
- **number**: one finger

Example: `"n32n1n"` (Fingers for guitar chord: C)

Default: `" "`

capos `str`

Adds one or many capos on the chart. **Optional.**

- 1st digit – **fret**: fret position.
- 2nd digit – **start**: lowest starting string.
- 3rd digit – **end**: highest ending string.

Example: `"115"` $\equiv$ `"1,1,5"` $\Rightarrow$ `"fret,start,end"`

With `"|"` you can add capos:

Example: `"115|312"` $\equiv$ `"1,1,5|3,1,2"` $\Rightarrow$ `"fret,start,end|fret,start,end"`

Default: `" "`

fret `none` or `int`

Shows the fret number that indicates the starting position of the fretboard. **Optional.**

Default: `none`

frets-amount `int`

Sets the frets amount (the grid rows). **Optional.**

Default: `5`

design `str`

Sets the chart design. **Optional.**

- `"sharp"`: chart with sharp corners.
- `"round"`: chart with round corners.

Default: `"sharp"`

position `str`

Sets the chord chart position. **Optional.**

- `"top"`: chord chart in top position.
- `"bottom"`: chord chart in bottom position.

Default: `"top"`

background colorSets the background color of the chord name. **Optional.**Default: `rgb(0, 0, 0, 0)`**for-transpose** intSets the current transpose. **Optional.**

(This works in conjunction with show-transpose.)

Default: `0`**show-transpose** intShows the transpose defined by for-transpose. **Optional.**

(This works in conjunction with for-transpose.)

Default: `0`**name** str or contentShows the chord name. **Required.****Example:**


```
#import "@preview/chordx:0.8.0": chart-chord

#let chart-chord-sharp = chart-chord.with(size: 18pt)
#let chart-chord-round = chart-chord.with(size: 18pt, design: "round")

// Design "sharp"
#chart-chord-sharp(tabs: "x32o1o", fingers: "n32n1n")[C]
#chart-chord-sharp(tabs: "ooo3", fingers: "ooo3")[C]

// Design "round" with position "bottom"
#chart-chord-round(tabs: "xn332n", fingers: "o13421", fret: 3, capos: "115", position: "bottom")[Cm]
#chart-chord-round(tabs: "onnn", fingers: "n111", capos: "313", position: "bottom")[Cm]

// Design "round" with background color in chord name
#chart-chord-round(tabs: "xn332n", fingers: "o13421", fret: 3, capos: "115", background: silver)[Cm]
#chart-chord-round(tabs: "onnn", fingers: "n111", capos: "313", background: silver)[Cm]
```



Example:

```
#import "@preview/chordx:0.8.0": chart-chord

// Shows only the chords with transpose = 2
#let transpose = 2

// Chords for transpose = 0
#let chart-chord-sharp-tr0 = chart-chord.with(
  size: 18pt,
  for-transpose: 0,
  show-transpose: transpose,
)
#let chart-chord-round-tr0 = chart-chord.with(
  design: "round",
  size: 1.5em,
  for-transpose: 0,
  show-transpose: transpose,
)

// Chords for transpose = 2
#let chart-chord-sharp-tr2 = chart-chord.with(
  size: 18pt,
  for-transpose: 2,
  show-transpose: transpose,
)
#let chart-chord-round-tr2 = chart-chord.with(
  design: "round",
  size: 1.5em,
  for-transpose: 2,
  show-transpose: transpose,
)

// Design "sharp"
#chart-chord-sharp-tr0(tabs: "x32o1o", fingers: "n32n1n")[C]
#chart-chord-sharp-tr2(tabs: "xxo232", fingers: "nnn132")[D]


#chart-chord-sharp-tr0(tabs: "ooo3", fingers: "ooo3")[C]
#chart-chord-sharp-tr2(tabs: "222o", fingers: "123o")[D]

// Design "round" with position "bottom"
#chart-chord-round-tr0(tabs: "xn332n", fingers: "o13421", fret: 3, capos: "115", position: "bottom")
[Cm]
#chart-chord-round-tr2(tabs: "xxo231", fingers: "ooo231", position: "bottom")[Dm]

#chart-chord-round-tr0(tabs: "onnn", fingers: "n111", capos: "313", position: "bottom")[Cm]
#chart-chord-round-tr2(tabs: "221o", fingers: "231n", position: "bottom")[Dm]

// Design "round" with background color in chord name
#chart-chord-round-tr0(tabs: "xn332n", fingers: "o13421", fret: 3, capos: "115", background: silver)
[Cm]
#chart-chord-round-tr2(tabs: "xxo231", fingers: "ooo231", background: silver)[Dm]

#chart-chord-round-tr0(tabs: "onnn", fingers: "n111", capos: "313", background: silver)[Cm]
#chart-chord-round-tr2(tabs: "221o", fingers: "231n", background: silver)[Dm]
```



1.2. Piano Chords

- [piano-chord\(\)](#)

1.2.1. piano-chord

Generates a piano chord.

Parameters

```
piano-chord(
  ..text-params: auto,
  keys: str,
  layout: str,
  fill-key: color,
  design: str,
  position: str,
  background: color,
  for-transpose: int,
  show-transpose: int,
  name: str content
) -> content
```

..text-params `auto`

Embeds the native **text** parameters from the standard library of **typst**. **Optional**.

keys `str`

Keys chord notes from **C1** to **E3** (Depends on your layout). **Optional**.

Example: "C1, E1b, G1" (Cm chord)

Default: ""

layout `str`

Sets the layout and size of the piano, "C", "2C", "F", "2F". **Optional**.

- "C": the piano layout starts from key **C1** to **E2** (17 keys).
- "2C": the piano layout starts from key **C1** to **B2** (24 keys, two octaves).
- "F": the piano layout starts from key **F1** to **B2** (19 keys).
- "2F": the piano layout stars from key **F1** to **E3** (24 keys, two octaves).

Default: "C"

fill-key `color`

Sets the fill color of the pressed key. **Optional**.

Default: gray

design `str`

Sets the piano design. **Optional.**

- `"sharp"`: piano with sharp corners.
- `"round"`: piano with round corners.

Default: `"sharp"`

position `str`

Sets the chord chart position. **Optional.**

- `"top"`: chord chart in top position.
- `"bottom"`: chord chart in bottom position.

Default: `"top"`

background `color`

Sets the background color of the chord name. **Optional.**

Default: `rgb(0, 0, 0, 0)`

for-transpose `int`

Sets the current transpose. **Optional.**

(This works in conjunction with `show-transpose`.)

Default: `0`

show-transpose `int`

Shows the transpose defined by `for-transpose`. **Optional.**

(This works in conjunction with `for-transpose`.)

Default: `0`

name `str` or `content`




Shows the chord name. **Required.**

Example:

```
#import "@preview/chordx:0.8.0": piano-chord

#let piano-chord-sharp = piano-chord.with(layout: "F", size: 18pt)
#let piano-chord-round = piano-chord.with(layout: "F", size: 18pt, design: "round")

#piano-chord-sharp(keys: "B1, D2#, F2#", fill-key: blue)[B]
#piano-chord-round(keys: "B1, D2#, F2#", fill-key: yellow, position: "top")[B]
#piano-chord-round(keys: "B1, D2#, F2#", fill-key: red, background: silver)[B]
```


**Example:**

```
#import "@preview/chordx:0.8.0": piano-chord

// Shows only the chords with transpose = 2
#let transpose = 2




// Chords for transpose = 0
#let piano-chord-sharp-tr0 = piano-chord.with(
  layout: "F",
  size: 18pt,
  for-transpose: 0,
  show-transpose: transpose,
)
#let piano-chord-round-tr0 = piano-chord.with(
  layout: "F",
  size: 1.5em,
  design: "round",
  for-transpose: 0,
  show-transpose: transpose,
)

// Chords for transpose = 2
#let piano-chord-sharp-tr2 = piano-chord.with(
  layout: "F",
  size: 18pt,
  for-transpose: 2,
  show-transpose: transpose,
)
#let piano-chord-round-tr2 = piano-chord.with(
  layout: "F",
  size: 1.5em,
  design: "round",
  for-transpose: 2,
  show-transpose: transpose,
)

#piano-chord-sharp-tr0(keys: "B1, D2#, F2#", fill-key: blue)[B]
#piano-chord-sharp-tr2(keys: "C2#, F2, G2#", fill-key: blue)[C\#]

#piano-chord-round-tr0(keys: "B1, D2#, F2#", fill-key: yellow, position: "bottom")[B]
#piano-chord-round-tr2(keys: "C2#, F2, G2#", fill-key: yellow, position: "bottom")[C\#]

#piano-chord-round-tr0(keys: "B1, D2#, F2#", fill-key: red, background: silver)[B]
#piano-chord-round-tr2(keys: "C2#, F2, G2#", fill-key: red, background: silver)[C\#]
```



1.3. Single Chords

- [single-chord\(\)](#)

1.3.1. single-chord

The single chord a chord without diagram used to show the chord name over a word.

Parameters

```
single-chord(
  ..text-params: auto,
  inner-gap: length,
  outer-gap: length,
  background: color,
  accidental: str,
  sharp-symbol: str,
  flat-symbol: str,
  transpose: int,
  body: content,
  name: content,
  position: content
) -> content
```

..text-params `auto`

Embeds the native **text** parameters from the standard library of **typst**. **Optional**.

inner-gap `length`

Sets the inner gap between the bottom word and the chord name. **Optional**.

Default: `0.2em`

outer-gap `length`

Sets the outer gap between the upper paragraph and the chord name. **Optional**.

Default: `0.6em`

background `color`

Sets the background color of the chord. **Optional**.

Default: `rgb(0, 0, 0, 0)`

accidental `str`

Preferred musical accidental. **Optional**.

- `"sharp"`: prefers sharp accidentals.
- `"flat"`: prefers flat accidentals.

Default: `"sharp"`

sharp-symbol str

Sets the sharp symbol. **Optional.**

Default: "#"

flat-symbol str

Sets the flat symbol. **Optional.**

Default: "b"

transpose int

Sets the number of semitones to transpose the chord. **Optional.**

Default: 0

body content

Is the word or words where the chord goes. **Required.**

name	content
------	---------

Displays the chord name over the selected words in the body. **Required.**

position content

Positions the chord on a specific body character. **Required.**

- `[]`: chord name centered on the body.
- `[0]`: chord name placed before the body.
- `[number]`: the chord name starts on a specific body character. (First position `[1]`)

Example:

```
#import "@preview/chordx:0.8.0": single-chord

#let chord = single-chord.with(
  font: "PT Sans",
  size: 10pt,
  weight: "semibold",
  background: silver,
)

#chord[Jingle][G][2] bells, jingle bells, jingle #chord[all][C][2] the #chord[way!][G][2] \
#chord[Oh][C][] what fun it #chord[is][G][] to ride \
In a #chord[one-horse][A7][2] open #chord[sleigh,][D7][3] hey!
```

G **C** **G**
Jingle bells, jingle bells, jingle all the way!

C **G**
Oh what fun it is to ride

A7**D7**

In a one-horse open sleigh, hey!

Example:

```
// Chords with automatic transpose

#let chord = single-chord.with(
  font: "PT Sans",
  size: 10pt,
  weight: "semibold",
  background: silver,
  accidental: "sharp",
  sharp-symbol: "#",
  transpose: 1,
)

#chord[Jingle][G][2] bells, jingle bells, jingle #chord[all][C][2] the #chord[way!][G][2] \
#chord[Oh][C][] what fun it #chord[is][G][] to ride \
In a #chord[one-horse][A7][2] open #chord[sleigh,][D7][3] hey!
```

G#**C#****G#**

Jingle bells, jingle bells, jingle all the way!

C#**G#**

Oh what fun it is to ride

A#7**D#7**

In a one-horse open sleigh, hey!

Example:

```
// Chord name placed before the body with `position: 0`
// Chords with whitespace characters

#chord[Lorem][G][0] ipsum dolor #chord[sit][C][]. ~ #chord[~][G][] ~ #chord[~][C][] ~ #chord[~][G][] \
```

G**C****G****G****C****G**

Lorem ipsum dolor sit amet consectetur adipiscing elit.