```
# = 红色字体部分填入自己命名的英文简称和机场订阅链接 ! =
# = 数据库 Geo 下载与更新部分也用红色字体 ! =
# = 若在 OpenClash 中使用此配置文件应删除或注释数据库 Geo 部分 =
# = 若在 ClashMeta for Andriod 中使用此配置文件需保留数据库 Geo 数据库部分 =

# = dns 配置 =
dns:
  enable: true
  listen: 0.0.0.0:7874
  ipv6: false
  enhanced-mode: fake-ip
  fake-ip-range: 198.18.0.1/16
  respect-rules: true
  nameserver:
  - https://dns.alidns.com/dns-query
  - https://1.1.1.1/dns-query
  nameserver-policy:
    geosite:cn:
    - https://dns.alidns.com/dns-query#DIRECT
    geosite:geolocation-!cn:
    - https://1.1.1.1/dns-query#所有自动
  proxy-server-nameserver:
    - https://dns.alidns.com/dns-query

# = 机场订阅 =
proxy-providers:
  XXdl:
    url: “”
    type: http
    interval: 86400
    health-check:
      enable: true
      url: https://www.gstatic.com/generate_204
      interval: 180
    exclude-filter: 剩余|距离|套餐|流量|到期
    override:
      additional-prefix: "XX-"

# = 自定义节点 =
proxies:
- name: 直连
  type: direct

- name: 拒绝
  type: reject
```

```
# =分流策略组 =
proxy-groups:
- name: YouTube
  type: select
  proxies:
  - 所有自动
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/youtube.svg

- name: Gemini
  type: select
  proxies:
  - 美国自动
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/gemini.svg

- name: OpenAI
  type: select
  proxies:
  - AI 专用组
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/chatgpt.svg

- name: Google
  type: select
  proxies:
  - 所有自动
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/google.svg

- name: GitHub
  type: select
  proxies:
  - 所有自动
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/github.svg

- name: 广告拦截
  type: select
  proxies:
  - 拒绝
  - 直连
  icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/ad.svg

# = 分类节点组 =
- name: 所有自动
```

```
    type: url-test
    use:
    - LXdl
    url: https://www.gstatic.com/generate_204
    interval: 300
    tolerance: 100
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/all-auto.svg

- name: AI 专用组
    type: url-test
    use:
    - LXdl
    filter: (?i)(新加坡|狮城|Singapore|日本|Japan|东京|美国|United States|USA|英国|United
Kingdom|Britain|(^|[^A-Za-z])(SG|JP|US|UK)([^A-Za-z]|$))
    url: https://www.gstatic.com/generate_204
    interval: 300
    tolerance: 100
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/openai.svg

- name:  美国自动
    type: url-test
    use:
    - LXdl
    filter: (?i)(美国|United States|US|(^|[^A-Za-z])(US)([^A-Za-z]|$))
    url: https://www.gstatic.com/generate_204
    interval: 300
    tolerance: 100
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/flags-us.svg

- name:  国外
    type: select
    proxies:
    -  所有自动
    -  直连
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/world.svg

- name:  国内
    type: select
    proxies:
    -  直连
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/home.svg

- name:  其他
    type: select
    proxies:
    -  所有自动
```

```
    - 直连
    icon: https://raw.githubusercontent.com/ljhq553/Icon/refs/heads/main/fishing.svg

# 数据库 Geo 下载与更新 =
geo-auto-update: true
geo-update-interval: 24
geodata-loader: standard
geodata-mode: true
geox-url:
    mmdb: "https://github.com/MetaCubeX/meta-rules-dat/releases/download/latest/geoip.metadb"
    asn: "https://github.com/MetaCubeX/meta-rules-dat/releases/download/latest/GeoLite2-ASN.mmdb"
    geoip: "https://github.com/MetaCubeX/meta-rules-dat/releases/download/latest/geoip.dat"
    geosite: "https://github.com/MetaCubeX/meta-rules-dat/releases/download/latest/geosite.dat"

# = 路由规则 =

rules:
# = 广告拦截 =
    - GEOSITE,category-ads-all,广告拦截

# = 测试 DNS 泄漏站点强制走代理 =
    - DOMAIN-SUFFIX,browserleaks.com,国外
    - DOMAIN-SUFFIX,browserleaks.org,国外
    - DOMAIN-SUFFIX,browserleaks.net,国外
    - DOMAIN-SUFFIX,dnsleaktest.com,国外
    - DOMAIN-SUFFIX,ipleak.net,国外

# = 常用代理--AI 服务 =
    - DOMAIN-SUFFIX,oaistatic.com,OpenAI
    - DOMAIN-SUFFIX,oaiusercontent.com,OpenAI
    - DOMAIN-SUFFIX,openai.com,OpenAI
    - DOMAIN-SUFFIX,chatgpt.com,OpenAI
    - DOMAIN-SUFFIX,anthropic.com,Gemini
    - DOMAIN-SUFFIX,claude.ai,Gemini
    - DOMAIN-SUFFIX,gemini.google.com,Gemini
    - DOMAIN-SUFFIX,cloud.google.com,Gemini
    - DOMAIN-SUFFIX,aistudio.google.com,Gemini
    - DOMAIN-SUFFIX,x.ai,Gemini
    - DOMAIN-SUFFIX,x.com,Gemini
    - DOMAIN-SUFFIX,grok.com,Gemini
    - DOMAIN-SUFFIX,grok.me,Gemini

# = 常用代理--油管与吉特哈布 =
    - DOMAIN-SUFFIX,youtube.com,YouTube
    - DOMAIN-SUFFIX,youtu.be,YouTube
    - DOMAIN-SUFFIX,googlevideo.com,YouTube
```

```
  - DOMAIN-SUFFIX,ytimg.com,YouTube
  - DOMAIN-SUFFIX,github.com,GitHub
  - DOMAIN-SUFFIX,github.io,GitHub
  - DOMAIN-SUFFIX,githubusercontent.com,GitHub

# = 常用代理--Google 核心服务 =
  - DOMAIN-SUFFIX,google.com,Google
  - DOMAIN-SUFFIX,googleapis.com,Google
  - DOMAIN-SUFFIX,googleapis.cn,Google
  - DOMAIN-SUFFIX,gstatic.com,Google
  - DOMAIN-SUFFIX,gvt1.com,Google
  - DOMAIN-SUFFIX,gvt2.com,Google
  - DOMAIN-SUFFIX,gvt3.com,Google
  - DOMAIN-SUFFIX,googleusercontent.com,Google
  - DOMAIN-SUFFIX,ggpht.com,Google
  - DOMAIN-SUFFIX,android.com,Google
  - DOMAIN-SUFFIX,xn--ngstr-lra8j.com,Google

# = 微信应用直连 =
  - DOMAIN-SUFFIX,weixin.qq.com,直连
  - DOMAIN-SUFFIX,wx.qq.com,直连
  - DOMAIN-SUFFIX,wxs.qq.com,直连
  - DOMAIN-SUFFIX,wechat.com,直连
  - DOMAIN-SUFFIX,servicewechat.com,直连
  - DOMAIN-SUFFIX,qlogo.cn,直连
  - DOMAIN-SUFFIX,qpic.cn,直连
  - DOMAIN-SUFFIX,pay.weixin.qq.com,直连
  - DOMAIN-SUFFIX,work.weixin.qq.com,直连
  - DOMAIN-SUFFIX,wxwork.qq.com,直连
  - PROCESS-NAME,WeChat.exe,直连
  - PROCESS-NAME,WeChat,直连
  - PROCESS-NAME,WeChatApp.exe,直连
  - PROCESS-NAME,WeChatApp,直连
  - PROCESS-NAME,com.tencent.mm,直连

# = 常用国内直连 =
  - DOMAIN-SUFFIX,cn.bing.com,直连
  - DOMAIN-SUFFIX,iconify.design,直连
  - DOMAIN-SUFFIX,iconify.design,直连
  - DOMAIN-SUFFIX,baidu.com,直连
  - DOMAIN-SUFFIX,sina.com.cn,直连
  - DOMAIN-SUFFIX,163.com,直连
  - DOMAIN-SUFFIX,jd.com,直连
  - DOMAIN-SUFFIX,taobao.com,直连
  - DOMAIN-SUFFIX,tmall.com,直连
  - DOMAIN-SUFFIX,meituan.com,直连
```

```
  - DOMAIN-SUFFIX,pinduoduo.com,直连
  - DOMAIN-SUFFIX,goofish.com,直连
  - DOMAIN-SUFFIX,douyin.com,直连
  - DOMAIN-SUFFIX,bilibili.com,直连
  - DOMAIN-SUFFIX,iqiyi.com,直连
  - DOMAIN-SUFFIX,qq.com,直连
  - DOMAIN-SUFFIX,xiaomi.com,直连
  - DOMAIN-SUFFIX,mi.com,直连
  - DOMAIN-SUFFIX,zhihu.com,直连
  - DOMAIN-SUFFIX,cn,直连
  - DOMAIN-SUFFIX,中国,国内
  - DOMAIN-SUFFIX,公司,国内
  - DOMAIN-SUFFIX,网络,国内

# = GeoSite 数据库引用 =
  - GEOSITE,private,直连
  - GEOSITE,alibaba,直连
  - GEOSITE,youtube,YouTube
  - GEOSITE,github,GitHub
  - GEOSITE,category-ai-!cn,OpenAI
  - GEOSITE,category-ai-cn,直连
  - GEOSITE,apple-cn,直连
  - GEOSITE,microsoft@cn,直连
  - GEOSITE,google,Google

# = 局域网与私有 IP 直连 =
  - IP-CIDR,127.0.0.0/8,直连,no-resolve
  - IP-CIDR,169.254.0.0/16,直连,no-resolve
  - IP-CIDR,10.0.0.0/8,直连,no-resolve
  - IP-CIDR,172.16.0.0/12,直连,no-resolve
  - IP-CIDR,192.168.0.0/16,直连,no-resolve
  - IP-CIDR,100.64.0.0/10,直连,no-resolve
  - IP-CIDR,224.0.0.0/4,直连,no-resolve
  - IP-CIDR,240.0.0.0/4,直连,no-resolve

# = 国外代理与国内直连兜底两种分流 =
  - GEOSITE,cn,直连
  - GEOSITE,geolocation-cn,直连
  - GEOIP,CN,直连,no-resolve
  - GEOSITE,geolocation-!cn,其他
  - MATCH,其他
```