

ENR 3 ATS ROUTES**ENR 3.1 ATS ROUTES****(1) ATS ROUTES**

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
A1							
▲IKELA 183942.00N 1121442.00E (Hong Kong/Sanya FIR BDRY)							
	039 219	24.9	FL 285 8000 ft AMSL Class A	50	Odd	Even	PBN Route P901 above FL285 Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△IDOSI 190000.00N 1123000.00E							
	027 207	210.8	FL 285 8000 ft AMSL Class A	50	Odd	Even	PBN Route P901 above FL285. For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△BIGEX 221310.35N 1140148.20E							
	090 271	100.0	UNL 8000 ft AMSL Class A	50	Odd	Even	For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 118.925 MHZ (PRI) 121.3 MHZ (When instructed)
△MAGOG 221746.00N 1154930.00E							
	091 272	93.2	UNL 8000 ft AMSL Class A	50	Odd	Even	Hong Kong Radar 118.925 MHZ (PRI) 121.3 MHZ (When instructed)

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
▲ELATO 222000.00N 1173000.00E (Hong Kong/Taipei FIR BDRY)							
<u>Route Remarks:</u> For flights within the RVSM airspace, FL290 - 410, refer to FLAS in ENR 1.8 para 8. IKELA and ELATO: Compulsory ATS Reporting Points for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
A202							
▲SIKOU 205036.00N 1113000.00E (Hong Kong/ Guangzhou FIR BDRY)							
	062 243	163.7	UNL 8000 ft AMSL Class A	50			For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△BIGEX 221310.35N 1140148.20E							
<u>Route Remarks:</u> Traffic overflying Bangkok not permitted on this route. For flights within the RVSM airspace, FL290-410, refer to FLAS in ENR 1.8 para 8. For direction of cruising levels, refer to FLAS in ENR 1.8 para 8. SIKOU: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
A461							
▲NOMAN 200000.00N 1164018.00E (Hong Kong/Manila FIR BDRY)							
	315 134	198.9	UNL 8000 ft AMSL Class A	50	Even	Odd	For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△BIGEX 221310.35N 1140148.20E							
	020	20.2	UNL 4500 ft AMSL 9 000 ft AMSL/UNL: Class A 4500 ft/9000 ft AMSL: Class C	12	Odd		One-way route for northbound traffic only.For direction of cruising levels, refer to FLAS in ENR 1.8 para 8. For flights landing Shenzhen 2400 m (PRI) 2100 m (SRY). FL250 and below Hong Kong DEP 123.8 MHZ (PRI) 124.05 MHZ (SRY) Above FL250 Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
▲BEKOL 223236.00N 1140800.00E (Hong Kong/ Guangzhou FIR BDRY)							
Route Remarks: For flights within the RVSM airspace, FL290-410, refer to FLAS in ENR 1.8 para 8. BEKOL and NOMAN: Compulsory ATS Reporting Points for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
A470							
△MAGOG 221746.00N 1154930.00E							
	040 220	31.6	UNL 8000 ft AMSL Class A	12	Odd	Even	Hong Kong Radar 121.3 MHZ (PRI) 118.925 MHZ (When instructed) 128.125 MHZ (SRY)
▲DOTMI 224306.00N 1161006.00E (Hong Kong/ Guangzhou Transfer Point)							
<u>Route Remarks:</u> For direction of cruising levels, refer to FLAS in ENR 1.8 para 8. Other flight levels, except FL270, may be available subject to co-ordination. DOTMI: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
A583							
▲SABNO 185906.00N 1155042.00E (Hong Kong/Manila FIR BDRY)							
	335 155	218.7	UNL 8000 ft AMSL Class A	50	Even	Odd	For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△BIGEX 221310.35N 1140148.20E							
<u>Route Remarks:</u> For flights within the RVSM airspace, FL290-410, refer to FLAS in ENR 1.8 para 8. SABNO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
B330							
△BIGEX 221310.35N 1140148.20E							
	315 135	12.3	UNL 6000 ft AMSL 9 000 ft AMSL/UNL: Class A 6000 ft/9000 ft AMSL: Class C	12			Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
▲TAMOT 222130.00N 1135200.00E							
<u>Route Remarks:</u> One-way route normally for southbound traffic only. Northbound for traffic transiting Hong Kong FIR and landing Guangzhou (ZGGG). Appropriate Levels as assigned by ATC. TAMOT: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
G581							
△BIGEX 221310.35N 1140148.20E							
	090 271	100.0	UNL 8000 ft AMSL Class A	50	Odd	Even	For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY) 118.925 MHZ (When instructed)
△MAGOG 221746.00N 1154930.00E							
	091 272	93.2	UNL 8000 ft AMSL Class A	50	Odd	Even	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY) 118.925 MHZ (When instructed)
▲ELATO 222000.00N 1173000.00E (Hong Kong/Taipei FIR BDRY)							
Route Remarks: For flights within the RVSM airspace, FL290-410, refer to FLAS in ENR 1.8 para 8. ELATO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

Route designator Name of significant points Coordinates	MAG Track	DIST (NM)	Upper limit Lower limit Airspace Classification	Lateral limits (NM)	FL Series		Remarks Controlling unit Frequency
					↓	↑	
1	2	3	4	5	6		7
G86							
▲KAPLI 211000.00N 1173000.00E (Hong Kong/Taipei FIR BDRY)							
	110	203.8	UNL 8000 ft AMSL Class A	50		Odd	For airspace classification of route segment within or above Hong Kong CTR/UCARAs, refer to ENR 1.4 and ENR 2.1. Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△BIGEX 221310.35N 1140148.20E							
<u>Route Remarks:</u> One-way route for eastbound traffic only. For flights within the RVSM airspace, FL290-410, refer to FLAS in ENR 1.8 para 8. KAPLI: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory Reporting Points for non-jet aircraft only.							

(2) TERMINAL TRANSITION ROUTES

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
J101			
▲ELATO 222000.00N 1173000.00E			
	286	47.1	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△TUBBY 223025.41N 1164024.45E			
	270	39.6	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△SAMMI 222800.00N 1155742.00E			
	269	70.3	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△NEDLE 222313.95N 1144157.47E			
	269	13.2	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△PONTI 222216.35N 1142745.83E			
	269	8.3	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△BUMDI 222139.62N 1141852.61E			
	269	18.5	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△SIU MO TO (SMT) DVOR/DME 222015.43N 1135855.46E			
Route Remark: ELATO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
J103			
△DUMOL 190000.00N 1142648.00E			
	358	50.1	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△ALDOM 195009.33N 1142226.42E			
	358	59.4	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△ISBAN 204934.33N 1141713.11E			
	358	13.2	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△ROBIN 210245.00N 1141606.00E			
	358	16.6	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△TAPPO 211920.61N 1141434.62E			
	358	20.0	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△SAPAX 213919.84N 1141247.62E			
	358	53.3	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
▲BEKOL 223236.00N 1140800.00E			
Route Remark: BEKOL: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
J104			
▲SIKOU 205036.00N 1113000.00E			
	103	27.6	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△RAGSO 204532.33N 1115856.71E			
	073	53.4	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△DASON 210323.27N 1125240.39E			
	074	18.2	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△COTON 210924.17N 1131101.04E			
	074	25.4	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△CHALI 211745.00N 1133641.00E			
<u>Route Remark:</u> SIKOU: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V10			
▲SIKOU 205036.00N 1113000.00E			
	299	40.7	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△DAGBU 203257.99N 1120910.07E			
	254	97.2	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△ALLEY 210511.15N 1134709.50E			
	217	25.3	Hong Kong Radar 123.475 MHZ (PRI) 132.6 MHZ (SRY)
△PECAN 212620.19N 1140205.64E			
<u>Route Remark:</u> SIKOU: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V11			
△IDOSI 190000.00N 1123000.00E			
	219	23.1	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△SURFA 191850.98N 1124411.17E			
	220	120.5	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△LAXET 205616.57N 1140005.12E			
	187	30.0	Hong Kong Radar 123.475 MHZ (PRI) 132.6 MHZ (SRY)
△PECAN 212620.19N 1140205.64E			
<u>Route Remark:</u> All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V12			
△EPDOS 190000.00N 1133318.00E			
	195	118.6	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△LAXET 205616.57N 1140005.12E			
	187	30.0	Hong Kong Radar 123.475 MHZ (PRI) 132.6 MHZ (SRY)
△PECAN 212620.19N 1140205.64E			
<u>Route Remark:</u> All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V31			
△IDOSI 190000.00N 1123000.00E			
	219	23.1	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△SURFA 191850.98N 1124411.17E			
	212	121.4	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△ALLEY 210511.15N 1134709.50E			
<u>Route Remark:</u> All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V32			
△EPDOS 190000.00N 1133318.00E			
	189	125.4	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△ALLEY 210511.15N 1134709.50E			
<u>Route Remark:</u> All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V512			
△ABBEY 221611.00N 1145525.92E			
	271	23.0	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△FISHA 221657.64N 1152011.61E			
	271	19.7	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△ENPET 221733.16N 1154124.36E			
	271	7.5	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△MAGOG 221746.00N 1154930.00E			
	220	31.6	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
▲DOTMI 224306.00N 1161006.00E			
<u>Route Remark:</u> DOTMI: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V522			
△ABBEY 221611.00N 1145525.92E			
	271	23.0	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△FISHA 221657.64N 1152011.61E			
	271	19.7	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△ENPET 221733.16N 1154124.36E			
	271	7.5	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△MAGOG 221746.00N 1154930.00E			
	272	93.2	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
▲ELATO 222000.00N 1173000.00E			
<u>Route Remark:</u> ELATO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V525			
△BETTY 212910.82N 1143331.92E			
	318	39.5	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△SONNY 210103.66N 1150318.81E			
	318	10.6	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△DAKTO 205330.89N 1151115.58E			
	248	32.8	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△EATON 210724.40N 1154301.10E			
	254	79.5	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△AKEKU 213418.33N 1170309.60E			
	212	51.9	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
▲ELATO 222000.00N 1173000.00E			
Route Remark: V525 is for ATC tactical use only and shall not be used for flight planning purposes ELATO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V533			
▲NOMAN 200000.00N 1164018.00E			
	301	41.0	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△UNTUL 201902.18N 1160138.11E			
	300	30.8	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△OSUMO 203313.23N 1153232.05E			
	318	28.4	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△DAKTO 205330.89N 1151115.58E			
	318	10.6	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△SONNY 210103.66N 1150318.81E			
	318	39.5	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△BETTY 212910.82N 1143331.92E			
<u>Route Remark:</u> NOMAN: Compulsory ATS Reporting Points for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V534			
▲NOMAN 200000.00N 1164018.00E			
	301	41.0	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△UNTUL 201902.18N 1160138.11E			
	300	30.8	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△OSUMO 203313.23N 1153232.05E			
	276	54.5	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△HOCKY 203549.35N 1143428.48E			
	358	15.0	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△CYBER 205049.64N 1143310.56E			
	003	38.2	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△BETTY 212910.82N 1143331.92E			
Route Remark: V534 is for ATC tactical use only and shall not be used for flight planning purposes. NOMAN: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V542			
▲SABNO 185906.00N 1155042.00E			
	305	36.7	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△TOFEE 191821.99N 1151738.48E			
	304	42.5	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△SUKER 194033.48N 1143911.87E			
	358	55.2	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△HOCKY 203549.35N 1143428.48E			
	358	15.0	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△CYBER 205049.64N 1143310.56E			
	003	38.2	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△BETTY 212910.82N 1143331.92E			
<u>Route Remark:</u> SABNO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V551			
△CARSO 190000.00N 1144237.75E			
	358	40.5	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△SUKER 194033.48N 1143911.87E			
	358	55.2	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△HOCKY 203549.35N 1143428.48E			
	358	15.0	Hong Kong Radar 128.75 MHZ (PRI) 129.9 MHZ (SRY)
△CYBER 205049.64N 1143310.56E			
	003	38.2	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△BETTY 212910.82N 1143331.92E			
<u>Route Remark:</u> All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V561			
△IDOSI 190000.00N 1123000.00E			
	013	72.6	Hong Kong Radar 125.325 MHZ (PRI) 132.775 MHZ (SRY)
△MYWAY 201146.30N 1124307.70E			
	013	68.1	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△GAMBA 211908.12N 1125536.21E			
	074	10.0	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△MAPLE 212226.82N 1130542.82E			
	074	21.8	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△COMBI 212937.10N 1132744.30E			
	074	7.0	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△ROCCA 213155.42N 1133451.44E			
	048	10.0	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△CANTO 213902.63N 1134225.09E			
Route Remark: All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V571			
▲SIKOU 205036.00N 1113000.00E			
	074	85.0	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△GAMBA 211908.12N 1125536.21E			
	074	10.0	Hong Kong Radar 127.1 MHZ (PRI) 123.7 MHZ (SRY)
△MAPLE 212226.82N 1130542.82E			
	074	21.8	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△COMBI 212937.10N 1132744.30E			
	074	7.0	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△ROCCA 213155.42N 1133451.44E			
	048	10.0	Hong Kong Radar 127.55 MHZ (PRI) 134.3 MHZ (SRY)
△CANTO 213902.63N 1134225.09E			
Route Remark: SIKOU: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V591			
△ABBEY 221611.00N 1145525.92E			
	271	23.0	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△FISHA 221657.64N 1152011.61E			
	271	19.7	Hong Kong Radar 126.5 MHZ (PRI) 132.8 MHZ (SRY)
△ENPET 221733.16N 1154124.36E			
	271	7.5	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△MAGOG 221746.00N 1154930.00E			
	251	71.0	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
△MALKA 224413.60N 1170041.71E			
	237	20.6	Hong Kong Radar 121.3 MHZ (PRI) 128.125 MHZ (SRY)
▲LELIM 225624.00N 1171842.00E			
<u>Route Remark:</u> LELIM: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V601			
△LEKEN 215301.06N 1145444.95E			
	091	19.9	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△LARIT 215341.37N 1151606.56E			
	091	19.9	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△NUDPI 215418.90N 1153728.21E			
	081	32.3	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△SOUSA 220110.40N 1161127.80E			
	001	41.8	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
▲DOTMI 224306.00N 1161006.00E			
<u>Route Remark:</u> DOTMI: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V611			
△LEKEN 215301.06N 1145444.95E			
	091	19.9	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△LARIT 215341.37N 1151606.56E			
	091	19.9	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△NUDPI 215418.90N 1153728.21E			
	081	32.3	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△SOUSA 220110.40N 1161127.80E			
	091	32.8	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△BESDA 220203.11N 1164645.01E			
	032	48.1	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△LIMSU 224427.09N 1171137.82E			
	032	13.6	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
▲LELIM 225624.00N 1171842.00E			
Route Remark: LELIM: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V621			
△DALOL 214436.90N 1145045.34E			
	093	20.6	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△DUMEP 214436.30N 1151249.87E			
	093	20.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△MEBKI 214432.75N 1153454.24E			
	093	67.2	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△CONGA 214402.50N 1164705.90E			
	051	53.6	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
▲ELATO 222000.00N 1173000.00E			
<u>Route Remark:</u> ELATO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V631			
△DALOL 214436.90N 1145045.34E			
	093	20.6	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△DUMEP 214436.30N 1151249.87E			
	093	20.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△MEBKI 214432.75N 1153454.24E			
	093	67.2	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
△CONGA 214402.50N 1164705.90E			
	072	42.8	Hong Kong Radar 118.925 MHZ (PRI) 128.125 MHZ (SRY)
▲ENVAR 215930.00N 1173000.00E			
<u>Route Remark:</u> ENVAR: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V642			
▲NOMAN 200000.00N 1164018.00E			
	150	60.0	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△NOPER 205048.05N 1160601.97E			
	130	67.5	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△SKATE 213154.99N 1150839.94E			
	130	10.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△XEMEK 213816.17N 1145943.04E			
	130	10.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△DALOL 214436.90N 1145045.34E			
<u>Route Remark:</u> NOMAN: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
V652			
▲SABNO 185906.00N 1155042.00E			
	190	80.3	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△UNTUL 201902.18N 1160138.11E			
	149	33.7	Hong Kong Radar 132.15 MHZ (PRI) 129.9 MHZ (SRY)
△RUSBI 204657.36N 1154127.93E			
	149	33.7	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△POVAM 211454.67N 1152107.14E			
	149	20.5	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△SKATE 213154.99N 1150839.94E			
	130	10.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△XEMEK 213816.17N 1145943.04E			
	130	10.5	Hong Kong Radar 133.825 MHZ (PRI) 132.8 MHZ (SRY)
△DALOL 214436.90N 1145045.34E			
Route Remark: SABNO: Compulsory ATS Reporting Point for all aircraft. Other waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			

Route designator Name of significant points Coordinates	Track °M	Distance NM	Remarks Controlling unit Frequency
1	2	3	4
W29			
△BETTY 212910.82N 1143331.92E			
	318	39.5	Hong Kong Radar 126.3 MHZ (PRI) 132.6 MHZ (SRY)
△SONNY 210103.66N 1150318.81E			
	318	10.6	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△DAKTO 205330.89N 1151115.58E			
	248	32.8	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
△EATON 210724.40N 1154301.10E			
	187	30.5	Hong Kong Radar 133.7 MHZ (PRI) 129.9 MHZ (SRY)
▲MEPUT 213759.00N 1154519.80E			
<u>Route Remark:</u> W29 is for ATC tactical use only and shall not be used for flight planning purposes. All waypoints: Compulsory ATS Reporting Points for non-jet aircraft only.			