
## 3) (20 points) Two blocks on a Ramp

Two blocks with masses  $M_1$  and  $M_2 = 2M_1$  are sliding down a ramp with the first block higher up the ramp, as shown in the diagram. The two blocks are tied together with an ideal (massless and non-stretchy) rope.

- a) If the coefficient of kinetic friction between the first block and the ramp is  $\mu_{Ik}$ , then what is the *direction* and *magnitude* of the force of friction acting on the first block? As always, show your work or justify your answer.
- b) If the rope has non-zero tension, then what is the *upper limit* for the coefficient of kinetic friction  $\mu_{2k}$  between the second block and the ramp?
- c) Assuming that  $\mu_{2k} = \mu_{1k}/2$ , what is the *magnitude* and *direction* of the acceleration of the first block?
- d) In this case, what is the tension in the rope?




## 4) (20 points) Sliding in a funnel

A small steel ball is sliding without friction in a horizontal circular path at constant speed v inside a stationary funnel, as shown in the diagram. An ideal (massless & non-stretchy) string connected to the ball hangs from the ball down L of the slope of the funnel and passes through the hole at the bottom, so that it supports a cork of mass  $M_c$ . The sides of the funnel form an angle of  $\theta$  to the horizontal, as

shown in the diagram.

- a) Draw and clearly label a free body diagram of the ball by itself AND make a second free body diagram of the hanging cork by itself.
- b) What is the tension *T* in the string? As always, show your work or justify your answer.
- c) What is the magnitude of the ball's acceleration? Express your answer in terms of v, L, and  $\theta$ .
- d) What is the mass  $M_b$  of the ball?



## 5) (20 points) Sliding blocks with no friction

Two blocks are stacked on top of an incline as shown in the diagram. The uppermost block is cube shaped and it has mass  $M_1$ , whereas the block below it has mass  $M_2$  and is wedge shaped with the same angle  $\theta$  as the incline. You may assume that there is *no friction* in any part of this problem.

- a) Make two separate free body diagrams, one for each of the blocks.
- b) Given that the lower block is constrained to move along the slope, derive a formula for the vertical acceleration of the lower block as a function of its horizontal acceleration. Define your axes clearly and take care with signs.
- c) What is the magnitude of the vertical component of the acceleration of the upper block? As always, show your work or justify your answer.
- d) What is the magnitude of the horizontal component of the acceleration of the upper block?

