

在Linux环境的命令行下编辑并编译示例代码

姓名:李佳盈 学号:20232241142 班级:网络2304

一、在命令行下编辑并编译代码的做法

1.在想要创建c文件的文件夹中打开终端

2.输入如下代码

```
#创建c文件
vim name.c
#编译c文件并指定输出对应的可运行文件
gcc 源文件 -o 输出文件名称
#运行c文件
.\输出文件名称
```

二、示例实践操作


为方便源代码的编辑，我直接选择了直接在vscode中进行编译

1.获取进程的pid

(1)示例代码

```
#include<stdio.h>
#include<sys/types.h>
#include<unistd.h>
int main(){
    pid_t my_pid;
    my_pid=getpid();
    printf("My process id is %d\n",my_pid);
    return 0;
}
```

(2)实践照片




2.使用 fork() 创建进程

(1)示例代码

```
#include<stdio.h>
#include<sys/types.h>
#include<unistd.h>
int main(){
    pid_t child_pid;
    child_pid = fork();
    if(child_pid < 0){
        //Fork failed
        perror("Fork failed");
        return 1;
    }else if(child_pid == 0){
        printf("Child process: My PID is %d\n", getpid());
    }
    else{
        printf("Parent process: My PID is %d\n", getpid());
        printf("Parent process: Child process id is %d\n", child_pid);
    }
    return 0;
}
```

(2)实践照片



3.使用 fork() 创建子进程，并在父进程中等待子进程结束并获取子进程的退出状态

(1)示例代码


```
#include <stdio.h>
#include <sys/types.h>
#include <unistd.h>
#include <sys/wait.h>
int main()
{
    pid_t child_pid;
    child_pid = fork();
    if (child_pid < 0)
    {
        // Fork failed
        perror("Fork failed");
        return 1;
    }
    else if (child_pid == 0)
    {
        printf("Child process: My PID is %d\n", getpid());
    }
    else
    {
        // Code executed by parent process
        printf("Parent process: Child process id is %d\n", child_pid);
        // wait for child process to complete
        int status;
        waitpid(child_pid, &status, 0);
        if (WIFEXITED(status))
```

```

    {
        printf("Child process exited with status: %d\n", WEXITSTATUS(status));
    }
}
return 0;
}

```

(2)实践照片



4.多次调用 fork() 创建进程

(1)示例代码

```

#include<stdio.h>
#include<sys/types.h>
#include<unistd.h>

int main(){
    fork();
    fork();
    fork();
    printf("hello\n");
    return 0;
}

```

(2)实践照片

```
Welcome to 6.6.0-80.0.0.85.oe2403sp1.x86_64

System information as of time:  2025年 03月 13日 星期四 21:09:16 CST

System load:      0.72
Memory used:      22.6%
Swap used:        0%
Usage On:         12%
IP address:       192.168.241.140
Users online:     1
To run a command as administrator(user "root"),use "sudo <command>".
[jiayingli@localhost 源码]$ gcc forkeg1.c -o fork1
[jiayingli@localhost 源码]$ ./fork1
hello
hello
hello
hello
hello
hello
hello
[jiayingli@localhost 源码]$ hello
hello
```

5. fork() 创建进程并使父进程和子进程共享代码

(1)示例代码

```
#include<stdio.h>
#include<sys/types.h>
#include<unistd.h>
#include<stdlib.h>

int main(){
    int x=1;
    pid_t p=fork();
    if(p<0){
        perror("fork fail");
        exit(1);
    }else if(p==0)
        printf("Child has x= %d\n",++x);
    else
        printf("Parent has x=%d\n",--x);
    return 0;
}
```

(2)实践照片

