

Clinic Visit Note -Gastroenterology

GI Associates of Boston | Dr. Elena Hartley, MD

Patient: Jane Doe | DOB: 1988-03-14 | MRN: 00142837

Visit date: 2026-05-20 Provider: Dr. Elena Hartley, MD Type: Follow-up

CHIEF COMPLAINT

Worsening abdominal cramping, urgency, and bloody stools x 3 weeks despite mesalamine.

HISTORY OF PRESENT ILLNESS

Jane is a 38-year-old woman with a 7-year history of left-sided UC (E2) who presents with a moderate flare. She reports 5-7 loose to watery stools per day with bright red blood and mucus. Urgency is severe, waking her at night. Abdominal cramping rated 6/10. Fatigue is marked -she has missed 3 days of work. No fever. No extra-intestinal manifestations.

Current medications: Mesalamine (Lialda) 2.4g daily -reports adherence. No recent NSAID or antibiotic use. No recent travel. No sick contacts.

ASSESSMENT & PLAN

- Moderate-severe UC flare -starting prednisone 40mg/day with 5mg/week taper.
- Adding azathioprine 100mg/day for steroid-sparing; check TPMT before start.
- Iron deficiency anemia (Ferritin 6, Hgb 10.2) -start ferrous sulfate 325mg TID.
- Vitamin D insufficiency (18 ng/mL) -cholecalciferol 2000 IU daily.
- Nutrition referral placed. Gluten-free, low-fiber diet during active flare.
- Follow-up in 2 weeks or sooner if bleeding worsens.
- Colonoscopy scheduled to assess mucosal healing.