Treći izvještaj

Message authentication and integrity

Zadatak 1

Na početku vježbe kreiramo virtualno okruženje u Pythonu, unutar kojeg koristimo biblioteku cryptography. Trebamo zaštititi integritet poruke primjenom MAC algoritma.

```
from cryptography.hazmat.primitives import hashes, hmac
from cryptography.exceptions import InvalidSignature
def generate_MAC(key, message):
   if not isinstance(message, bytes):
       message = message.encode()
   h = hmac.HMAC(key, hashes.SHA256())
   h.update(message)
   mac = h.finalize()
    return mac
def verify_MAC(key, mac, message):
   if not isinstance(message, bytes):
        message = message.encode()
   h = hmac.HMAC(key, hashes.SHA256())
   h.update(message)
        h.verify(mac)
    except InvalidSignature:
        return False
    else:
        return True
if __name__ == "__main__":
    key = b"Oooooogromna tajna"
   with open("message.txt", "rb") as file:
        message = file.read()
   # mac = generate_MAC(key, message)
    # with open("message.sig", "wb") as file:
         file.write(mac)
   with open("message.sig", "rb") as file:
        mac = file.read()
```

Treći izvještaj 1

```
isAuthentic = verify_MAC(key, mac, message)
print(isAuthentic)
```

2.zadatak

U ovom izazovu se utvrđuje ispravan vremenski redoslijed transakcija.

```
from os import read
from cryptography.hazmat.primitives import hashes, hmac
from cryptography.exceptions import InvalidSignature
import os
from datetime import datetime
def generate_MAC(key, message):
 if not isinstance(message, bytes):
     message = message.encode()
 h = hmac.HMAC(key, hashes.SHA256())
 h.update(message)
 mac = h.finalize()
  return mac
def verify_MAC(key, mac, message):
 if not isinstance(message, bytes):
   message = message.encode()
 h = hmac.HMAC(key, hashes.SHA256())
 h.update(message)
 try:
    h.verify(mac)
  except InvalidSignature:
    return False
  else:
    return True
def extractOrderDateTime(order):
  first = order.index('(')
  second = order.index(')')
 orderDate = order[first+1: second]
  return datetime.strptime(orderDate, "%Y-%m-%dT%H:%M")
```

Treći izvještaj 2

```
def checkIfAuthentic(path, key):
 valid = []
 for ctr in range(1,11):
   msgFile = os.path.join(path, f"order_{ctr}.txt")
   sigFile = os.path.join(path, f"order_{ctr}.sig")
   with open(msgFile, "rb") as file:
     message = file.read()
   with open(sigFile, "rb") as file:
     mac = file.read()
   is_authentic = verify_MAC(key, mac , message)
   if is_authentic:
     valid.append(message.decode("utf-8"))
     valid.sort(key = extractOrderDateTime)
 print(valid)
if __name__ == "__main__":
  key = "kevric_laura".encode()
  path = os.path.join("challenges", "kevric_laura", "mac_challenge")
  checkIfAuthentic(path, key)
```

Treći izvještaj 3