# HackaTwin — Blockchain Track: Rules and Requirements

Oct 16, 2026 · @sofi

## Overview

The HackaTwin Blockchain track has a single prize. To compete, every project must meet the mandatory Avalanche requirements (scored up to 100 points). Integrating 0xGasless or KUMPLY is optional and adds up to 20 bonus points.

| Part | Type | Points |
|---|---|---|
| Avalanche requirements | Mandatory | Required for eligibility |
| Jury evaluation | Mandatory | Up to 100 |
| 0xGasless integration | Optional | Up to +10 |
| KUMPLY integration | Optional | Up to +10 |

## Mandatory requirements

A project that does not meet all six requirements is not eligible for the track prize, even if it earns bonus points.

1. **Smart contract on Avalanche.** Deploy at least one smart contract in the Avalanche ecosystem, on testnet (Fuji) or mainnet: C-Chain or your own L1. The contract must be verified on the corresponding explorer. If you create your own L1, it must show measurable P-Chain transactions.
2. **End-user interface.** Integrate the contracts with a web or mobile app. A CLI or a bot does not satisfy this requirement.
3. **Why Avalanche.** At least one component must justify using Avalanche over another network, documented in the repository. Valid examples: time to finality, custom L1 configuration, compliance and privacy for institutional use cases, Interchain Messaging (ICM).
4. **Business model.** Answer at minimum: what problem it solves, who the customer is, how it generates revenue and what its competitive advantage is. Any early validation (users, potential customers, interviews) is a plus.
5. **Public repository.** With clear installation and deployment instructions and a description of the architecture.
6. **Original work from the event.** Libraries, SDKs, boilerplates and prior projects are allowed, but only work built during the hackathon is evaluated. If you start from an existing project, the README must clearly separate what was built during the event.

## Optional bonus points

Integrating our partners' tools is not required, but it adds points on top of the jury score. Each integration is scored separately and both can be combined (maximum +20).

### 0xGasless — up to +10 points

Infrastructure that lets users or AI agents operate on Avalanche without holding AVAX for gas.

| Level | What the project must show | Points |
|---|---|---|
| Basic | Uses any 0xGasless component (server wallet, embedded wallet, ERC-4337 paymaster, x402 payments, AgentKit, MCP or ERC-8004) and shows a sponsored transaction or an x402 payment on Fuji or mainnet | +5 |
| Core | In addition, 0xGasless is part of the product's main flow (for example, an AI agent paying per API call with x402, or an app where the user never pays gas) | +10 |

To count: the README explains which component was used and why, with explorer links. 0xGasless provides free API keys and paymaster credits (free tier of 1,500 wallets) and technical support during the event.

### KUMPLY — up to +10 points

On-chain identity and compliance attestations: people (KYC), businesses (KYB) and AI agents (KYA).

| Level | What the project must show | Points |
|---|---|---|
| Basic | Integrates @kumply/sdk and gates an on-chain action with `isPersonAtLeast()`, `isBusiness()` or `isAgent()` on Fuji, showing one address that passes and one that is blocked | +5 |
| Core | In addition, verification is key to the product, with priority for KYA use cases (for example, a marketplace or an x402 API where only verified agents can operate) | +10 |

To count: do not use `hasTier()` (deprecated), and state in the README that Fuji attestations are demo attestations with no real identity verification. KUMPLY offers mentorship to teams that integrate it.

A project that combines both (for example, a 0xGasless paymaster that only sponsors gas for agents verified with KUMPLY) can earn the full +20.

### Use cases

| Use case | Integration | How it applies |
|---|---|---|
| Onboarding without a wallet or gas | 0xGasless | Users sign in with email or Google and transact without buying AVAX |
| AI agents that pay per use | 0xGasless | An agent with its own wallet pays for each API call with x402 in USDC |
| Stablecoin payments and collections | 0xGasless | USDC/USDT payments where the payer needs no gas |
| Services for verified people only | KUMPLY (KYC) | A pool, benefit or vote only accepts addresses with a person attestation |
| Transactions between verified businesses | KUMPLY (KYB) | Invoicing, B2B payments or payroll only between verified business addresses |
| AI agents with a verified operator | KUMPLY (KYA) | A marketplace or API only works with agents backed by a verified operator |
| Gas sponsored only for verified accounts | 0xGasless + KUMPLY | The paymaster checks KUMPLY and only covers gas for attested accounts |

## Deliverables and scoring

Each team submits a single package. The final score is the jury score (up to 100) plus bonus points from integrations (up to +20).

**Deliverables**

- Public repository with a README: installation, deployment, architecture, why Avalanche, and what was built during the event.
- Verified contract address and explorer link.
- Working demo (URL or video) and a pitch of up to 3 minutes.
- If claiming bonus points: a README section on the integration (0xGasless and/or KUMPLY) with links to the demo transactions.

**Jury evaluation (up to 100 points)**

| Criterion | Points |
|---|---|
| Impact: solves a real, relevant problem | 25 |
| Use of Avalanche: leverages the network's own capabilities | 25 |
| Technical feasibility: works and is deployed | 20 |
| Business model and scalability | 20 |
| Presentation and clarity | 10 |
| **Bonus: 0xGasless** | **up to +10** |
| **Bonus: KUMPLY** | **up to +10** |
| **Maximum total** | **120** |

In case of a tie, the project with the higher jury score, excluding bonus points, wins.

## Resources for teams

| Partner | Resource | Link |
|---|---|---|
| 0xGasless | Website | 0xgasless.com |
| 0xGasless | Documentation | docs.0xgasless.com |
| 0xGasless | Dashboard (API keys and paymaster) | dashboard.0xgasless.com |
| 0xGasless | AgentKit SDK | github.com/0xgasless/agent-sdk |
| 0xGasless | Agent npm package | @0xgasless/agent |
| 0xGasless | MCP integration | @0xgasless/mcp |
| KUMPLY | Builder guide (KYC, KYB and KYA with the SDK) | kumply.xyz/blog/building-with-kumply-kyc-kyb-kya |
| KUMPLY | What to build | kumply.xyz/build |
| KUMPLY | Integrations (0xGasless pilot) | kumply.xyz/ecosystem |
| KUMPLY | SDK on npm | @kumply/sdk |
| KUMPLY | SDK docs | kumply.xyz/developers |

Quick install for the KUMPLY SDK: `pnpm add @kumply/sdk` (or npm / yarn).

## Open items to confirm

- ☐ Hacks dates.
- ☐ 0xGasless and KUMPLY mentors, with mentorship hours.
- ☐ Jury composition and who validates each partner's bonus points.
- ☐ Confirm with 0xGasless the paymaster credits per team.
- ☐ Confirm with KUMPLY how teams request demo attestations on Fuji during the event.