



YOUR LOGO

FITEE期刊LaTeX初排 技巧与实例



主讲人 袁国豪



时间 2025.5.11

目录

CONTENTS

1

初排前的检查

2

初排文档命名

3

首页信息排版

4

图表排版

5

公式排版

6

文献排版

7

其他排版细节

8

常见问题与解决

9

排版建议与技巧

10

编校模块

▶▶▶ YOUR LOGO

PART 1

初排前的检查

检查原图与公式


原图可编辑性

检查作者提供的图片是否为可编辑矢量图，如EPS、PDF格式，确保放大不失真。若为非矢量图，需联系作者提供原图。

检查文中文献引用格式；若为数字引用格式（[1][2, 3]），需联系作者修改

文献查核

确认文献是否经过第三方（如仁和）查核，确保文献信息准确无误，避免因文献问题导致排版返工。



公式可编辑性

对于Word排版的文章，检查公式是否能直接编辑。若公式为图片格式，需通知作者重新提供可编辑的公式源文件。

▶▶▶ YOUR LOGO

PART 2

初排文档命名

文档命名格式

TeX文档命名

将作者提供的tex文档统一命名为“ZUSC-D-xx-xxxxx-1-yyy.tex”，其中“ZUSC-D-xx-xxxxx”为稿件编号，“1”表示排次（每经过一次排版增加）“yyy”为初排人员姓名简称。



目录命名

整个排版目录也命名为“ZUSC-D-xx-xxxxx-1-yyy”，确保文件夹与文件名称一致，便于管理和查找。



命名示例

示例：稿件编号为“ZUSC-D-23-12345”，初排人员姓名简称为“abc”，则文档命名为“ZUSC-D-23-12345-1-abc.tex”。复制一个tex文件进行排版。保留作者的版本，以便于后面核查。

Figure 1: A screenshot of a Windows File Explorer window showing the contents of the 'FITEE_LaTeX_2018' directory. The window displays a list of files and folders, including '.git', 'pics', 'authblk.sty', 'bibsampl.bib', 'fitee.bst', 'fitee.eps', 'fitee.sty', 'orcid16.eps', 'readme (in Chinese).txt', 'readme (in English).txt', 'README.md', 'sample.aux', 'sample.bbl', 'sample.blg', 'sample.dvi', 'sample.log', 'sample.out', 'sample.pdf', 'sample.tex', and 'uarial.sty'. The files are organized into a table with columns for Name, Date modified, Type, and Size. The 'pics' folder is highlighted, and a blue box labeled '图片集中放在一起' (Images are集中放在一起) points to it. The 'authblk.sty' file is highlighted, and a blue box labeled '作者姓名模板' (Author name template) points to it. The 'bibsampl.bib' file is highlighted, and a blue box labeled '参考文献库 (作者提供)' (Bibliography database (provided by author)) points to it. The 'fitee.bst' file is highlighted, and a blue box labeled '参考文献模板' (Bibliography template) points to it. The 'fitee.eps' file is highlighted, and a blue box labeled 'Logo 矢量图' (Logo vector image) points to it. The 'fitee.sty' file is highlighted, and a blue box labeled '期刊模板文件' (Journal template file) points to it. The 'orcid16.eps' file is highlighted, and a blue box labeled 'Logo 矢量图' (Logo vector image) points to it. The 'README.md' file is highlighted, and a blue box labeled '交叉引用记录' (Cross-reference record) points to it. The 'sample.aux' file is highlighted, and a blue box labeled '编译生成的格式化参考文献' (Compiled and formatted bibliography) points to it. The 'sample.bbl' file is highlighted, and a blue box labeled '编译记录' (Compilation record) points to it. The 'sample.blg' file is highlighted, and a blue box labeled '编译生成的最终文件' (Compiled final file) points to it. The 'sample.dvi' file is highlighted, and a blue box labeled '源码 (主要排版文件)' (Source code (main layout file)) points to it. The 'sample.log' file is highlighted, and a blue box labeled '无衬线字体模板' (Sans-serif font template) points to it. The 'sample.out' file is highlighted, and a blue box labeled '编译生成文件' (Compiled file) points to it. The 'sample.pdf' file is highlighted, and a blue box labeled '编译生成文件' (Compiled file) points to it. The 'sample.tex' file is highlighted, and a blue box labeled '编译生成文件' (Compiled file) points to it. The 'uarial.sty' file is highlighted, and a blue box labeled '编译生成文件' (Compiled file) points to it.

Name	Date modified	Type	Size
.git		Folder	
pics		Folder	
authblk.sty	11:25	LaTeX Style	8 KB
bibsampl.bib	11:13	BibTeX Database	6 KB
fitee.bst	1:08	BST File	22 KB
fitee.eps	2018/7/13 13:43	Encapsulated Postscript	350 KB
fitee.sty	2017/12/12 18:12	LaTeX Style	18 KB
orcid16.eps	2017/12/12 18:12	Encapsulated Postscript	257 KB
readme (in Chinese).txt	2017/12/12 18:12	Text Document	2 KB
readme (in English).txt	2017/12/12 18:12	Text Document	2 KB
README.md		MD File	12 KB
sample.aux			6 KB
sample.bbl			5 KB
sample.blg	2018/5/24 14:32	Performance Monitor	1 KB
sample.dvi	7/13 13:47	DVI File	48 KB
sample.log	2018/7/13 13:47	Text Document	30 KB
sample.out		OUT File	1 KB
sample.pdf	2018/7/13 13:47	Adobe Acrobat Document	439 KB
sample.tex		LaTeX Document	22 KB
uarial.sty	8/24 16:44	LaTeX Style	1 KB



YOUR LOGO

PART 3

首页信息排版

标题格式



首字母大写规则

标题仅第一个单词首字母大写，除专有名词外其余均小写。例如：

“Lightweight authentication scheme for edge control systems in Industrial Internet of Things”。



符号使用

标题中不使用特殊符号，如 “*” “# ” 等，“*” 是基金标识，“# ” 是附加材料标识，这两个标识一般在文章标题末尾右上角出现。



章节标题

文内章节标题、图标题、表标题均遵循此规则，确保格式一致。

01

作者姓名

名两个字的中间不空格，也不用连字符，直接连着。例如：
“Guohao YUAN”。

02

单位信息

单位信息斜体显示，城市与邮编之间无标点符号。例如：
“College of Computer
Science and Technology,
Zhejiang University, Hangzhou
310027, China”。如有几个单位，机构前的序号也是斜体。

03

邮箱排列

邮箱排列顺序按照作者顺序排列，若所有作者都提供邮箱，则去掉“+”标识，按姓名顺序排列邮箱。

日期格式

日期格式为：May, June, July用全称，全称后不用加点；九月缩写特殊为Sept.；其他均为前三个字母缩写再加点，如Jan.。



DOI格式

DOI格式为
“<https://doi.org/10.1631/FITEE.2300684>”，后七位数字随稿号修改。



首页脚注

首页左下角脚注格式固定，包括通信作者标识“✉”、基金说明“*”、补充材料说明“#”、一作和通讯作者orcid等，每段最后均无标点符号。



Lightweight authentication scheme for edge control systems in Industrial Internet of Things*

Wenli SHANG¹, Xudong WEN¹, Zhuo CHEN¹, Wenzhe XIONG², Zhiwei CHANG¹, Zhong CAO^{†1}

¹*School of Electronics and Communication Engineering, Guangzhou University, Guangzhou 510006, China*

²*Instrumentation Technology and Economy Institute, Beijing 100055, China*

[†]E-mail: zhongc@gzhu.edu.cn

Received June 9, 2024; Revision accepted June 16, 2024; Crosschecked Sept. 29, 2024

Abstract: In edge control systems (ECSs), edge computing demands more local data processing power, while traditional industrial PLCs cannot meet this demand. Thus, edge intelligent controllers (EICs) have been developed, making their secure and reliable operation crucial. However, as EICs communicate sensitive information with resource-limited terminal devices (TDs), a low-cost, efficient authentication solution is urgently needed since it is challenging to implement traditional asymmetric cryptography on TDs. In this paper, we design a lightweight authentication scheme for ECSs using low-computational-cost hash functions and exclusive OR (XOR) operations; this scheme can achieve bidirectional anonymous authentication and key agreement between the EIC and TDs to protect the privacy of the devices. Through security analysis, we demonstrate that the authentication scheme can provide the necessary security features and resist major known attacks. Performance analysis and comparisons indicate that the proposed authentication scheme is effective and feasible for deployment in ECSs.

Key words: Edge intelligent controller (EIC); Edge control systems (ECSs); Terminal devices (TDs); Anonymous authentication; Lightweight authentication

<https://doi.org/10.1631/FITEE.2400497>

CLC number: TP309

初排时，首页需要检查的内容有：标题首字母大小写问题；删除页眉的页码号；日期修改；稿件的doi修改；核查页眉及左上角信息是否为Arial字体；Key words中间的分隔符为分号(;)而非逗号(,)，且每个关键词的首单词的首字母大写，除专有名词外，其余小写。

关于日期缩写问题：May, June, July 用全称，全称后不用加点；九月缩写特殊为Sept.；其他均为前三个字母缩写再加点，如 Jan., Feb., 此外每月的前九天缩写后日期首位无需加0，例如：Jan. 08, 2025 (×)；Jan. 8, 2025 (√)

页眉中作者的写法有3种：

一个作者：\shortauthor{Yuan}（一作的姓）

两个作者：\shortauthor{Yuan and Zhai}（一作和二作的姓）

三个及以上作者：\shortauthor{Yuan et al.}（一作的姓+et al.）

注意：页眉处的姓只需**首字母大写**即可



Frontiers of Information Technology & Electronic Engineering
www.jzus.zju.edu.cn; engineering.cae.cn; www.springerlink.com
ISSN 2095-9184 (print); ISSN 2095-9230 (online)
E-mail: jzus@zju.edu.cn



Comment:

Suno: potential, prospects, and trends*

Jiaxing YU¹, Songruoyao WU¹, Guanting LU¹, Zijin LI², Li ZHOU³, Kejun ZHANG^{†1,4}

¹College of Computer Science and Technology, Zhejiang University, Hangzhou 310027, China

²Department of Music Artificial Intelligence and Music Information Technology,
Central Conservatory of Music, Beijing 100031, China

³School of Arts and Communication, China University of Geosciences (Wuhan), Wuhan 430074, China

⁴Innovation Center of Yangtze River Delta, Zhejiang University, Jiaxing 314100, China

E-mail: yujx@zju.edu.cn; wsry@zju.edu.cn; 3210105631@zju.edu.cn; lzijin@ccom.edu.cn;

zhouli@cug.edu.cn; zhangkejun@zju.edu.cn

Received Apr. 17, 2024; Revision accepted May 24, 2024; Crosschecked June 7, 2024; Published online June 20, 2024

```
%% article title
\title{Suno: potential, prospects, and trends}

%% when all authors provide emails, no $\dagger
% \author{Anonymous Authors}
\author[1]{Jiaxing YU}
\author[1]{Songruoyao WU}
\author[1]{Guanting LU}
\author[2]{Zijin LI}
\author[3]{Li ZHOU}
\author[$\ddagger$1,4]{Kejun ZHANG}
\affil[1]{College of Computer Science and Technology, Zhejiang University, Hangzhou 310027, China}
\affil[2]{Department of Music Artificial Intelligence and Music Information Technology,
\authorcr\it\footnotesize Central Conservatory of Music, Beijing 100031, China}
\affil[3]{School of Arts and Communication, China University of Geosciences (Wuhan), Wuhan 430074, China}
\affil[4]{Innovation Center of Yangtze River Delta, Zhejiang University, Jiaxing 314100, China}

\shortauthor{Yu et al.} % one author: only Zhai; two authors: Zhai and Hu; three authors: Zhai et al.

\authmark{}
```

邮箱标识符: $\dagger$

通讯作者标识符: $\ddagger$

注:

①邮箱顺序需要与作者顺序一一对应，不能乱序

②如何对较长的机构进行手动换行: $\authorcr\it\footnotesize$

③当所有作者均提供邮箱时，作者右上角和E-mail左上角的邮箱标识符均需要去掉

④多机构单位时，序号与作者一一对应，单个单位无需标序号



```
. \begin{tabular}[t]{c}
- % author and affiliation
. \@author \
. % author with an email address is marked by a dagger
. {\footnotesize
. %
330 \ifx \ZUS@value@corremailA \relax
. \relax
. \else
. \textsuperscript{\ZUS@value@emailmark}E-mail:\ % default
. \ZUS@value@corremailA
- \fi
. %
. \ifx \ZUS@value@corremailB \relax
. \relax
. \else
340 ; \ZUS@value@corremailB
. \fi
. %
. \ifx \ZUS@value@corremailD \relax
. \relax
- \else
. ; \ZUS@value@corremailD
. \fi
. } \
. {\footnotesize
350 %
. \ifx \ZUS@value@corremailC \relax
. \relax
. \else
. \textsuperscript{} % default
- \ZUS@value@corremailC
. \fi
. %
. } \
360 \end{tabular}\par
```

```
\corremailA{yujx@zju.edu.cn; wsry@zju.edu.cn; 3210105631@zju.edu.cn; lzijin@ccom.edu.cn;}
%\corremailB{lzijin@ccom.edu.cn}
\corremailC{zhouli@cug.edu.cn; zhangkejun@zju.edu.cn}
%\corremailD{zhangkejun@zju.edu.cn}
% \emailmark{${\dagger}} % when all authors provide emails, no \dagger
```

邮箱太长换行方法：可在fitee.sty风格
文件包中此部分对应修改



‡ Corresponding author

§ These two authors contributed equally to this work

* Project supported by the Key Project of the National Language Commission (No. ZDI145-110), the Key Laboratory Project (No. YYZN-2024-6), the China Disabled Persons' Federation Project (No. 2024CDPFAT-22), the National Natural Science Foundation of China (Nos. 62171042, 62102033, and U24A20331), the Project for the Construction and Support of High-Level Innovative Teams in Beijing Municipal Institutions (No. BPHR20220121), the Beijing Natural Science Foundation (Nos. 4232026 and 4242020), and the Projects of Beijing Union University (Nos. ZKZD202302 and ZK20202403)

Electronic supplementary materials: The online version of this article (<https://doi.org/10.1631/FITEE.xxxxxxx>) contains supplementary materials, which are available to authorized users

 ORCID: Tao YANG, <https://orcid.org/0009-0006-7873-2959>; Xinhao SHI, <https://orcid.org/0009-0007-7240-7458>; Cheng XU, <https://orcid.org/0000-0003-4913-5371>

© Zhejiang University Press 2025

首页的脚注信息，按此格式，基金以Project supported by固定格式起头，基金号一个为（No. xxx），两个为（Nos. xxx and xxx），三个及以上（Nos. xxx, xxx, and xxx），基金名前面要加the，最后一行为固定格式 Zhejiang University Press 2025（今年2025年）

注意：脚注的字号大小统一，有些稿件的Corresponding author的字号略大，需要调小

错误示例：

Project supported by the National Natural Science Foundation of China (~~No. 62072115~~, ~~No. 62202402~~, ~~No. 61971145~~, ~~No. 61602122~~), Guangdong Basic and Applied Basic Research Foundation (No. 2022A1515011583, No. 2023A1515011562), One-off

正确示例：

Project supported by the National Natural Science Foundation of China (Nos. 62072115, 62202402, 61971145, and 61602122), Guangdong Basic and Applied Basic Research Foundation (Nos.



此部分可在稿件tex文件起始部分修改：

‡ Corresponding author
§ These two authors contributed equally to this work
* Project supported by the Key Project of the National Language Commission (No. ZDI145-110), the Key Laboratory Project (No. YYZN-2024-6), the China Disabled Persons' Federation Project (No. 2024CDPFAT-22), the National Natural Science Foundation of China (Nos. 62171042, 62102033, and U24A20331), the Project for the Construction and Support of High-Level Innovative Teams in Beijing Municipal Institutions (No. BPHR20220121), the Beijing Natural Science Foundation (Nos. 4232026 and 4242020), and the Projects of Beijing Union University (Nos. ZKZD202302 and ZK20202403)
Electronic supplementary materials: The online version of this article (<https://doi.org/10.1631/FITEE.xxxxxxx>) contains supplementary materials, which are available to authorized users
ID ORCID: Tao YANG, <https://orcid.org/0009-0006-7873-2959>; Xinhao SHI, <https://orcid.org/0009-0007-7240-7458>; Cheng XU, <https://orcid.org/0000-0003-4913-5371>
© Zhejiang University Press 2025

```
\authmark{\S These two authors contributed equally to this work}
```

```
%% when no funding, the following line should be removed, no period at last  
\support{Project supported by the Key Project of the National Language Commission (No.~ZDI145-110),  
the Key Laboratory Project (No.~YYZN-2024-6), the China Disabled Persons' Federation Project (No.~2024CDPFAT-22),  
the National Natural Science Foundation of China (Nos.~62171042, 62102033, and U24A20331),  
the Project for the Construction and Support of High-Level Innovative Teams in Beijing Municipal Institutions  
(No.~BPHR20220121), the Beijing Natural Science Foundation (Nos.~4232026 and 4242020), and the Projects of  
Beijing Union University (Nos.~ZKZD202302 and ZK20202403)}  
\conf{A preliminary version of this paper has been presented at ??? Conference, date}  
\esm{Electronic supplementary materials: The online version of this article (https://doi.org/10.1631/FITEE.xxxxxxx)  
contains supplementary materials, which are available to authorized users}  
\orcid{Tao YANG, https://orcid.org/0009-0006-7873-2959; Xinhao SHI,  
https://orcid.org/0009-0007-7240-7458; Cheng XU, https://orcid.org/0000-0003-4913-5371} % corresponding author, or first  
\articleType{Review:}  
%\articleType can be `Science Letters:', `Review:', `Comment:', etc.  
%Leave blank for research article.
```

此部分需找到fitee.sty风格文件包打开并修改：

```
140  
· % copyright  
· \def\ZUS@copyright{Zhejiang University Press 2025}
```

有补充材料时，需在fitee.sty中修改对应部分，在标题右上角加上#符号；



小结：

邮箱：`\corremailA{...} \corremailB{...} \emailmark{$\dagger$}`；如果所有作者都提供了邮箱，则
`\emailmark{ }`；

日期：注意月份缩写 Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.；如 Jan.\ 5, 2017; July 28, 2018;

摘要和关键字：关键字注意仅首字母大写，用分号间隔，最后无标点；可自动换行超出的单词；

DOI：把文章编号输入即可，如 `\doi{10.1631/FITEE.2300684}`，一般文件夹就是按稿号命名；

CLC number：根据文章标题和摘要判断；如不确定，可不填，后续询问作者提供；

基金信息：`\support{Project supported by ...}` 一般不能删除；除非作者明确回复没有基金支持；

附加材料：一般格式为`\esm{Electronic supplementary materials: The online version of this article (https://doi.org/10.1631/FITEE.xxxxxxx) contains supplementary materials, which are available to authorized users}`

会议扩展：一般格式为`\conf{A preliminary version of this paper has been presented at ??? Conference, date}`

ORCID：`\orcid{Yuntao QIAN, http://orcid.org/0000-0002-7418-5891}`，姓名格式与上文一致，一般请一作和通信作者提供即可；

▶▶▶ YOUR LOGO

PART 4

图表排版

图片规范

图内字体均采用Arial字体，包括公式、字母、变量、符号等（对于图片格式、截图，或者mathtype公式等难以修改的，可以放宽要求不改）



图例格式

图例无边框，且背景透明，确保图片清晰美观。



子图序号

子图序号为水平方向，不设置单独子图标题，图中若有则将内容移到标题中，图中只保留序号。



图片引用

图片在文内引用格式为“Fig. 3a”或“Figs. 3a and 3b”，字母不加括号，提及多个时合并说明。

图题规范：


①图题句末的句号需要删去

②当存在子图时，图题格式为，例如：Weight and compensator results of the proposed SORLC: (a) identifier weights; (b) actor weights; (c) critic weights; (d) adaptive compensators

注意子图后的首字母小写，专有名词除外，子图之间的分隔符为分号(;)

图片规范

由于排版时涉及图片内容及格式的修改(编译时一般需要将图片转为eps格式)
推荐修改图片软件:



首先修改图片大小, 然后再修改字号,
否则字号会因为图片大小改变不匹配。
通栏160mm, 单栏80mm, 一般图片
宽度为栏宽85%为宜。



图中文字字号7pt,图例字号6pt,子图序
号8pt。
图中线宽一般为0.75pt
建议排版时把多个子图放在同一个eps
中, 加上子图序号

图片规范

Adobe Acrobat如何修改图片字体字号，以及保存为eps格式教程


将作者提供的可编辑图片用Adobe Acrobat打开（更为推荐学习使用Adobe Illustrator进行图片修改，因为Adobe Acrobat只能对字体字号进行简单修改，而Adobe Illustrator功能更为强大）

点击此，可打开编辑模式




图片规范

①



②




eps格式

图片修改完毕后点击软件左上角的另存为，将图片格式选择为eps格式，保存在源图片所在文件夹，**修改的原图需妥善存档，以备后续修改**


当图片有些部分难以修改时（例如框线的粗细问题），可以选择功能更为强大的**Adobe Illustrator**软件进行修改编辑，同理保存，在此不做演示

例如:图例去边框, 背景透明, 字体都改为Arial, 首字母大小写问题, 负号长度问题, 题图末尾句号去掉

改前



改后




负号的长度往往是修改时容易忽视的点, 其长度稍长于连字符




图片修改

例如：图例去边框，背景透明，字体都改为Arial，首字母大小写问题，负号长度问题，题图末尾句号去掉

改前



改后



修改前后可以看出，图内所有字体都需改为Arial（包括坐标轴 x 和 y ），且图中公式符号也需要符合修改规范，矩阵矢量粗斜体，变量斜体等，需与正文中的公式符号对应，且最后一个单词不分行。图中文字一般情况只有第一个词的首字母大写，特殊情况除外，如专有名词，名词缩写


图片引用

①文内引用图片时子图序号不加括号


Fig. 3(a) displays the evolutionary processes of a compromised account's devices and associated in- (×)

Fig. 3a displays the evolutionary processes of a compromised account's devices and associated infor- (√)

②子图小标题需移至图题内



(×)



(√)

③图的位置需在文中提及之后

此图内还需将字体改为Arial白体



三线表格式

表格采用“三线表”格式，且表格字号大小一般采用\footnotesize，特殊情况也可以减少字号特殊处理



数字格式

五位或以上数字，以小数点为界，向左或向右，每三位之间加不间断空格



表格脚注

表格脚注需清晰标注，说明表格中的特殊数据或符号。表注字体大小为\scriptsize, 且表注末尾无标点

Table 3 Comparison of value decomposition methods for credit assignment algorithms

Algorithm	Key technique	Drawback(s)
VDN (Sunehag et al., 2017)	Summation of linearly decomposed agent values; parameter sharing among agents	Low efficiency; few game scenarios satisfy linear decomposition
QMIX (Rashid et al., 2018)	Using mixing and hypernetwork; independent global maximum (IGM) hypothesis; monotonicity constraints	The conditions for monotonicity constraints are too strong; may not converge to the optimal strategy
WQMIX (Rashid et al., 2020)	Weighted mapping; feedforward network replacing the mixing network; attention mechanism	High exploration requirements for the algorithm
QTRAN (Son et al., 2019)	Self-attention mechanism; introduction of counterfactual methods	Failing to overcome the drawbacks of VDN and QMIX; high convergence conditions
Qatten (Yang YD et al., 2020b)	Multihead fusion network; feedforward network based on the global state	Lacking exploration capability
MAVEN (Mahajan et al., 2019)	Multihead attention mechanism; variational exploration	Introducing a hierarchically controlled latent space; increasing algorithm complexity and training difficulty
QPLEX (Wang JH et al., 2021b)	Monotonic value function decomposition; IGM based on advantage	Anchoring the current Q_{tot} estimate as the upper bound of the entire function space; prone to local optima
QPD (Yang YD et al., 2020c)	Path integral gradient decomposition; multi-channel critic network	Using integral gradient methods reduces computational efficiency
ROMA (Wang TH et al., 2020b)	Introducing roles; action clustering; role adaptation	Role division from the joint state-action space is extremely inefficient
RODE (Wang TH et al., 2021)	Introducing roles; action clustering; two-level hierarchy	Role division and algorithm training cannot be end-to-end
DAVE (Xu ZW et al., 2023)	Ignoring IGM hypothesis; anti-self exploration	Sensitive to exploration coefficient settings

通栏表格注意事项：

- ①表格宽度固定为页面宽度16.4 cm；
- ②表格上栏线和下栏线0.75 pt，其余线均为0.5 pt；
- ③表格内容：悬挂缩进；
- ④表头内容白体居中；
- ⑤多行的话，如果中间没有横线，需要首行对齐。如果中间加横线，则居中对齐。

Table 2 Summary of reward shaping methods

Method	Principle	Drawback	Reference(s)
Potential-based reward shaping	Adding an additional reward in addition to the standard reinforcement learning reward signal, based on the difference of a potential function that scores states	Difficult to design; potential for local optima; dependent on domain knowledge	Ng et al., 1999; Wiewiora, 2003; Badnava et al., 2023
Roadmap of potential-based reward shaping	Introducing the difference in state potential value as an additional reward to accelerate agent learning without changing the original optimal policy	Difficult to design; potential for local optima; reliant on accurate estimation of potential differences	Wiewiora et al., 2003; Devlin and Kudenko, 2012
From reward functions to dynamic potentials	Adjusting rewards using a variable potential function to adapt to changes in the environment and agent behavior for more effective learning	Difficult to design; high computational complexity; difficult to adjust	Harutyunyan et al., 2015
Relative entropy inverse reinforcement learning	Inferring a reward function that motivates agent behavior by minimizing the relative entropy between expert behavior and agent policy	High computational complexity; low sample efficiency; potential for local optima	Suay et al., 2016; Wang YX et al., 2023
Reward shaping via meta-learning	Learning to infer and adapt reward shaping functions via meta-learning to improve agent learning efficiency and generalizability	High training complexity; poor transfer performance; difficult to tune	Zou et al., 2019; Li K et al., 2021

通栏表格注意事项：

- ①表格宽度固定为页面宽度16.4 cm；
- ②表格上栏线和下栏线0.75 pt，其余线均为0.5 pt；
- ③表格内容：悬挂缩进；
- ④表头内容白体居中；
- ⑤多行的话，如果中间没有横线，需要首行对齐。如果中间加横线，则居中对齐。

Table 2 XL-MIMO channel parameter estimation algorithms

Category	Algorithm	Reference
Beamforming	—	—
PSBE	MUSIC	Schmidt, 1986;
	ESPRIT	Saleh and Valenzuela, 1987 Fayad et al., 2015
MLE-based	EM	Regier and Moodie, 2016
	SAGE	Fleury et al., 2002
	RiMAX	Gaillot et al., 2011

EM: expectation-maximization; ESPRIT: estimation of signal parameters via the rotational invariance techniques; MLE: maximum likelihood estimation; MUSIC: multiple signal classification; PSBE: parametric subspace based estimation; RiMAX: Richter's maximum likelihood estimation; SAGE: spatial-alternating expectation-maximization

```
\begin{table}[h]\footnotesize
\caption{XL-MIMO channel parameter estimation \mbox{algorithms}}
{
\begin{tabular*}{7.95cm}{lcc}
\toprule[0.75pt]
\multicolumn{1}{c}{Category} & \multicolumn{1}{c}{Algorithm} & Reference\\
\midrule[0.5pt]
\multicolumn{1}{l}{Beamforming} & \multicolumn{1}{c}{--} & -- \\
\multicolumn{1}{l}{PSBE} & \begin{tabular}{c}{MUSIC} \\ \quad \end{tabular} & \begin{tabular}{c}{\citeauthor{music1}, 1986; \\ \citeauthor{music2}, 1987} \end{tabular} \\
\multicolumn{1}{l}{ESPRIT} & \multicolumn{1}{c}{ESPRIT} & \citeauthor{ESPRIT1}, 2015\\
\midrule[0.5pt]
\multicolumn{1}{l}{MLE-based} & \multicolumn{1}{c}{EM} & \citeauthor{em}, 2016\\
\multicolumn{1}{l}{SAGE} & \multicolumn{1}{c}{SAGE} & \citeauthor{sage1}, 2002\\
\multicolumn{1}{l}{RiMAX} & \multicolumn{1}{c}{RiMAX} & \citeauthor{rimax}, 2011\\
\midrule[0.75pt]
\multicolumn{3}{p{7.6cm}}{\scriptsize EM: expectation--maximization; ESPRIT: estimation of signal parameters via the rotational invariance techniques; MLE: maximum likelihood estimation; MUSIC: multiple signal classification; PSBE: parametric subspace based estimation; RiMAX: Richter's maximum likelihood estimation; SAGE: spatial-alternating expectation--maximization}
\end{tabular*}
}
\label{algorithm}
\end{table}
```

无内容时--

l代表左对齐，c代表居中对齐，r代表右对齐

脚注字号大小 \scriptsize, 且与第一列内容左对齐

单栏表格注意事项：

- ①表格宽度固定为页面宽度7.95 cm；
- ②表格上栏线和下栏线0.75 pt，其余线均为0.5 pt；
- ③表格内容：顶行对齐+悬挂缩进；
- ④表头内容白体居中；

Table 9 Statistics on hw(kg,rk) over 100 trials of a 19-round attack on SIMON128

hw(kg,rk)	Number of trails	hw(kg,rk)	Number of trails
0	1	3	3
1	9	4	0
2	6	5	0

表格转置采用双实线分隔开

Table 4 15- and 16-round neural distinguisher combinations for SIMON128

ND_i	15-round SIMON128				16-round SIMON128			
	Δ_i	B_i	C_i	Accuracy	Δ_i	B_i	C_i	Accuracy
ND_1	$\Delta_{[8]}$	$\{8 \sim 0\}$	$\{8 \sim 0\}$	0.714	$\Delta_{[8]}$	$\{9 \sim 0\}$	$\{9 \sim 0\}$	0.630
ND_2	$\Delta_{[22]}$	$\{21 \sim 9\}$	$\{21 \sim 7\}$	0.770	$\Delta_{[22]}$	$\{21 \sim 10\}$	$\{21 \sim 7\}$	0.653
ND_3	$\Delta_{[33]}$	$\{32 \sim 22\}$	$\{32 \sim 18\}$	0.770	$\Delta_{[33]}$	$\{32 \sim 22\}$	$\{32 \sim 18\}$	0.653
ND_4	$\Delta_{[46]}$	$\{45 \sim 33\}$	$\{45 \sim 31\}$	0.770	$\Delta_{[46]}$	$\{45 \sim 33\}$	$\{45 \sim 31\}$	0.652
ND_5	$\Delta_{[55]}$	$\{54 \sim 46\}$	$\{54 \sim 40\}$	0.770	$\Delta_{[54]}$	$\{53 \sim 46\}$	$\{53 \sim 42\}$	0.640
ND_6	$\Delta_{[63]}$	$\{63 \sim 55\}$	$\{63 \sim 49\}$	0.783	$\Delta_{[63]}$	$\{63 \sim 54\}$	$\{63 \sim 52\}$	0.660

跨两行

$(\multispan{2}\{\ast\}\{\rm ND\}_i)$

断开

$(\cmidrule[0.5pt]{2-5} \cmidrule[0.5pt]{6-9})$

Table 2 Comparison of Spearman's rank correlation coefficient and GRCC

Data attribute		Number of data points	Spearman's rank correlation coefficient				GRCC g			
A	B		p value	S value	ρ	$d = d_1$		$d = d_2$		
						$c = 1$	$c = 2$	$c = 1$	$c = 2$	
GDP per capita	GDP	2327	$< 2.2 \times 10^{-16}$	900 579 181	0.4600	0.4302	0.3216	0.4130	0.3092	
GDP per capita	Passenger cars	2354	$< 2.2 \times 10^{-16}$	1 451 827 312	0.3321	1.0000	1.0000	1.0000	1.0000	
Life expectancy	Health expenditure per capita	2327	$< 2.2 \times 10^{-16}$	858 399 753	0.5380	0.9999	0.9984	0.9997	0.9842	
Passenger cars	Urban population	2354	$< 2.2 \times 10^{-16}$	1 365 948 542	0.3717	0.7480	0.9890	0.7030	0.9420	
GDP per capita	Internet users	2354	$< 2.2 \times 10^{-16}$	1 101 037 602	0.4935	0.7551	0.8821	0.8155	0.8122	
Mobile subscribers	Internet users	2354	$< 2.2 \times 10^{-16}$	224 906 329	0.8965	0.7551	0.6128	0.4130	0.8551	
Under-5 mortality	Birth rate	2354	$< 2.2 \times 10^{-16}$	120 426 906	0.9440	0.5110	0.4626	0.4780	0.4400	
Total population	Urban population	2354	$< 2.2 \times 10^{-16}$	104 317 436	0.9520	0.4303	0.3416	0.3193	0.3253	

$d_1 = 6q^2 + 4qr + r(r - 1)/2, d_2 = [(n - 6) + n^2]/3$

表注

五位以上数字，
每三位断开

若数据来自本文，则小数位数补齐，保持一致的有效位数；若数据来自其他文献，则不可加0，需根据实际数据来

FITEE期刊中所有的表格为“三线表”：表中只有水平方向线条，基本无垂直及倾斜线条。

单栏表格

```
\begin{table}[thbp] \footnotesize
\centering
\caption{Table example 2} \label{tab:example2}
\addtolength{\tabcolsep}{0pt}
\begin{tabular*}{7.95cm}{cccc}
\toprule[0.75pt]
Condition & Value 1 (m) & Value 2 (s) & Value 3
(kg)\\
\midrule[0.5pt]
126 & & 42.7 (1.6) & & \phantom{1}8.2 & &
\phantom{1}9.5 \\
175 & & 42.9 (2.2) & & 11.1 & & 10.5 \\
176 & & 44.1 (1.8) & & 11.3 & & 15.5 \\
148 & & 40.0 (2.8) & & 27.1 & & 30.5 \\
\bottomrule[0.75pt]
\end{tabular*}
\multicolumn{4}{l}{\scriptsize Additional
information is listed here $\ldots$}
\end{table}
```

通栏表格

```
\begin{table*}[!htbp] \small
...
\begin{tabular*}{16.4cm}{cccc}
...
\end{table*}
```

\toprule, \midrule, \bottomrule 为表格的三条主要的水平边线；

\addtolength{...}{0pt} 调整列间距；

&为列分隔符，\\为换行符；

\multicolumn{4}{l}{...} 跨四列，文字左对齐(left)；

\scriptsize 比 \footnotesize 小一号的字体；

\label{} 正文引用 Table~\ref{}；

▶▶▶ YOUR LOGO

PART 5

公式排版

1

单字母变量

单个字符代表物理量时用斜体，如长度“ l ”，普朗克常量“ h ”。

2

矩阵与矢量

矩阵、张量或矢量用粗斜体表示，如矩阵“ $\mathbf{M}$ ”，矢量“ $\mathbf{b}$ ”。如果多字母表示矩阵则为正黑体。

3

数学常数

常用数学符号和常数用正体，如自然常数“ e ”，圆周率“ π ”，微分符号“ d ”，虚部符号“ j ”，正弦函数“ $\sin$ ”，余弦函数“ $\cos$ ”等。（ e 、 π 、 d 有时在文中不代表自然常数、圆周率、微分符号，需要判断后再进行修改）



标点符号

公式每行都要有标点符号，条件前后都有，条件在公式逗号后空三到四格。

序号位置

公式的序号位于公式后的正中间，确保公式与序号对齐。



多行公式

多行公式使用“align”环境对齐，确保公式排版整齐美观。



公式格式

$$\mathcal{L}_r = \frac{1}{n} \sum_{i=1, j=1}^n \left\| \hat{\mathbf{X}}_{se,j}^i - \mathbf{X}_{se,j}^i \right\|_2^2. \quad (9)$$

For the overall optimization model, we calculate the total loss by minimizing the hidden loss and the extraction loss:

$$\mathcal{L} = \mathcal{L}_h + \lambda \mathcal{L}_r, \quad (10)$$

where λ is a hyperparameter that can be traded between hiding and recovering. We set $\lambda = 0.5$ to balance these two losses. The whole training process of this method is shown in Algorithm 1.

文中引用规范:

单个公式: Eq. (1)

两个公式: Eqs. (1) and (2)

多个公式: Eqs. (1)–(5)

注:

与图片引用规范不一样, 公式引用数字需要括号

若为不等式, 则引用如下:
Inequality (1)

当公式后为重新开始的一句话时, 公式末尾用句号 (.)

当公式后非重新开始的一句话时 (通常为where), 公式末尾用逗号 (,)

初排时需要判断每个符号的正斜体, 粗白体

注:

- ①单字符变量白斜体, 矩阵、向量粗斜体;
- ②注意上\下标的正斜体判断, 若上\下标的字母为某个单词的首字母或者缩写, 而非变量时, 需要改为正体 (需结合上下文自行判断), 单字母变量用斜体, 下标或多字母变量用正体

✧ 公式格式

小结：

单个字符代表一个物理量（包括常量和变量）时，该字符用斜体表示（如长度 l ，普朗克常量 h ）。如果这个量是矩阵、张量或矢量，则用粗斜体表示（如矩阵 $\mathbf{M}$ ，矢量 $\mathbf{b}$ ）。而一些常用的数学符号和数学常数都是正体，如自然常数 e ，圆周率 π ， $\lg$ ， $\sin$ ，微分符号 d ，转置符号 T 等。在图中表示点线面的字符都是用斜体，如 x 坐标，点 A ，线 s 等。单词或多个字母的缩写代表一个变量时，则用正体（如误差 Error ， max 和变量 MMN ）【比较特殊的普朗特数（ Pr ）、努塞尔数（ Nu ）、雷诺数（ Re ）等为斜体】。所有单词（包括缩写）、化学式、运算符和标点符号（包括括号）、阿拉伯数字以及变量的单位均为正体。

e 、 π 不一定是常量，也有表示变量的情况，不能说“都是”。需要判断

▶▶▶ YOUR LOGO

PART 6

文献排版

文献排序

文后References按作者姓氏字母先后排序，细致规则如下：

一作不同：先按姓排，姓一样则按名排（若姓或名首字母一样，则看第二个字母）

一作相同：

作者数不同：按数量从少到多排

两位作者

二作不同：先按二作的姓排，再按二作的名排

二作相同：按年份排

作者数相同

三位及以上作者

年份不同：按年份排

年份相同


（年份后加字母区分）

出版源相同：按出版时间排

出版源不同：按论文题目中首个非虚词排

参考文献排序规则

1



文后排序

文后References按作者姓氏字母先后排序，年份相同则按文献类型排序。


2



正文引用

正文引用多篇文献时，先按年份先后排，相同年份再看作者姓氏字母分先后。

3



同一作者

不同年份的文献分开引用，
如(Zhang et al., 2022a, 2022b)，b前的年份不能省略。



括号内引用

文献不充当句子成分时，全部放在括号内，如(Chen et al., 2023)。

括号外引用

文献充当句子成分时，如用作主语、跟在in, according to等后面，则将名字从括号内拿出，如Chen et al. (2023)。

会议文献

参考文献为会议时，序数词采用上标形式，如54th IEEE Conf on Decision and Control。（注意，此处上标th需要正体）

引用格式

注（特殊情况）：

需判断与本句内容是否有一一对应关系；若为一一对应关系，不可随意调整引文顺序

have been developed. Collaborative training and policy optimization techniques (Zeng et al., 2022; Li Y et al., 2023a, 2024; Zhang ZQ et al., 2023) stand out as pivotal methods. These approaches aim to

正文同一处引用多篇的，先按年份先后排，相同年份再看作者姓氏字母分先后

注：

年份后面加了a、b等的需要仔细核对。只有一作相同且同年份的文献才在年份后加a、b等来区分。正文引用时要写全

References中当不同文献的一作姓氏相同时，在正文中的引用需要加上名字缩写以示区分

期刊和会议文后格式：

- 期刊：作者姓名，年份. 标题. 期刊名(缩写)，卷(期)：页码-页码.
<https://doi.org/...>
- 会议：作者姓名，年份. 标题. 会议名，p. 页码-页码.
<https://doi.org/...>

引用格式

正文引用文献，若文献不充当句子成分，则全部放在括号内；若充当句子成分，如用作主语、跟在in, according to, from, by等后面，则要将名字从括号内拿出（此处不再有逗号）

iterative accumulation. Madry et al. (2018) first proposed the iterative gradient based attack PGD- k for accumulating the attack strength and significantly increased the model robustness against adversarial examples. Following this design, derivative methods have been further developed. Cai et al. (2018) proposed Curriculum Adversarial Training (CAT) to gradually increase the iteration steps (i.e., the value of k) of PGD until the model achieves a high accuracy against the current attack. Contrarily, Friendly Adversarial Training (FAT) proposed by Zhang et al. (2020) employed early stopping when performing PGD iterations to realize the training process in a more practical way. In general, iterative-based methods can generate strong adversarial examples but are

充当句子成分

process. Specifically, free adversarial training (free-AT) proposed by Shafahi et al. (2019) reuses the gradients in forward pass, thus model parameters perturbations can be updated simultaneously. Based on free-AT, Wong et al. (2020) further proposed fast adversarial training (FAST-AT) in which single-step FGSM was initialized randomly to reduce the magnitude of perturbations. But it was found that single-step adversarial training generally suffers from catastrophic overfitting due to training examples. To alleviate the overfitting, many improvements are proposed, such as early stopping (Wong et al., 2020), drop layers (Vivek and Babu, 2020), and loss regularizations (Andriushchenko and Flammarion, 2020).

不充当句子成分

不同引用方式tex代码处修改:

充当句子成分: `\cite`

不充当句子成分: `\citep`

只引用这篇文献的作者: `\citeauthor`

只引用这篇文献的年份: `\citeyear`

引用格式

参考文献为第xx届会议时， 序数词采用上标形式且上标正体（正文出现时同格式修改）

Geng C, Lian JW, Ding DZ, 2022. Wideband millimeter-wave SIW two-channel crossover based on homogeneous cylindrical lens. IEEE 10th Asia-Pacific Conf on Antennas and Propagation, p.1-2.
<https://doi.org/10.1109/APCAP56600.2022.10069830>

The k^{th} login sequence of account i

The corresponding timestamps of the k^{th} login sequence of account i

表序数的上标正体！

除了“1st”、“2nd”、“3rd”以及整十位数（如“20th”、“30th”、“40th”等）和以“1”、“2”、“3”结尾的非整十位数（如“21st”、“32nd”、“43rd”等）外，其他序数词的上标通常是“th”。（特别注意11th，12th，13th，容易误写为11st，12nd，13rd）

▶▶▶ YOUR LOGO

PART 7

其他排版细节

逗号使用

and连接三个词及以上时，and前有逗号，如“a, b, and c”。

结论部分

结论部分标题统一用Conclusions，

人名格式

提及姓名时，姓要全部大写，如“Danping LIAO”。

单位格式

单位与括号前要空一格，如“10 m (10 meters)”，但“°”与“%”不空。

其他问题

- Ouyang CJ, Liu YW, Zhang XQ, et al., 2023. Near-field communications: a degree-of-freedom perspective. <https://doi.org/10.48550/arXiv.2308.00362>
- Shi EY, Zhang JY, Du HY, et al., 2024. RIS-aided cell-free massive MIMO systems for 6G: fundamentals, system design, and applications. *Proc IEEE*, 112(4):331-364. <https://doi.org/10.1109/JPROC.2024.3404491>
- Sun G, He L, Sun ZM, et al., 2024. Joint task offloading and resource allocation in aerial-terrestrial UAV networks with edge and fog computing for post-disaster rescue. *IEEE Trans Mob Comput*, 23(9):8582-8600. <https://doi.org/10.1109/TMC.2024.3350886>
- Tang P, Zhang JH, Miao HY, et al., 2024. XL-MIMO channel measurement, characterization, and modeling for 6G: a survey. *Front Inform Technol Electron Eng*, early access. <https://doi.org/10.1631/FITEE.2400140>
- Tataria H, Shafi M, Molisch AF, et al., 2021. 6G wireless systems: vision, requirements, challenges, insights, and opportunities. *Proc IEEE*, 109(7):1166-1199. <https://doi.org/10.1109/JPROC.2021.3061701>
- Wang Z, Zhang JY, Du HY, et al., 2024a. Extremely large-scale MIMO: fundamentals, challenges, solutions, and future directions. *IEEE Wirel Commun*, 31(3):117-124. <https://doi.org/10.1109/MWC.132.2200443>
- Wang Z, Zhang JY, Du HY, et al., 2024b. A tutorial on extremely large-scale MIMO for 6G: fundamentals, signal processing, and applications. *IEEE Commun Surv Tut*, 26(3):1560-1605. <https://doi.org/10.1109/COMST.2023.3349276>
- Wei L, Huang CW, Alexandropoulos GC, et al., 2023. Tripolarized holographic MIMO surfaces for near-field communications: channel modeling and precoding design. *IEEE Trans Wirel Commun*, 22(12):8828-8842. <https://doi.org/10.1109/TWC.2023.3266298>
- Zhang JY, Björnson E, Matthaiou M, et al., 2020. Prospective multiple antenna technologies for beyond 5G. *IEEE J Sel Areas Commun*, 38(8):1637-1660. <https://doi.org/10.1109/JSAC.2020.3000826>
- Zhang JY, Zhang J, Björnson E, et al., 2021. Local partial zero-forcing combining for cell-free massive MIMO systems. *IEEE Trans Commun*, 69(12):8459-8473. <https://doi.org/10.1109/TCOMM.2021.3110214>
- Zhang ZJ, Dai LL, 2023. Pattern-division multiplexing for multi-user continuous-aperture MIMO. *IEEE J Sel Areas Commun*, 41(8):2350-2366. <https://doi.org/10.1109/JSAC.2023.3288244>
- Zheng JK, Zhang JY, Cheng JL, et al., 2023. Asynchronous cell-free massive MIMO with rate-splitting. *IEEE J Sel Areas Commun*, 41(5):1366-1382. <https://doi.org/10.1109/JSAC.2023.3240709>

List of supplementary materials

Fig. S1 EDoF performance for the UPA system with $L_t = L_r = 8\lambda$ and the 2D CAP plane system over the dyadic Green channel

Fig. S2 EDoF performance against the transmitting distance D for the 2D CAP plane system over the dyadic Green channel with single, double, or triple polarization, with $L_t = L_r = 30\lambda$

Fig. S3 EDoF performance against the side length of the 2D CAP plane transmitting L_t over the dyadic Green channel with different values of the side length of the 2D CAP plane receiver, with $D = 13\lambda$

对补充材料的说明放在参考文献末尾，且底部平齐

最后一页底部平齐的代码：
`\balance`

其他问题

关于连字符，短破折号，破折号的用法：

连字符“-”（英文名：hyphen）：

- ①“-”用于将两个或多个单词（和数字）连接成一个概念，特别是用于构建形容词。复合词state-of-the-art, step-by-step可以作为形容词使用，如果去掉这些横线，前者是名词性短语，后者则类似介词短语。
- ②用于人名，例如Christopher Fang-Yen, Mrs. Skinner-Kcrycek，极为常见。
- ③是21~99这些数字的一个必要组成部分，比如twenty-three。
- ④英文单词断词转行时，在断开处（行尾）加“-”。

其他问题

短破折号 “-” (英文名: en dash) :

en dash, 用法多样。英文中使用“-”时前后都不留空格。键盘上输入“Alt+‘0150’”可显示此符号 (Windows系统, 必须用小键盘上的减号键或数字键)

①标示数值范围, 从…至…。

例如:

- Compared with the photodetectors (PDs) made of III–V (化学元素周期表中III至V族元素) materials, GeSn PDs have a relatively high dark current.
- The full-wave simulation results show that both high transmissive efficiency above 80% and high average focusing efficiency above 45% are achieved within the entire working bandwidth of 9–12 GHz.
- The years 1861–1865.

②连接并列但存在关联的两个或多个名词 (人名亦可) 。

- light–matter interactions (light和matter是并列关系, light对matter没有修饰限定作用);
Fabry–Pérot interferometer (Fabry和Pérot是两位法国物理学家的名字)。
- CMOS-compatible broad-band hot carrier photodetection with Cu–silicon nanojunctions.
- The second-harmonic generation via nonlinear Raman–Nath diffraction was captured and discussed.
- Furthermore, we demonstrate morphing of light into a topologically protected edge mode with modified Su–Schrieffer–Heeger photonic lattices.

Tips: hyphen (连字符) 和en dash (短破折号) 在部分应用场景中容易混淆。若横线连接的两个 (或多个) 词是并列关系, 且前词不是对后词的修饰限定, 则用en dash。若加横线后构成的词明显是作为形容词使用, 则用hyphen。

其他问题

破折号 “—” (英文名: em dash) :

键盘上输入“Alt+‘0151’”可显示此符号。用法与中文标号——破折号类似, 可以看作英文中的破折号, 也可用其他标点符号替代。

①可用逗号替代

- There was only one person suited to the job—Mr. Li.
- There was only one person suited to the job, Mr. Li.

②可用括号和逗号替代

- As shown in Fig. 2c, the instantaneous chirp rate—estimated as the average rate within 1 MHz calibration interval—is calculated, and is later used for chirp linearization.
- As shown in Fig. 2c, the instantaneous chirp rate (estimated as the average rate within 1 MHz calibration interval) is calculated, and is later used for chirp linearization.
- As shown in Fig. 2c, the instantaneous chirp rate, estimated as the average rate within 1 MHz calibration interval, is calculated, and is later used for chirp linearization.

③可用冒号和逗号替代

- Three alkali metals are the usual substituents—sodium, potassium, and lithium.
- Three alkali metals are the usual substituents: sodium, potassium, and lithium.

tex代码处一个-代表连字符; 两个-代表短一字线; 三个-代表破折号

✧ 文本格式

Contributors

Jialin WANG, Jianhua ZHANG, Yutong SUN, and Yuxiang ZHANG designed the research. Jialin WANG and Yuxiang ZHANG conducted the investigation. Jialin WANG wrote the original draft. Jialin WANG performed visualization and validated the results. Jialin WANG and Jianhua ZHANG revised and finalized the paper. Jialin WANG developed the methodology. Tao JIANG and Liang XIA provided resources, managed the project administration, and acquired funding.

Conflict of interest

All the authors declare that they have no conflict of interest.

Data availability

The data that support the findings of this study are available from the corresponding author upon reasonable request.

标题统一改为Conflict of interest（有些稿件标题为Compliance with ethics guidelines）

利益冲突和数据可用性，基本为此固定格式，特殊情况除外

注意此处request段落最后一行不分词

```
~
{\noindent{\textbf{Contributors}}}}

{\footnotesize Jialin WANG, Jianhua ZHANG, Yutong SUN, and Yuxiang ZHANG designed the research. Jialin WANG and Yuxiang ZHANG conducted the investigation. Jialin WANG wrote the original draft. Jialin WANG performed visualization and validated the results. Jialin WANG and Jianhua ZHANG revised and finalized the paper. Jialin WANG developed the methodology. Tao JIANG and Liang XIA provided resources, managed the project administration, and acquired funding.
}

~

{\noindent{\textbf{Conflict of interest}}}

{\footnotesize All the authors declare that they have no conflict of interest.
}

~

{\noindent{\textbf{Data availability}}}

%\baselineskip=0.95\baselineskip

{\footnotesize The data that support the findings of this study are available from the corresponding author upon reasonable request.
}

~

%\bibliographystyle{fitee}
%\bibliography{bibsampl}
\balance
\begin{thebibliography}{}{\footnotesize
\itemsep -4pt
\vspace{-8pt}
```

▶▶▶ YOUR LOGO

PART 8

常见问题与解决



图片格式

常见问题：图片格式不正确，图例有边框，背景不透明。解决方法：检查图片格式，调整图例设置。



表格格式

常见问题：表格格式不符合“三线表”要求。解决方法：调整表格格式。



图表引用

常见问题：图表引用格式错误，如字母加括号。解决方法：检查引用格式，确保符合规范。需要核对图表序号，一般latex不需要，Word中要注意。

符号格式

常见问题：符号格式错误，如矩阵用斜体。解决方法：检查符号格式，确保矩阵用粗斜体。

公式格式

常见问题：公式标点符号缺失，序号位置不正确。解决方法：检查公式格式，添加标点符号，调整序号位置。

公式引用

常见问题：公式引用格式错误，如缺少括号，缺少空格，序号对应错误。解决方法：检查引用格式，确保引用正确。（Word需要核对公式序号）



编译报错

宏包区域


```
1 % First release on June 21, 2010
2 % Modified on Dec 12, 2017 by XSK
3
4 \documentclass[twoside,twocolumn]{article}
5 \usepackage{xcolor}
6 \usepackage{xspace}
7 \usepackage{fitee}
8 \usepackage{threeparttable}
9 \usepackage{graphicx}
10 \usepackage{float}
11 \usepackage{array} % 加载 array 包
12 \usepackage{booktabs}
13 \usepackage{multirow}
14 \usepackage{makecell}
15 \usepackage{stfloats}
16 \usepackage{array} % 使用 array 宏包来改进表格的功能
17 \usepackage{booktabs} % 使用 booktabs 宏包来美化表格
18 \usepackage{cite} % 引用文献
19 %\usepackage[colorlinks, breaklinks = true]{hyperref} % for pdflatex
20 \usepackage[dvips, hidelinks, breaklinks = true]{hyperref}
21 \usepackage{setspace}
22 \flushbottom
23 %\usepackage{parskip}
24 \addto{\captionsenglish}{%
25   \renewcommand{\figurename}{Fig.}
26 }
27
28 \begin{document}
29
30 %% article title
31 \title{Lightweight authentication scheme for edge control systems in Industrial Internet of Things}
32
33 %% when all authors provide emails, no $\dagger$
34 \author[1]{Wenli SHANG}
35 \author[1]{Xudong WEN}
36 \author[1]{Zhuo CHEN}
37 \author[2]{Wenze XIONG}
```

Console - Running LaTeX ...

```
<to be read again>
1.93
?
```

当编译报错的行数出现在tex代码正文之前，多半时宏包的使用错误问题，可以通过排除法逐一注释宏包来找到错误源，从而解决编译报错问题

常见错误



当文章只有一个机构单位时，需要删去此序号“1”

解决方法：去掉原来的\affil[1]中的“[1]”，加上\it\footnotesize

```
%% Only 1 affiliations
%\author{Wen-fei WANG}
%\author{Rong XIONG$^{\dagger}$}
%\author{Jian CHU}
%\affil{\it\footnotesize State Key Laboratory of Industrial Control Technology, Institute of Cyber-Systems and Control,
% \authorcr\it\footnotesize Zhejiang University, Hangzhou 310027, China}
```


文献问题

n Fig.2. This
tion manipu-

complex underwater tasks from a sal
(Wang et al., 2020; Lu et al., 2022:

关于如何将PDF中彩色字体改为黑色字体：
只需将tex文件中开头部分的代码
`\usepackage[colorlinks, breaklinks = true]{hyperref}`改为`\usepackage[dvips, hidelinks, breaklinks = true]{hyperref}`，再编译生成PDF即可

```
%\usepackage[colorlinks, breaklinks = true]{hyperref} % for pdflatex  
\usepackage[dvips, hidelinks, breaklinks = true]{hyperref} % for DVI to PDF Latex
```

文中引用时，此文献引用名，例：`\cite{RF}`、`\citep{RF}`

```
\bibitem[\protect\astroncite{Ahmed {et~al.}}{2018}]{RF}  
Ahmed I, Khammari H, Shahid A, {et~al.}, 2018.  
\newblock A survey on hybrid beamforming techniques in 5G: architecture and  
system model perspectives.  
\newblock {\em IEEE Commun Surv Tut}, 20(4):3060-3097. \\  
https://doi.org/10.1109/COMST.2018.2843719
```

当修改年份时，这两处需一起修改，切勿漏改

冒号后单词的首字母需要改为小写，专有名词除外，这个也要通篇检查

期刊名需要检查缩写是否正确，
有些词是否没有缩写完全

当文献最后一行剩余长度无法
容纳网址时，需要增加此换行
符，将网址另起一行单独放置

图片问题

有*表示通栏图，无*则为单栏图

调整图片大小，或采用“[scale=1]”调整数字1来调整图片整体比例

```
\begin{figure*}[!htbp]
\centering
\includegraphics[width=0.7\textwidth]{tech.eps}
\caption{Overall architecture of music generation n}
\label{fig:music_generation_model}
\end{figure*}
```

图表位置需要满足：

- ①文中先提及后出现原则
- ②不出现大片空白情况下，就近原则（即第一次提及后，图片最好放在此段落下方）
- ③通栏图片一般不放置在页面中间，一般放置在页面顶部或底部，单栏图片则无此要求

在 LaTeX 中，htbp 是一个用于指定浮动体（如表格或图片）放置位置的参数组合，分别代表以下含义：

- h：here（此处），表示如果当前位置有足够的空间，就将浮动体放在当前位置。
- t：top（顶部），表示如果不能放在当前位置，就将浮动体放在当前页面的顶部。
- b：bottom（底部），表示如果不能放在当前位置或页面顶部，就将浮动体放在当前页面的底部。
- p：page（页面），表示如果不能放在上述位置，就将浮动体放在一个单独的浮动体页面。
- !：表示强制命令

示例：\begin{figure*}[htbp]，表示图片可以放在当前位置、页面顶部、底部或单独的浮动体页面，LaTeX 会根据页面布局 and 空间情况，从中选择一个合适的位置放置图片。**图片位置的调整需要合理改变这四个参数，随后不断改变图片代码在tex中的位置，从而改变图片在pdf中的位置（此过程可能需要多次尝试达到满意效果）**

▶▶▶ YOUR LOGO

PART 9

排版建议与技巧


排版常用技巧

排版推荐使用WinEdt配套软件进行，环境配置为Ctex+MikTeX，方便后续指导与答疑



排版常用技巧

编译方式：LaTeX+dvi2pdf或者LaTeX+dvips+ps2pdf



此处蓝色小箭头可跳转至PDF对应位置，PDF可以通过双击跳转至tex代码对应处




? e

若编译报错，可在此处手动打小写e，然后按Enter键即可跳转至错误处


排版常用技巧

选中文本，鼠标右击，此处两个按键分别为注释该段落，和去除该段落的注释



编译按钮

BibTex按钮，用来生成参考文献（保存至同文件夹的bbl文件中）



分别为当前文件夹搜索和打开的全部文件夹搜索(方便查询), 当确定搜索内容后, 可通过按F3快速跳转到下一个搜索关键词, 提高查找效率

case sensitive大小写敏感, 在搜索过程中会区分大小写

Whole Words only为整词匹配, 不会对单词部分进行检索

排版常用技巧

常用调整间距代码:

调整左右间距: $\hspace{\textcolor{red}{xx}\text{cm}}$

调整上下间距: $\hspace{\textcolor{red}{xx}\text{cm}}$

常用调整字体:

文本粗体: $\text{textbf{\textcolor{red}{xx}}}$

文本斜体: $\text{textit{\textcolor{red}{xx}}}$

花体字母: $\text{mathcal{\textcolor{red}{xx}}}$

空心正体字母: $\text{mathbb{\textcolor{red}{xx}}}$

斜体改正体: $\text{rm{\textcolor{red}{xx}}}$

通用加粗: $\text{bm{\textcolor{red}{xx}}}$

Latex特殊符号大全网址:

https://blog.csdn.net/begant/article/details/119240508?utm_medium=distribute.pc_relevant.none-task-blog-2~default~baidujs_baidulandingword~default-0-119240508-blog-51595970.235^v43^pc_blog_bottom_relevance_base1&spm=1001.2101.3001.4242.1&utm_relevant_index=3

▶▶▶ YOUR LOGO

PART 10

编校模块


编校模块

排版后的最后一版PDF在此文件夹中

打印后的pdf所做标记

桌面 > 编校 > ZUSC-D-24-00259-1-ygh-0929tozzy-请编校 >				
排序 查看 ...				
名称	修改日期	类型	大小	
ZUSC-D-24-00259-1-ygh	2024/9/29 10:31	文件夹		
ZUSC-D-24-00259-author	2024/9/29 10:31	文件夹		
Contributors等-排版时请补充.txt	2024/9/26 16:32	文本文档	2 KB	
tel.txt	2024/9/24 19:07	文本文档	1 KB	
Title page (1).pdf	2024/9/14 8:53	WPS PDF 文档	203 KB	
ZUSC-D-24-00259-Polished.docx	2024/9/14 14:13	DOCX 文档	430 KB	
ZUSC-D-24-00259R3.pdf	2024/9/6 13:45	WPS PDF 文档	1,021 KB	
ZUSC-D-24-00259R3-reference-done.docx	2024/9/13 16:59	DOCX 文档	103 KB	
ZUSC-D-24-00259R3-reference-done.xlsx	2024/9/13 10:21	XLSX 工作表	55 KB	
中文摘要.docx	2024/9/24 11:53	DOCX 文档	13 KB	
作者顺序变更声明.pdf	2024/9/26 16:32	WPS PDF 文档	576 KB	
作者顺序和通讯标注请以变更声明中的版本为准, 当前定稿中的不对! .txt	2024/9/29 10:28	文本文档	0 KB	

润色稿



编校文件夹中，多数包括以上文件，拿到编校文件夹后，将排版后的最后一版PDF与润色稿（**建议将最后一版PDF打印出来，随后与润色稿对比并用红笔做标记**）逐句对比，检查是否存在格式问题或者误改，存疑处做出标记，待后续询问作者。参考文献部分需要逐一核对，包括doi检查、未引用、引用格式是否有误等问题。

无论是排版还是编校，都需要给文件规范命名，妥善保存好每一版的内容，分门别类的保存在文件夹中，每修改一次，ZUSC-D-24-00259-1-ygh里的1逐次增加改为2、3、...、，方便与上一次修改区分，防止修改版本混淆

编校模块

编校相比与排版要求更为严格，需要细心，且编校涉及对内容的理解，需要仔细把握，主要包括以下部分：

语句时态问题、**单复数**问题，**专有名词统一表达**问题、**公式符号统一表达**以及是否存在**漏解释**问题、是否存在**语病或语句表达逻辑不清晰**问题、以及**排版后遗留**的一些**格式**问题

还有一些**固定用词搭配**问题，例如：文中一般不用utilize (utilized、utilizing) 而用use (used、using)，一般不用in order to改用更简约的to。

一些**副词的位置**问题，像mainly、only需要放在直接限定的对象之前。

❖ 编校模块

语句时态问题

dicted RUL across working conditions.

Recent RUL prediction efforts have been excellent with sufficient data (Yang et al., 2023; Zou et al., 2023). Li et al. (2022) proposes a two-dimensional long short-term memory (2DLSTM) based fusion network for RUL prediction. The 2DLSTM framework is used to extract deep time features of sensor data one by one and fuse multisensor features using an information fusion unit (IFU) to predict the RUL of bearings.

a hybrid attention-based multiwavelet convolutional fusion method to evaluate the RUL of bearings.

过前文献中提出的方法，一般都用一般过去式
下同改

特别容易出现在文献引用时出现时态错误，一般引用文献采用一般过去式

Self-supervised methods are mainly classified into generation-based methods and contrast-based methods. The generative methods are mainly concerned with the pseudo-supervisory task of data generation. The contrast-based approaches verify that multiple different input data channels correspond to each other. Tian et al. (2020) constructs a contrast pseudo-supervision task by maximizing the mutual information between different views of the same scene. Korbar et al. (2018) matches the visual and auditory elements of the video to achieve self-supervised learning

左右有有

编校模块

语句时态问题

- 1、一般过去时：文献综述(Literature review)、方法(methods)在你的学术论文中，当谈论或描述过去发生的具体行为或事件时，使用这种时态；它们不应该在同一个句子中与现在联系在一起。一般过去时主要用于文献综述中，谈论关于该主题的已有研究，例如：“Watson and Crick published their landmark paper on the structure of DNA in 1953.” 它也通常用于方法部分来描述以前研究中使用的方法；你做了什么，怎么做的。例如，“We selected five samples at random.” 在科学写作中，这个时态也可以用来陈述曾经被认为是正确的事实，但后来被证明是无效的，例如，“Bats were thought to be blind.”
- 2、过去完成时：方法(Methods)、结论(conclusion)这种时态最适合用于描述过去不同时间发生的两个相关事件，通常用于方法部分，特别是描述实验过程的早期阶段。例如，“By the time the temperature and humidity reached optimal levels, the plants had already begun to revive.” 过去完成时同样可以用来描述在写论文草稿时可能已经完成的研究或实验，并在结论中总结研究结果。
- 3、一般现在时：介绍(Introduction)、结果(results)、表格和数字(tables and figures)研究人员可以在介绍中使用一般现在时，说明研究的目的、解释结果、讨论发现的意义或提出结论。在你的研究论文中，当提到表格和数字中的结果时，使用一般现在时。例如，“Fig.3 shows that ….” 现在时也可以用来谈论整个研究论文，例如，“Section 4.1 discusses ….” 在科学写作中，这种时态也用来说明什么是普遍正确的，什么是不太可能改变的。例如，“The Earth revolves around the sun”或“Human babies generally start speaking when they are 2 years old.” 这种时态在结果部分也十分常用，这表明人们认为什么是真实的，与目前的研究相关。例如，“Robinson maintains that soaking seeds in strong acid helps in breaking seed dormancy.”
- 4、现在完成时：引言(Introduction)、文献综述(literature review)在科学写作中，现在完成时用来谈论与现在有关的过去事件，或者谈论最近发生的趋势或事件。在介绍研究背景时，可能需要使用这种时态。例如，“The demand for more sophisticated 5G devices has increased significantly over the past few years.” 此外，现在完成时也经常用于文献综述部分，以参考最近的研究。例如，“Recent experiments on the samples collected have revealed high levels of saline.”
- 5、将来时：讨论(Discussion)、结论(conclusions)在你的研究报告中，当描述未来可能发生的事件时，使用将来时；这在学术写作中并不常见。通常，它的使用仅限于最后的讨论部分，当需要根据研究结果提出建议或指出未来的研究展望时。通常建议结论部分用将来时书写。例如，“These research findings will open up new possibilities for the effective use of Epsom salt in agriculture.”

编校模块

小结:

编校的问题较复杂，涉及问题较多，需要多方面累积经验，大致包含以下部分：

1. 首先核对首页单位写法和官网是否一致；
 2. 检查文章结构 每一section的序号，图表公式序号，以及每一个部分的结构；
 3. 图表的内容和正文内容需要一一对应；
 4. 核查每篇参考文献的引用情况；
 5. 公式中的符号需要进行解释；
 6. 每个图表都要在正文中引用；
 7. 拼写，包括正文中和图表中的拼写；
 8. 最终版本要和作者版本进行核对，包括作者姓名，单位信息，图表，公式等。
- 其他一些语法，逻辑，以及内容的修改。



YOUR LOGO

POWERPOINT DESIGN

谢谢大家



主讲人 袁国豪



时间 2025.5.11