# 操作系统原理

## 第一章：介绍

洪明坚

重庆大学软件学院

February 19, 2016

# 目录

# Outline

# 课程简介

# 课程简介

- 主要内容

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.
  - Maurice J. Bach, The design of Unix operating system, Pearson education.

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.
  - Maurice J. Bach, The design of Unix operating system, Pearson education.

# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.
  - Maurice J. Bach, The design of Unix operating system, Pearson education.




# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.
  - Maurice J. Bach, The design of Unix operating system, Pearson education.







# 课程简介

- 主要内容
  - 操作系统的基本概念、原理和设计。
- 教材及参考资料
  - **Abraham Silberschatz, Operating System Concepts, 6th Edition, John Wiley & Sons, Inc.**
    - 9th edition is also available.
  - Andrew S. Tanenbaum, Modern operating System, 2nd Edition, Prentice Hall.
  - Maurice J. Bach, The design of Unix operating system, Pearson education.







# 为什么要学习操作系统原理？

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；
  - 学习操作系统将帮助软件开发人员开发出优秀的应用软件系统。

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；
  - 学习操作系统将帮助软件开发人员开发出优秀的应用软件系统。
- 操作系统是最复杂的系统软件之一，

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；
  - 学习操作系统将帮助软件开发人员开发出优秀的应用软件系统。
- 操作系统是最复杂的系统软件之一，
  - 学习计算机系统是如何工作的；

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；
  - 学习操作系统将帮助软件开发人员开发出优秀的应用软件系统。
- 操作系统是最复杂的系统软件之一，
  - 学习计算机系统是如何工作的；
  - 学习如何通过**抽象**来掌握复杂的软件系统；

# 为什么要学习操作系统原理？

- 操作系统是最重要的系统软件之一，
  - 没有操作系统的计算机几乎不能使用；
  - 学习操作系统将帮助软件开发人员开发出优秀的应用软件系统。
- 操作系统是最复杂的系统软件之一，
  - 学习计算机系统是如何工作的；
  - 学习如何通过**抽象**来掌握复杂的软件系统；
  - 学习如何系统地设计复杂的软件系统。

# Outline

# Components of a Computer System

# Components of a Computer System



# What's an Operating System?

# What's an Operating System?

- Different views

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**
  - The operating system abstracts the computer hardware and presents the user a friendly interface.

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**
  - The operating system abstracts the computer hardware and presents the user a friendly interface.
    - **Extended machine (Virtual machine)**

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**
  - The operating system abstracts the computer hardware and presents the user a friendly interface.
    - **Extended machine (Virtual machine)**
- So, what's an operating system?

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**
  - The operating system abstracts the computer hardware and presents the user a friendly interface.
    - **Extended machine (Virtual machine)**
- So, what's an operating system?
  - **No** common accepted definition is available.

# What's an Operating System?

- Different views
  - The operating system controls and coordinates the use of the hardware among the various application programs for the various users.
    - **Control program**
  - The operating system manages the resources of a computer so that various applications and users can operate the computer system efficiently and fairly.
    - **Resource manager (Resource allocator)**
  - The operating system abstracts the computer hardware and presents the user a friendly interface.
    - **Extended machine (Virtual machine)**
- So, what's an operating system?
  - **No** common accepted definition is available.
  - The operating system exists because they are a reasonable way to solve the problem of creating a usable computing system.

# Components of an operating system

# Components of an operating system

- What's the part of the operating system?

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.
  - The kernel provides the lowest level of abstraction layer for the resources (especially memory, processors and I/O devices). It includes (but is not limited to) the following components

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.
  - The kernel provides the lowest level of abstraction layer for the resources (especially memory, processors and I/O devices). It includes (but is not limited to) the following components
    - **CPU manager**

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.
  - The kernel provides the lowest level of abstraction layer for the resources (especially memory, processors and I/O devices). It includes (but is not limited to) the following components
    - **CPU manager**
    - **Memory Manager**

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.
  - The kernel provides the lowest level of abstraction layer for the resources (especially memory, processors and I/O devices). It includes (but is not limited to) the following components
    - **CPU manager**
    - **Memory Manager**
    - File System

# Components of an operating system

- What's the part of the operating system?
  - Various people, company or organization has different opinions.
    - Microsoft insists that web browser and media player are parts of the operating system.
- In this course, we will focus on the **kernel** of the operating system.
  - The kernel provides the lowest level of abstraction layer for the resources (especially memory, processors and I/O devices). It includes (but is not limited to) the following components
    - **CPU manager**
    - **Memory Manager**
    - File System
    - Device Manager

# History of Operating System

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9
    - Mini-computer - IBM System i

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9
    - Mini-computer - IBM System i
  - Desktop computers

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9
    - Mini-computer - IBM System i
  - Desktop computers
    - Apple II, Macintosh

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9
    - Mini-computer - IBM System i
  - Desktop computers
    - Apple II, Macintosh
    - IBM Personal Computer

# History of Operating System

- To see what operating systems are and what they do, we will consider how they have developed over past 45 years.
- Operating system runs on specific hardwares.
  - We cannot understand operating system without some knowledge of underlying hardware.
- So, we will trace the evolution of computer systems and their operating systems to identify the common elements of operating systems.
  - Mainframes and mini-computers
    - Mainframe - IBM System z9
    - Mini-computer - IBM System i
  - Desktop computers
    - Apple II, Macintosh
    - IBM Personal Computer
  - Embedded computers

# Operating systems for mainframes and minicomputers

# Operating systems for mainframes and minicomputers

- Mainframes and minicomputers usually have dedicated operating systems.

# Operating systems for mainframes and minicomputers

- Mainframes and minicomputers usually have dedicated operating systems.
  - **zOS** is the operating system for IBM System z9.

# Operating systems for mainframes and minicomputers

- Mainframes and minicomputers usually have dedicated operating systems.
  - **zOS** is the operating system for IBM System z9.
  - **OS/400** is the operating system for IBM System i.

# Operating systems for mainframes and minicomputers

- Mainframes and minicomputers usually have dedicated operating systems.
  - **zOS** is the operating system for IBM System z9.
  - **OS/400** is the operating system for IBM System i.
- They evolved from simple **batch system**, to **multiprogramming system** and to **time-sharing system**.

# Batch systems(1/4)

# Batch systems(1/4)

- The computer runs one and only one application at a time.

# Batch systems(1/4)

- The computer runs one and only one application at a time.
- Batching similar jobs

# Batch systems(1/4)

- The computer runs one and only one application at a time.
- Batching similar jobs
  - Automatically transfers control from one job to another.

# Batch systems(1/4)

- The computer runs one and only one application at a time.
- Batching similar jobs
  - Automatically transfers control from one job to another.
- First rudimentary operating system.

# Batch systems(2/4)

# Batch systems(2/4)



# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401

# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401 (b) 1401 reads batch of jobs into tape.

# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401 (b) 1401 reads batch of jobs into tape.
- (c) Operator carries input tape to IBM 7094

# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401 (b) 1401 reads batch of jobs into tape.
- (c) Operator carries input tape to IBM 7094 (d) 7094 does computing.

# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401 (b) 1401 reads batch of jobs into tape.
- (c) Operator carries input tape to IBM 7094 (d) 7094 does computing.
- (e) Operator carries output tape to IBM 1401.

# Batch systems(2/4)




- (a) Programmers bring cards to IBM 1401 (b) 1401 reads batch of jobs into tape.
- (c) Operator carries input tape to IBM 7094 (d) 7094 does computing.
- (e) Operator carries output tape to IBM 1401. (f) 1401 prints output.

# Batch systems(3/4)

# Batch systems(3/4)

- A typical job:

# Batch systems(3/4)

- A typical job:



# Batch system(4/4)

# Batch system(4/4)

- A punch card

# Batch system(4/4)

- A punch card



# Multiprogramming systems

# Multiprogramming systems

- Several jobs are kept in main memory at the same time, and the CPU is multiplexed among them.

# Multiprogramming systems

- Several jobs are kept in main memory at the same time, and the CPU is multiplexed among them.



# Batch v.s. Multiprogramming system

# Batch v.s. Multiprogramming system




Uniprogramming
Program A and B complete at time 16
CPU idle: .357 I/O idle: .643




Multiprogramming
Program A and B complete at time 12
CPU idle: .083 I/O idle: .583

# Time-sharing systems

# Time-sharing systems

- The CPU is multiplexed among several jobs that are kept in memory and on disk (the CPU is allocated to a job only if the job is in memory).

# Time-sharing systems

- The CPU is multiplexed among several jobs that are kept in memory and on disk (the CPU is allocated to a job only if the job is in memory).
  - Designed for interactive computing which requires quick response time.

# Time-sharing systems

- The CPU is multiplexed among several jobs that are kept in memory and on disk (the CPU is allocated to a job only if the job is in memory).
  - Designed for interactive computing which requires quick response time.



# Operating systems for desktop computers

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix
    - Solaris by Sun microsystem

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix
    - Solaris by Sun microsystem
    - HP-UX by Hewlett-Packard

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix
    - Solaris by Sun microsystem
    - HP-UX by Hewlett-Packard
    - AIX by IBM

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix
    - Solaris by Sun microsystem
    - HP-UX by Hewlett-Packard
    - AIX by IBM
    - Free (as in freedom) software such as **BSD** (Berkeley Software Distribution) Unix, GNU/Linux

# Operating systems for desktop computers

- Operating systems for these computers have benefited in several ways from the development of the operating systems for mainframes.
  - Microsoft MS-DOS, Windows 9x/NT
  - Apple Macintosh, Mac OS X
  - IBM OS/2
  - Unix
    - Solaris by Sun microsystem
    - HP-UX by Hewlett-Packard
    - AIX by IBM
    - Free (as in freedom) software such as **BSD** (Berkeley Software Distribution) Unix, GNU/Linux
  - .....

# Operating systems for embedded systems

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor,

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.
  - **Soft real time**, missing an occasional deadline is acceptable.

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.
  - **Soft real time**, missing an occasional deadline is acceptable.
- Examples

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.
  - **Soft real time**, missing an occasional deadline is acceptable.
- Examples
  - Microsoft Windows CE (Consumer Electronics)

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.
  - **Soft real time**, missing an occasional deadline is acceptable.
- Examples
  - Microsoft Windows CE (Consumer Electronics)
  - Windriver vxWorks

# Operating systems for embedded systems

- Embedded computer is often used as a control device in a dedicated application such as industrial control systems. Usually, they have limited resources:
  - Slow processor, limited memory.
  - Small or even no display screen.
  - Limited power supply, etc
- Some control devices have time requirement, i.e., **Real time**
  - **Hard real time**, actions absolutely MUST occur at a certain moment.
  - **Soft real time**, missing an occasional deadline is acceptable.
- Examples
  - Microsoft Windows CE (Consumer Electronics)
  - Windriver vxWorks
  - GNU/Linux, etc

# Features migration

# Features migration

- History repeats itself.

# Features migration

- History repeats itself.



# Questions

- Any questions?