

kinetic-kit

API Reference

v0.1.0

This document lists all public symbols exported by kinetic-kit.

1 Templates

1.1 dissertation

- dissertation()

1.1.1 dissertation

KIT doctoral dissertation template.

1.1.1.1 Parameters

```
dissertation(  
  author-title: str,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  title: content,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool,  
  format: str,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  notation: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  own-publications: content,  
  own-patents: content,  
  supervised-theses: content,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.1.1.1.1 author-title str

Academic title preceding the author's name (e.g. "M.Sc. ").

Default: "M.Sc. "

1.1.1.1.2 author-firstname str

Author's first name.

Default: "Max"

1.1.1.1.3 author-surname `str`

Author's surname.

Default: "Mustermann"

1.1.1.1.4 author-male `bool`

true for male, false for female grammatical forms.

Default: `true`

1.1.1.1.5 title `content`

Dissertation title.

Default: [Your Thesis Title]

1.1.1.1.6 doc-degree `str`

Degree name in masculine form.

Default: "Doktors der Ingenieurwissenschaften (Dr.-Ing.)"

1.1.1.1.7 doc-degree-f `str`

Degree name in feminine form.

Default: "Doktorin der Ingenieurwissenschaften (Dr.-Ing.)"

1.1.1.1.8 department `str`

Faculty / department name.

Default: "KIT-Fakultät für Maschinenbau"

1.1.1.1.9 university-genitive `str`

University name in genitive case.

Default: "des Karlsruher Instituts für Technologie (KIT)"

1.1.1.1.10 status-approved `bool`

false = submitted, true = approved.

Default: `false`

1.1.1.1.11 exam-date content

Date of oral examination (when approved).

Default: **none**

1.1.1.1.12 main-advisor content

Main referee (when approved).

Default: **none**

1.1.1.1.13 main-advisor-male bool

Grammatical gender for main advisor label.

Default: **true**

1.1.1.1.14 co-advisor content

Co-referee (when approved).

Default: **none**

1.1.1.1.15 co-advisor-male bool

Grammatical gender for co-advisor label.

Default: **true**

1.1.1.1.16 format str

Paper format — "a5" (148×210 mm, default), "17x24" (170×240 mm), or "a4" (210×297 mm, discouraged by KSP). Font sizes and margins are set automatically.

Default: **"a5"**

1.1.1.1.17 lang str

Document language ("de" or "en").

Default: **"de"**

1.1.1.1.18 margin-preset str

"short", "medium", or "long".

Default: **"short"**

1.1.1.1.19 binding-correction `length`

BCOR added to inside margin. Default 0mm.

Default: `0mm`

1.1.1.1.20 colored-links `bool`

KIT Blue links when true, black when false.

Default: `true`

1.1.1.1.21 draft `bool`

Show “ENTWURF” watermark when true.

Default: `false`

1.1.1.1.22 draft-info `str`

Optional version string below watermark. Default none.

Default: `none`

1.1.1.1.23 serif-headings `bool`

Use serif font for headings when true. Default false (sans-serif).

Default: `false`

1.1.1.1.24 heading-numbering-depth `int`

Deepest heading level to number. Default 3.

Default: `3`

1.1.1.1.25 abstract-en `content`

English abstract. none = omit.

Default: `none`

1.1.1.1.26 abstract-de `content`

German abstract. none = omit.

Default: `none`

1.1.1.1.27 acknowledgements content

Acknowledgements. none = omit.

Default: **none**

1.1.1.1.28 notation content

Notation list. none = omit.

Default: **none**

1.1.1.1.29 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.1.1.1.30 show-lof bool

Include List of Figures.

Default: **true**

1.1.1.1.31 show-lot bool

Include List of Tables.

Default: **true**

1.1.1.1.32 show-lol bool

Include List of Listings.

Default: **false**

1.1.1.1.33 own-publications content

Own publications content (heading added by template). none = omit.

Default: **none**

1.1.1.1.34 own-patents content

Own patents content (heading added by template). none = omit.

Default: **none**

1.1.1.1.35 supervised-theses content

Supervised theses content (heading added by template). none = omit.

Default: **none**

1.1.1.1.36 bibliography content

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. none = omit.

Default: **none**

1.1.1.1.37 appendix content

Appendix chapters. Template applies A, A. 1, ... numbering and places the appendix at the very end, after all back-matter lists. none = omit.

Default: **none**

1.1.1.1.38 doc content

Main document body (chapters only).

1.2 thesis

- `thesis()`

1.2.1 thesis

KIT Master's / Bachelor's / Diploma thesis template.

1.2.1.1 Parameters

```
thesis(  
  author-firstname: str,  
  author-surname: str,  
  title: content,  
  thesis-type: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  format: str,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.2.1.1.1 author-firstname str

Author's first name.

Default: "Max"

1.2.1.1.2 author-surname str

Author's surname.

Default: "Mustermann"

1.2.1.1.3 title content

Thesis title.

Default: [Your Thesis Title]

1.2.1.1.4 thesis-type `str`

e.g. "Masterarbeit", "Bachelorarbeit".

Default: "Masterarbeit"

1.2.1.1.5 department `str`

Faculty / department name.

Default: "KIT-Fakultät für Maschinenbau"

1.2.1.1.6 university-genitive `str`

University name in genitive case.

Default: "des Karlsruher Instituts für Technologie (KIT)"

1.2.1.1.7 examiner `content`

First examiner. none if unknown.

Default: `none`

1.2.1.1.8 supervisor `content`

Supervisor. none if unknown.

Default: `none`

1.2.1.1.9 date-submitted `content`

Submission date string. none if unknown.

Default: `none`

1.2.1.1.10 format `str`

Paper format — "a5" (148×210 mm, default), "17x24" (170×240 mm), or "a4" (210×297 mm).
Font sizes and margins are set automatically.

Default: "a5"

1.2.1.1.11 lang `str`

Document language ("de" or "en").

Default: "de"

1.2.1.1.12 margin-preset `str`

"short", "medium", or "long".

Default: `"short"`

1.2.1.1.13 binding-correction `length`

BCOR added to inside margin. Default 0mm.

Default: `0mm`

1.2.1.1.14 colored-links `bool`

KIT Blue links when true, black when false.

Default: `true`

1.2.1.1.15 draft `bool`

Show "ENTWURF" watermark when true.

Default: `false`

1.2.1.1.16 draft-info `str`

Optional version string below watermark. Default none.

Default: `none`

1.2.1.1.17 serif-headings `bool`

Use serif font for headings when true. Default false (sans-serif).

Default: `false`

1.2.1.1.18 heading-numbering-depth `int`

Deepest heading level to number. Default 3.

Default: `3`

1.2.1.1.19 abstract-en `content`

English abstract. none = omit.

Default: `none`

1.2.1.1.20 abstract-de content

German abstract. none = omit.

Default: **none**

1.2.1.1.21 acknowledgements content

Acknowledgements. none = omit.

Default: **none**

1.2.1.1.22 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.2.1.1.23 show-lof bool

Include List of Figures.

Default: **true**

1.2.1.1.24 show-lot bool

Include List of Tables.

Default: **true**

1.2.1.1.25 show-lol bool

Include List of Listings.

Default: **false**

1.2.1.1.26 bibliography content

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. none = omit.

Default: **none**

1.2.1.1.27 appendix content

Appendix chapters. Template applies A, A.1, ... numbering and places the appendix at the very end, after all back-matter lists. none = omit.

Default: **none**

1.2.1.1.28 doc content

Main document body (chapters only).

2 Style Constants

The kit-style dictionary exposes the template's visual constants so that custom figures, diagrams, and other content can match the document's typography and KIT color palette exactly.

```
#import "@local/kinetic-kit:0.1.0": kit-style

#let font-sizes = kit-style.font-sizes-by-format.at("a5")
#set text(font: kit-style.fonts.sans, size: font-sizes.small)
#rect(fill: kit-style.colors.green15, stroke: kit-style.colors.green)
```

2.1 Fonts

Field	Value	Description
fonts.serif	("Libertinus Serif",)	Serif body text
fonts.sans	("Libertinus Sans",)	Sans-serif headings and headers
fonts.mono	("Libertinus Mono",)	Code listings
leading	0.75em	Paragraph line spacing ($\approx 1.15\times$ at 10 pt)

2.2 Font Sizes

font-sizes-by-format is a dictionary keyed by format string ("a5", "17x24", "a4"). Each entry contains the sizes below. Access them with `kit-style.font-sizes-by-format.at(format)`.

All fields are length. Example values shown for the "a5" format (10 pt base).

Field	A5 / 17x24	A4	Description
base	10pt	11pt	Body text
chapter	18pt	25pt	Chapter heading (level 1)
section	14pt	17pt	Section heading (level 2)
subsection	12pt	14pt	Subsection heading (level 3)
subsubsection	10pt	11pt	Subsubsection heading (level 4+)
small	8pt	9pt	Running headers, footnotes, captions
footnote	8pt	9pt	Footnote text
title	18pt	25pt	Title page — document title
author	14pt	14pt	Title page — author name
title-info	14pt	14pt	Title page — info lines

2.3 Colors

All values are color. KIT brand colors follow a systematic naming scheme: base name plus optional opacity suffix (70, 50, 30, 15 = 70 %, 50 %, 30 %, 15 % tint).

Field	Hex	Description
colors.green	#009682	KIT Green — primary brand color
colors.green70	#4CB5A7	

Field	Hex	Description
colors.green50	#7FCAC0	
colors.green30	#B2DFD9	
colors.green15	#D9EFEC	
colors.blue	#4664AA	KIT Blue — links and accents
colors.blue70	#7D92C3	
colors.blue50	#A2B1D4	
colors.blue30	#C7D0E5	
colors.blue15	#E3E8F2	
colors.black	#000000	
colors.black70	#4D4D4D	
colors.black50	#808080	
colors.black30	#B3B3B3	
colors.black15	#D9D9D9	
colors.palegreen	#82BE3C	KIT extended palette
colors.yellow	#FAE614	
colors.orange	#DCA01E	
colors.brown	#A08232	
colors.red	#A01E28	
colors.lilac	#A00078	
colors.cyanblue	#50AAE6	
colors.keyword	#0000C8	Syntax highlighting — keyword
colors.comment	#3F7F5F	Syntax highlighting — comment
colors.string	#700055	Syntax highlighting — string literal

3 Components

The components module exports the individual building blocks for assembling a document without the full `dissertation()` / `thesis()` orchestrator. All symbols are accessed through the components namespace:

```
#import "@local/kinetic-kit:0.1.0": components, kit-style

#let format = "a5"
#let font-sizes = kit-style.font-sizes-by-format.at(format)

#show: components.setup-page.with(format: format, margin-preset: "short", lang: "de")
#show: components.setup-front-matter
#components.print-toc(font-sizes, lang: "de")
```

You are responsible for applying the wrappers in the correct order: `setup-page` → `setup-front-matter` → `content` → `setup-content` → (optionally) `setup-appendix`.

3.1 Page Setup

3.2 page-setup

- `setup-page()`
- `setup-front-matter()`

- `setup-content()`
- `setup-appendix()`

3.2.1 setup-page

Apply the full KIT document style: page geometry, running headers, KSP typography, heading styles, figure captions, equations, and code blocks. Use as a show rule: `#show: setup-page.with(...)`.

3.2.1.1 Parameters

```
setup-page(
  format: str,
  margin-preset: str,
  lang: str,
  binding-correction: length,
  colored-links: bool,
  draft: bool,
  draft-info: content,
  serif-headings: bool,
  heading-numbering-depth: int,
  doc: content
) -> content
```

3.2.1.1.1 format str

Paper format — "a5" (148×210 mm, default), "17x24" (170×240 mm), or "a4" (210×297 mm). Font sizes and margins are set automatically per KSP specifications.

Default: "a5"

3.2.1.1.2 margin-preset str

Margin profile keyed on expected page count — "short" (under 200 pp), "medium" (200–399 pp), "long" (400+ pp).

Default: "short"

3.2.1.1.3 lang str

Document language — "de" or "en".

Default: "de"

3.2.1.1.4 binding-correction length

Extra inside margin added for binding (e.g. 3mm).

Default: 0mm

3.2.1.1.5 colored-links `bool`

Render external hyperlinks in KIT blue when `true`.

Default: `true`

3.2.1.1.6 draft `bool`

Show the draft watermark on every page when `true`.

Default: `false`

3.2.1.1.7 draft-info `content`

Optional extra text appended to the watermark (e.g. a git SHA).

Default: `none`

3.2.1.1.8 serif-headings `bool`

Use Libertinus Serif for headings when `true`. Default `false`

Default: `false`

3.2.1.1.9 heading-numbering-depth `int`

Deepest heading level that receives a number. Default 3. Headings deeper than this are styled normally but rendered without a number or indent grid.

Default: `3`

3.2.1.1.10 doc `content`

Document body (injected automatically by the show rule).

3.2.2 setup-front-matter

Switch to Roman numeral page numbering and remove heading numbering. Apply before front-matter content: `#show: setup-front-matter`.

3.2.2.1 Parameters

`setup-front-matter`(doc: `content`) -> `content`

3.2.2.1.1 doc `content`

Document body (injected automatically by the show rule).

3.2.3 setup-content

Switch to Arabic page numbering and enable 1.1 heading numbering. Apply before the main content: #show: setup-content.

3.2.3.1 Parameters

```
setup-content(doc: content) -> content
```

3.2.3.1.1 doc content

Document body (injected automatically by the show rule).

3.2.4 setup-appendix

Switch to A.1 heading numbering and reset the heading counter. Apply before appendix chapters: #show: setup-appendix.

3.2.4.1 Parameters

```
setup-appendix(doc: content) -> content
```

3.2.4.1.1 doc content

Document body (injected automatically by the show rule).

3.3 Title Pages

3.4 title-page

- print-dissertation-title()
- print-thesis-title()

3.4.1 print-dissertation-title

Render the KIT dissertation title page (German legal format). All text on this page is always in German regardless of document language.

3.4.1.1 Parameters

```
print-dissertation-title(  
  title: content,  
  author-title: content,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool,  
  font-sizes: dict,  
  title-page-margins: dict  
) -> content
```

3.4.1.1.1 title content

Dissertation title.

3.4.1.1.2 author-title content

Academic title preceding the author's name (none = omit).

3.4.1.1.3 author-firstname str

Author's first name.

3.4.1.1.4 author-surname str

Author's surname.

3.4.1.1.5 author-male bool

Selects grammatical gender for the degree article.

3.4.1.1.6 doc-degree str

Degree name in masculine form (e.g. "Doktor-Ingenieur").

3.4.1.1.7 doc-degree-f str

Degree name in feminine form (e.g. "Doktor-Ingenieurin").

3.4.1.1.8 department `str`

KIT department or faculty.

3.4.1.1.9 university-genitive `str`

University name in genitive (e.g. "des Karlsruher Instituts...").

3.4.1.1.10 status-approved `bool`

false = submitted version, true = approved version.

3.4.1.1.11 exam-date `content`

Date of oral examination — shown only when status-approved is true.

3.4.1.1.12 main-advisor `content`

Main referee — shown only when status-approved is true.

3.4.1.1.13 main-advisor-male `bool`

Selects gendered label for the main advisor.

3.4.1.1.14 co-advisor `content`

Co-referee — shown only when status-approved is true.

3.4.1.1.15 co-advisor-male `bool`

Selects gendered label for the co-advisor.

3.4.1.1.16 font-sizes `dict`

Format-specific font sizes resolved by the template.

3.4.1.1.17 title-page-margins `dict`

Format-specific title-page margins resolved by the template.

3.4.2 print-thesis-title

Render the KIT master's / bachelor's thesis title page (German legal format). All text on this page is always in German regardless of document language.

3.4.2.1 Parameters

```
print-thesis-title(  
  title: content,  
  thesis-type: str,  
  author-firstname: str,  
  author-surname: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  lang: str,  
  font-sizes: dict,  
  title-page-margins: dict  
) -> content
```

3.4.2.1.1 title content

Thesis title.

3.4.2.1.2 thesis-type str

Thesis type (e.g. "Masterarbeit", "Bachelorarbeit").

3.4.2.1.3 author-firstname str

Author's first name.

3.4.2.1.4 author-surname str

Author's surname.

3.4.2.1.5 department str

KIT department or faculty.

3.4.2.1.6 university-genitive str

University name in genitive (e.g. "des Karlsruher Instituts...").

3.4.2.1.7 examiner content

First examiner (Erstprüfer).

3.4.2.1.8 supervisor content

Supervisor (Betreuer).

3.4.2.1.9 date-submitted `content`

Submission date string.

3.4.2.1.10 lang `str`

Document language (currently unused — title page is always German).

3.4.2.1.11 font-sizes `dict`

Format-specific font sizes resolved by the template.

3.4.2.1.12 title-page-margins `dict`

Format-specific title-page margins resolved by the template.

3.5 Outlines

3.6 outlines

- `print-toc()`
- `print-lof()`
- `print-lot()`
- `print-lol()`
- `flex-caption()`

3.6.1 print-toc

Print the table of contents, including a separate appendix outline when present.

3.6.1.1 Parameters

```
print-toc(  
    font-sizes: dict,  
    lang: str,  
    serif-headings: bool  
) -> content
```

3.6.1.1.1 font-sizes `dict`

Format-specific font sizes resolved by the template.

3.6.1.1.2 lang `str`

Document language — "de" or "en".

Default: "de"

3.6.1.1.3 serif-headings `bool`

Use serif font for the appendix section title when true.

Default: false

3.6.2 print-lof

Print the list of figures.

3.6.2.1 Parameters

```
print-lof(lang: str) -> content
```

3.6.2.1.1 lang str

Document language — "de" or "en".

Default: "de"

3.6.3 print-lot

Print the list of tables.

3.6.3.1 Parameters

```
print-lot(lang: str) -> content
```

3.6.3.1.1 lang str

Document language — "de" or "en".

Default: "de"

3.6.4 print-lol

Print the list of listings.

3.6.4.1 Parameters

```
print-lol(lang: str) -> content
```

3.6.4.1.1 lang str

Document language — "de" or "en".

Default: "de"

3.6.5 flex-caption

Two-part caption: short version for LoF/LoT, long version under the figure.

Usage: `#figure(..., caption: flex-caption(short: [Short], long: [Long.] )`

3.6.5.1 Parameters

```
flex-caption(  
    short: content,  
    long: content  
) -> content
```

3.6.5.1.1 short content

Short caption shown in List of Figures / Tables.

Default: **none**

3.6.5.1.2 long content

Full caption shown below the figure in the document body.

Default: **none**