

kinetic-kit

API Reference

v0.1.0

This document lists all public functions exported by `kinetic-kit` with their parameters and types, as extracted from the source doc-comments.

1 Templates

1.1 dissertation

- `dissertation()`

1.1.1 dissertation

KIT doctoral dissertation template.

1.1.1.1 Parameters

```
dissertation(  
  author-title: str,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  title: content,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  notation: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  own-publications: content,  
  own-patents: content,  
  supervised-theses: content,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.1.1.1.1 author-title str

Academic title preceding the author's name (e.g. "M.Sc. ").

Default: "M.Sc. "

1.1.1.1.2 author-firstname str

Author's first name.

Default: "Max"

1.1.1.1.3 author-surname `str`

Author's surname.

Default: "Mustermann"

1.1.1.1.4 author-male `bool`

true for male, false for female grammatical forms.

Default: `true`

1.1.1.1.5 title `content`

Dissertation title.

Default: [Your Thesis Title]

1.1.1.1.6 doc-degree `str`

Degree name in masculine form.

Default: "Doktors der Ingenieurwissenschaften (Dr.-Ing.)"

1.1.1.1.7 doc-degree-f `str`

Degree name in feminine form.

Default: "Doktorin der Ingenieurwissenschaften (Dr.-Ing.)"

1.1.1.1.8 department `str`

Faculty / department name.

Default: "KIT-Fakultät für Maschinenbau"

1.1.1.1.9 university-genitive `str`

University name in genitive case.

Default: "des Karlsruher Instituts für Technologie (KIT)"

1.1.1.1.10 status-approved `bool`

false = submitted, true = approved.

Default: `false`

1.1.1.11 exam-date content

Date of oral examination (when approved).

Default: none

1.1.1.12 main-advisor content

Main referee (when approved).

Default: none

1.1.1.13 main-advisor-male bool

Grammatical gender for main advisor label.

Default: true

1.1.1.14 co-advisor content

Co-referee (when approved).

Default: none

1.1.1.15 co-advisor-male bool

Grammatical gender for co-advisor label.

Default: true

1.1.1.16 lang str

Document language ("de" or "en").

Default: "de"

1.1.1.17 margin-preset str

"short", "medium", or "long".

Default: "short"

1.1.1.18 binding-correction length

BCOR added to inside margin. Default 0mm.

Default: 0mm

1.1.1.19 colored-links `bool`

KIT Blue links when `true`, black when `false`.

Default: `true`

1.1.1.20 draft `bool`

Show “ENTWURF” watermark when `true`.

Default: `false`

1.1.1.21 draft-info `str`

Optional version string below watermark. Default none.

Default: `none`

1.1.1.22 serif-headings `bool`

Use serif font for headings when `true`. Default `false` (sans-serif).

Default: `false`

1.1.1.23 heading-numbering-depth `int`

Deepest heading level to number. Default 3.

Default: `3`

1.1.1.24 abstract-en `content`

English abstract. `none` = omit.

Default: `none`

1.1.1.25 abstract-de `content`

German abstract. `none` = omit.

Default: `none`

1.1.1.26 acknowledgements `content`

Acknowledgements. `none` = omit.

Default: `none`

1.1.1.1.27 notation content

Notation list. none = omit.

Default: **none**

1.1.1.1.28 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.1.1.1.29 show-lof bool

Include List of Figures.

Default: **true**

1.1.1.1.30 show-lot bool

Include List of Tables.

Default: **true**

1.1.1.1.31 show-lol bool

Include List of Listings.

Default: **false**

1.1.1.1.32 own-publications content

Own publications content (heading added by template). none = omit.

Default: **none**

1.1.1.1.33 own-patents content

Own patents content (heading added by template). none = omit.

Default: **none**

1.1.1.1.34 supervised-theses content

Supervised theses content (heading added by template). none = omit.

Default: **none**

1.1.1.1.35 bibliography content

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. `none` = omit.

Default: `none`

1.1.1.1.36 appendix content

Appendix chapters. Template applies A, A.1, ... numbering and places the appendix at the very end, after all back-matter lists. `none` = omit.

Default: `none`

1.1.1.1.37 doc content

Main document body (chapters only).

1.2 thesis

- `thesis()`

1.2.1 thesis

KIT Master's / Bachelor's / Diploma thesis template.

1.2.1.1 Parameters

```
thesis(  
  author-firstname: str,  
  author-surname: str,  
  title: content,  
  thesis-type: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.2.1.1.1 author-firstname str

Author's first name.

Default: "Max"

1.2.1.1.2 author-surname str

Author's surname.

Default: "Mustermann"

1.2.1.1.3 title content

Thesis title.

Default: [Your Thesis Title]

1.2.1.1.4 thesis-type `str`

e.g. "Masterarbeit", "Bachelorarbeit".

Default: "Masterarbeit"

1.2.1.1.5 department `str`

Faculty / department name.

Default: "KIT-Fakultät für Maschinenbau"

1.2.1.1.6 university-genitive `str`

University name in genitive case.

Default: "des Karlsruher Instituts für Technologie (KIT)"

1.2.1.1.7 examiner `content`

First examiner. none if unknown.

Default: `none`

1.2.1.1.8 supervisor `content`

Supervisor. none if unknown.

Default: `none`

1.2.1.1.9 date-submitted `content`

Submission date string. none if unknown.

Default: `none`

1.2.1.1.10 lang `str`

Document language ("de" or "en").

Default: "de"

1.2.1.1.11 margin-preset `str`

"short", "medium", or "long".

Default: "short"

1.2.1.1.12 binding-correction length

BCOR added to inside margin. Default 0mm.

Default: 0mm

1.2.1.1.13 colored-links bool

KIT Blue links when true, black when false.

Default: true

1.2.1.1.14 draft bool

Show “ENTWURF” watermark when true.

Default: false

1.2.1.1.15 draft-info str

Optional version string below watermark. Default none.

Default: none

1.2.1.1.16 serif-headings bool

Use serif font for headings when true. Default false (sans-serif).

Default: false

1.2.1.1.17 heading-numbering-depth int

Deepest heading level to number. Default 3.

Default: 3

1.2.1.1.18 abstract-en content

English abstract. none = omit.

Default: none

1.2.1.1.19 abstract-de content

German abstract. none = omit.

Default: none

1.2.1.1.20 acknowledgements content

Acknowledgements. none = omit.

Default: **none**

1.2.1.1.21 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.2.1.1.22 show-lof bool

Include List of Figures.

Default: **true**

1.2.1.1.23 show-lot bool

Include List of Tables.

Default: **true**

1.2.1.1.24 show-lol bool

Include List of Listings.

Default: **false**

1.2.1.1.25 bibliography content

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. none = omit.

Default: **none**

1.2.1.1.26 appendix content

Appendix chapters. Template applies A, A. 1, ... numbering and places the appendix at the very end, after all back-matter lists. none = omit.

Default: **none**

1.2.1.1.27 doc content

Main document body (chapters only).

2 Components

Individual building blocks for custom document composition. Import only what you need.

2.1 Page Setup

2.2 page-setup

- setup-page()
- setup-front-matter()
- setup-content()
- setup-appendix()

2.2.1 setup-page

Apply the full KIT document style: page geometry, running headers, KSP typography, heading styles, figure captions, equations, and code blocks. Use as a show rule: `#show: setup-page.with(...)`.

2.2.1.1 Parameters

```
setup-page(  
  margin-preset: str,  
  lang: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: content,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  doc: content  
) -> content
```

2.2.1.1.1 margin-preset str

Margin profile keyed on expected page count — "short" (under 200 pp), "medium" (200–399 pp), "long" (400+ pp).

Default: "short"

2.2.1.1.2 lang str

Document language — "de" or "en".

Default: "de"

2.2.1.1.3 binding-correction length

Extra inside margin added for binding (e.g. 3mm).

Default: 0mm

2.2.1.1.4 colored-links bool

Render external hyperlinks in KIT blue when true.

Default: true

2.2.1.1.5 draft bool

Show the draft watermark on every page when true.

Default: false

2.2.1.1.6 draft-info content

Optional extra text appended to the watermark (e.g. a git SHA).

Default: none

2.2.1.1.7 serif-headings bool

Use Libertinus Serif for headings when true. Default false

Default: false

2.2.1.1.8 heading-numbering-depth int

Deepest heading level that receives a number. Default 3. Headings deeper than this are styled normally but rendered without a number or indent grid.

Default: 3

2.2.1.1.9 doc content

Document body (injected automatically by the show rule).

2.2.2 setup-front-matter

Switch to Roman numeral page numbering and remove heading numbering. Apply before front-matter content: #show: setup-front-matter.

2.2.2.1 Parameters

```
setup-front-matter(doc: content) -> content
```

2.2.2.1.1 doc content

Document body (injected automatically by the show rule).

2.2.3 setup-content

Switch to Arabic page numbering and enable 1.1 heading numbering. Apply before the main content: #show: setup-content.

2.2.3.1 Parameters

```
setup-content(doc: content) -> content
```

2.2.3.1.1 doc content

Document body (injected automatically by the show rule).

2.2.4 setup-appendix

Switch to A.1 heading numbering and reset the heading counter. Apply before appendix chapters:
#show: setup-appendix.

2.2.4.1 Parameters

```
setup-appendix(doc: content) -> content
```

2.2.4.1.1 doc content

Document body (injected automatically by the show rule).

2.3 Title Pages

2.4 title-page

- print-dissertation-title()
- print-thesis-title()

2.4.1 print-dissertation-title

Render the KIT dissertation title page (German legal format). All text on this page is always in German regardless of document language.

2.4.1.1 Parameters

```
print-dissertation-title(  
  title: content,  
  author-title: content,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool  
) -> content
```

2.4.1.1.1 title content

Dissertation title.

2.4.1.1.2 author-title `content`

Academic title preceding the author's name (none = omit).

2.4.1.1.3 author-firstname `str`

Author's first name.

2.4.1.1.4 author-surname `str`

Author's surname.

2.4.1.1.5 author-male `bool`

Selects grammatical gender for the degree article.

2.4.1.1.6 doc-degree `str`

Degree name in masculine form (e.g. "Doktor-Ingenieur").

2.4.1.1.7 doc-degree-f `str`

Degree name in feminine form (e.g. "Doktor-Ingenieurin").

2.4.1.1.8 department `str`

KIT department or faculty.

2.4.1.1.9 university-genitive `str`

University name in genitive (e.g. "des Karlsruher Instituts...").

2.4.1.1.10 status-approved `bool`

false = submitted version, true = approved version.

2.4.1.1.11 exam-date `content`

Date of oral examination — shown only when status-approved is true.

2.4.1.1.12 main-advisor `content`

Main referee — shown only when status-approved is true.

2.4.1.1.13 main-advisor-male bool

Selects gendered label for the main advisor.

2.4.1.1.14 co-advisor content

Co-referee — shown only when status-approved is true.

2.4.1.1.15 co-advisor-male bool

Selects gendered label for the co-advisor.

2.4.2 print-thesis-title

Render the KIT master's / bachelor's thesis title page (German legal format). All text on this page is always in German regardless of document language.

2.4.2.1 Parameters

```
print-thesis-title(  
  title: content,  
  thesis-type: str,  
  author-firstname: str,  
  author-surname: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  lang: str  
) -> content
```

2.4.2.1.1 title content

Thesis title.

2.4.2.1.2 thesis-type str

Thesis type (e.g. "Masterarbeit", "Bachelorarbeit").

2.4.2.1.3 author-firstname str

Author's first name.

2.4.2.1.4 author-surname str

Author's surname.

2.4.2.1.5 department `str`

KIT department or faculty.

2.4.2.1.6 university-genitive `str`

University name in genitive (e.g. "des Karlsruher Instituts...").

2.4.2.1.7 examiner `content`

First examiner (Erstprüfer).

2.4.2.1.8 supervisor `content`

Supervisor (Betreuer).

2.4.2.1.9 date-submitted `content`

Submission date string.

2.4.2.1.10 lang `str`

Document language (currently unused — title page is always German).

2.5 Outlines

2.6 outlines

- `print-toc()`
- `print-lof()`
- `print-lot()`
- `print-lol()`
- `flex-caption()`

2.6.1 print-toc

Print the table of contents, including a separate appendix outline when present.

2.6.1.1 Parameters

```
print-toc(  
  lang: str,  
  serif-headings: bool  
) -> content
```

2.6.1.1.1 lang `str`

Document language — "de" or "en".

Default: "de"

2.6.1.1.2 serif-headings `bool`

Use serif font for the appendix section title when `true`.

Default: `false`

2.6.2 print-lof

Print the list of figures.

2.6.2.1 Parameters

```
print-lof(lang: str) -> content
```

2.6.2.1.1 lang `str`

Document language — "de" or "en".

Default: `"de"`

2.6.3 print-lot

Print the list of tables.

2.6.3.1 Parameters

```
print-lot(lang: str) -> content
```

2.6.3.1.1 lang `str`

Document language — "de" or "en".

Default: `"de"`

2.6.4 print-lol

Print the list of listings.

2.6.4.1 Parameters

```
print-lol(lang: str) -> content
```

2.6.4.1.1 lang `str`

Document language — "de" or "en".

Default: `"de"`

2.6.5 flex-caption

Two-part caption: short version for LoF/LoT, long version under the figure.

Usage: `#figure(..., caption: flex-caption(short: [Short], long: [Long.])))`

2.6.5.1 Parameters

```
flex-caption(  
  short: content,  
  long: content  
) -> content
```

2.6.5.1.1 short content

Short caption shown in List of Figures / Tables.

Default: `none`

2.6.5.1.2 long content

Full caption shown below the figure in the document body.

Default: `none`