

kinetic-kit

API Reference

v0.1.0

This document lists all public symbols exported by kinetic-kit.

1 Templates

1.1 dissertation

- dissertation()

1.1.1 dissertation

KIT doctoral dissertation template.

1.1.1.1 Parameters

```
dissertation(  
  author-title: str,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  title: content,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  notation: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  own-publications: content,  
  own-patents: content,  
  supervised-theses: content,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.1.1.1.1 author-title str

Academic title preceding the author's name (e.g. "M.Sc. ").

Default: "M.Sc. "

1.1.1.1.2 author-firstname str

Author's first name.

Default: "Max"

1.1.1.1.3 author-surname `str`

Author's surname.

Default: `"Mustermann"`

1.1.1.1.4 author-male `bool`

true for male, false for female grammatical forms.

Default: `true`

1.1.1.1.5 title `content`

Dissertation title.

Default: `[Your Thesis Title]`

1.1.1.1.6 doc-degree `str`

Degree name in masculine form.

Default: `"Doktors der Ingenieurwissenschaften (Dr.-Ing.)"`

1.1.1.1.7 doc-degree-f `str`

Degree name in feminine form.

Default: `"Doktorin der Ingenieurwissenschaften (Dr.-Ing.)"`

1.1.1.1.8 department `str`

Faculty / department name.

Default: `"KIT-Fakultät für Maschinenbau"`

1.1.1.1.9 university-genitive `str`

University name in genitive case.

Default: `"des Karlsruher Instituts für Technologie (KIT)"`

1.1.1.1.10 status-approved `bool`

false = submitted, true = approved.

Default: `false`

1.1.1.11 exam-date content

Date of oral examination (when approved).

Default: none

1.1.1.12 main-advisor content

Main referee (when approved).

Default: none

1.1.1.13 main-advisor-male bool

Grammatical gender for main advisor label.

Default: true

1.1.1.14 co-advisor content

Co-referee (when approved).

Default: none

1.1.1.15 co-advisor-male bool

Grammatical gender for co-advisor label.

Default: true

1.1.1.16 lang str

Document language ("de" or "en").

Default: "de"

1.1.1.17 margin-preset str

"short", "medium", or "long".

Default: "short"

1.1.1.18 binding-correction length

BCOR added to inside margin. Default 0mm.

Default: 0mm

1.1.1.1.19 colored-links `bool`

KIT Blue links when `true`, black when `false`.

Default: `true`

1.1.1.1.20 draft `bool`

Show “ENTWURF” watermark when `true`.

Default: `false`

1.1.1.1.21 draft-info `str`

Optional version string below watermark. Default none.

Default: `none`

1.1.1.1.22 serif-headings `bool`

Use serif font for headings when `true`. Default `false` (sans-serif).

Default: `false`

1.1.1.1.23 heading-numbering-depth `int`

Deepest heading level to number. Default 3.

Default: `3`

1.1.1.1.24 abstract-en `content`

English abstract. `none` = omit.

Default: `none`

1.1.1.1.25 abstract-de `content`

German abstract. `none` = omit.

Default: `none`

1.1.1.1.26 acknowledgements `content`

Acknowledgements. `none` = omit.

Default: `none`

1.1.1.1.27 notation content

Notation list. none = omit.

Default: **none**

1.1.1.1.28 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.1.1.1.29 show-lof bool

Include List of Figures.

Default: **true**

1.1.1.1.30 show-lot bool

Include List of Tables.

Default: **true**

1.1.1.1.31 show-lol bool

Include List of Listings.

Default: **false**

1.1.1.1.32 own-publications content

Own publications content (heading added by template). none = omit.

Default: **none**

1.1.1.1.33 own-patents content

Own patents content (heading added by template). none = omit.

Default: **none**

1.1.1.1.34 supervised-theses content

Supervised theses content (heading added by template). none = omit.

Default: **none**

1.1.1.1.35 bibliography content

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. `none` = omit.

Default: `none`

1.1.1.1.36 appendix content

Appendix chapters. Template applies A, A.1, ... numbering and places the appendix at the very end, after all back-matter lists. `none` = omit.

Default: `none`

1.1.1.1.37 doc content

Main document body (chapters only).

1.2 thesis

- `thesis()`

1.2.1 thesis

KIT Master's / Bachelor's / Diploma thesis template.

1.2.1.1 Parameters

```
thesis(  
  author-firstname: str,  
  author-surname: str,  
  title: content,  
  thesis-type: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  lang: str,  
  margin-preset: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: str,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  abstract-en: content,  
  abstract-de: content,  
  acknowledgements: content,  
  abbreviations: content,  
  show-lof: bool,  
  show-lot: bool,  
  show-lol: bool,  
  bibliography: content,  
  appendix: content,  
  doc: content  
) -> content
```

1.2.1.1.1 author-firstname str

Author's first name.

Default: "Max"

1.2.1.1.2 author-surname str

Author's surname.

Default: "Mustermann"

1.2.1.1.3 title content

Thesis title.

Default: [Your Thesis Title]

1.2.1.1.4 thesis-type `str`

e.g. "Masterarbeit", "Bachelorarbeit".

Default: "Masterarbeit"

1.2.1.1.5 department `str`

Faculty / department name.

Default: "KIT-Fakultät für Maschinenbau"

1.2.1.1.6 university-genitive `str`

University name in genitive case.

Default: "des Karlsruher Instituts für Technologie (KIT)"

1.2.1.1.7 examiner `content`

First examiner. none if unknown.

Default: `none`

1.2.1.1.8 supervisor `content`

Supervisor. none if unknown.

Default: `none`

1.2.1.1.9 date-submitted `content`

Submission date string. none if unknown.

Default: `none`

1.2.1.1.10 lang `str`

Document language ("de" or "en").

Default: "de"

1.2.1.1.11 margin-preset `str`

"short", "medium", or "long".

Default: "short"

1.2.1.1.12 binding-correction length

BCOR added to inside margin. Default 0mm.

Default: 0mm

1.2.1.1.13 colored-links bool

KIT Blue links when true, black when false.

Default: true

1.2.1.1.14 draft bool

Show “ENTWURF” watermark when true.

Default: false

1.2.1.1.15 draft-info str

Optional version string below watermark. Default none.

Default: none

1.2.1.1.16 serif-headings bool

Use serif font for headings when true. Default false (sans-serif).

Default: false

1.2.1.1.17 heading-numbering-depth int

Deepest heading level to number. Default 3.

Default: 3

1.2.1.1.18 abstract-en content

English abstract. none = omit.

Default: none

1.2.1.1.19 abstract-de content

German abstract. none = omit.

Default: none

1.2.1.1.20 acknowledgements content

Acknowledgements. none = omit.

Default: **none**

1.2.1.1.21 abbreviations content

Abbreviations list. none = omit.

Default: **none**

1.2.1.1.22 show-lof bool

Include List of Figures.

Default: **true**

1.2.1.1.23 show-lot bool

Include List of Tables.

Default: **true**

1.2.1.1.24 show-lol bool

Include List of Listings.

Default: **false**

1.2.1.1.25 bibliography content

Bibliography content. Pass bibliography("refs.bib", title: none, style: "ieee"). The template adds a translated heading. none = omit.

Default: **none**

1.2.1.1.26 appendix content

Appendix chapters. Template applies A, A.1, ... numbering and places the appendix at the very end, after all back-matter lists. none = omit.

Default: **none**

1.2.1.1.27 doc content

Main document body (chapters only).

2 Style Constants

The kit-style dictionary exposes the template's visual constants so that custom figures, diagrams, and other content can match the document's typography and KIT color palette exactly.

```
#import "@local/kinetic-kit:0.1.0": kit-style

#set text(font: kit-style.fonts.sans, size: kit-style.font-sizes.small)
#rect(fill: kit-style.colors.green15, stroke: kit-style.colors.green)
```

2.1 Fonts

Field	Value	Description
fonts.serif	("Libertinus Serif",)	Serif body text
fonts.sans	("Libertinus Sans",)	Sans-serif headings and headers
fonts.mono	("Libertinus Mono",)	Code listings
leading	0.75em	Paragraph line spacing ($\approx 1.15\times$ at 10 pt)

2.2 Font Sizes

All values are length. KSP requires 10 pt body text on A5.

Field	Value	Description
font-sizes.base	10pt	Body text — KSP required base size
font-sizes.chapter	18pt	Chapter heading (level 1)
font-sizes.section	14pt	Section heading (level 2)
font-sizes.subsection	12pt	Subsection heading (level 3)
font-sizes.subsubsection	10pt	Subsubsection heading (level 4+)
font-sizes.small	8pt	Running headers, footnotes, captions
font-sizes.footnote	8pt	Footnote text
font-sizes.title	18pt	Title page — document title
font-sizes.author	14pt	Title page — author name
font-sizes.title-info	14pt	Title page — info lines

2.3 Colors

All values are color. KIT brand colors follow a systematic naming scheme: base name plus optional opacity suffix (70, 50, 30, 15 = 70 %, 50 %, 30 %, 15 % tint).

Field	Hex	Description
colors.green	#009682	KIT Green — primary brand color
colors.green70	#4CB5A7	
colors.green50	#7FCAC0	
colors.green30	#B2DFD9	
colors.green15	#D9EFEC	
colors.blue	#4664AA	KIT Blue — links and accents
colors.blue70	#7D92C3	
colors.blue50	#A2B1D4	
colors.blue30	#C7D0E5	

Field	Hex	Description
colors.blue15	#E3E8F2	
colors.black	#000000	
colors.black70	#4D4D4D	
colors.black50	#808080	
colors.black30	#B3B3B3	
colors.black15	#D9D9D9	
colors.palegreen	#82BE3C	KIT extended palette
colors.yellow	#FAE614	
colors.orange	#DCA01E	
colors.brown	#A08232	
colors.red	#A01E28	
colors.lilac	#A00078	
colors.cyanblue	#50AAE6	
colors.keyword	#0000C8	Syntax highlighting — keyword
colors.comment	#3F7F5F	Syntax highlighting — comment
colors.string	#700055	Syntax highlighting — string literal

3 Components

The components module exports the individual building blocks for assembling a document without the full dissertation() / thesis() orchestrator. All symbols are accessed through the components namespace:

```
#import "@local/kinetic-kit:0.1.0": components
```

```
#show: components.setup-page.with(margin-preset: "short", lang: "de")
```

```
#show: components.setup-front-matter
```

```
#components.print-toc(lang: "de")
```

You are responsible for applying the wrappers in the correct order: setup-page → setup-front-matter → content → setup-content → (optionally) setup-appendix.

3.1 Page Setup

3.2 page-setup

- setup-page()
- setup-front-matter()
- setup-content()
- setup-appendix()

3.2.1 setup-page

Apply the full KIT document style: page geometry, running headers, KSP typography, heading styles, figure captions, equations, and code blocks. Use as a show rule: #show: setup-page.with(...).

3.2.1.1 Parameters

```
setup-page(  
  margin-preset: str,  
  lang: str,  
  binding-correction: length,  
  colored-links: bool,  
  draft: bool,  
  draft-info: content,  
  serif-headings: bool,  
  heading-numbering-depth: int,  
  doc: content  
) -> content
```

3.2.1.1.1 margin-preset str

Margin profile keyed on expected page count — "short" (under 200 pp), "medium" (200–399 pp), "long" (400+ pp).

Default: "short"

3.2.1.1.2 lang str

Document language — "de" or "en".

Default: "de"

3.2.1.1.3 binding-correction length

Extra inside margin added for binding (e.g. 3mm).

Default: 0mm

3.2.1.1.4 colored-links bool

Render external hyperlinks in KIT blue when true.

Default: true

3.2.1.1.5 draft bool

Show the draft watermark on every page when true.

Default: false

3.2.1.1.6 draft-info content

Optional extra text appended to the watermark (e.g. a git SHA).

Default: none

3.2.1.1.7 serif-headings bool

Use Libertinus Serif for headings when true. Default false

Default: false

3.2.1.1.8 heading-numbering-depth int

Deepest heading level that receives a number. Default 3. Headings deeper than this are styled normally but rendered without a number or indent grid.

Default: 3

3.2.1.1.9 doc content

Document body (injected automatically by the show rule).

3.2.2 setup-front-matter

Switch to Roman numeral page numbering and remove heading numbering. Apply before front-matter content: #show: setup-front-matter.

3.2.2.1 Parameters

```
setup-front-matter(doc: content) -> content
```

3.2.2.1.1 doc content

Document body (injected automatically by the show rule).

3.2.3 setup-content

Switch to Arabic page numbering and enable 1.1 heading numbering. Apply before the main content: #show: setup-content.

3.2.3.1 Parameters

```
setup-content(doc: content) -> content
```

3.2.3.1.1 doc content

Document body (injected automatically by the show rule).

3.2.4 setup-appendix

Switch to A.1 heading numbering and reset the heading counter. Apply before appendix chapters: #show: setup-appendix.

3.2.4.1 Parameters

```
setup-appendix(doc: content) -> content
```

3.2.4.1.1 doc content

Document body (injected automatically by the show rule).

3.3 Title Pages

3.4 title-page

- print-dissertation-title()
- print-thesis-title()

3.4.1 print-dissertation-title

Render the KIT dissertation title page (German legal format). All text on this page is always in German regardless of document language.

3.4.1.1 Parameters

```
print-dissertation-title(  
  title: content,  
  author-title: content,  
  author-firstname: str,  
  author-surname: str,  
  author-male: bool,  
  doc-degree: str,  
  doc-degree-f: str,  
  department: str,  
  university-genitive: str,  
  status-approved: bool,  
  exam-date: content,  
  main-advisor: content,  
  main-advisor-male: bool,  
  co-advisor: content,  
  co-advisor-male: bool  
) -> content
```

3.4.1.1.1 title content

Dissertation title.

3.4.1.1.2 author-title content

Academic title preceding the author's name (none = omit).

3.4.1.1.3 author-firstname str

Author's first name.

3.4.1.1.4 author-surname str

Author's surname.

3.4.1.1.5 author-male `bool`

Selects grammatical gender for the degree article.

3.4.1.1.6 doc-degree `str`

Degree name in masculine form (e.g. "Doktor-Ingenieur").

3.4.1.1.7 doc-degree-f `str`

Degree name in feminine form (e.g. "Doktor-Ingenieurin").

3.4.1.1.8 department `str`

KIT department or faculty.

3.4.1.1.9 university-genitive `str`

University name in genitive (e.g. "des Karlsruher Instituts...").

3.4.1.1.10 status-approved `bool`

false = submitted version, true = approved version.

3.4.1.1.11 exam-date `content`

Date of oral examination — shown only when status-approved is true.

3.4.1.1.12 main-advisor `content`

Main referee — shown only when status-approved is true.

3.4.1.1.13 main-advisor-male `bool`

Selects gendered label for the main advisor.

3.4.1.1.14 co-advisor `content`

Co-referee — shown only when status-approved is true.

3.4.1.1.15 co-advisor-male `bool`

Selects gendered label for the co-advisor.

3.4.2 print-thesis-title

Render the KIT master's / bachelor's thesis title page (German legal format). All text on this page is always in German regardless of document language.

3.4.2.1 Parameters

```
print-thesis-title(  
  title: content,  
  thesis-type: str,  
  author-firstname: str,  
  author-surname: str,  
  department: str,  
  university-genitive: str,  
  examiner: content,  
  supervisor: content,  
  date-submitted: content,  
  lang: str  
) -> content
```

3.4.2.1.1 title content

Thesis title.

3.4.2.1.2 thesis-type str

Thesis type (e.g. "Masterarbeit", "Bachelorarbeit").

3.4.2.1.3 author-firstname str

Author's first name.

3.4.2.1.4 author-surname str

Author's surname.

3.4.2.1.5 department str

KIT department or faculty.

3.4.2.1.6 university-genitive str

University name in genitive (e.g. "des Karlsruher Instituts...").

3.4.2.1.7 examiner content

First examiner (Erstprüfer).

3.4.2.1.8 supervisor `content`

Supervisor (Betreuer).

3.4.2.1.9 date-submitted `content`

Submission date string.

3.4.2.1.10 lang `str`

Document language (currently unused — title page is always German).

3.5 Outlines

3.6 outlines

- `print-toc()`
- `print-lof()`
- `print-lot()`
- `print-lol()`
- `flex-caption()`

3.6.1 print-toc

Print the table of contents, including a separate appendix outline when present.

3.6.1.1 Parameters

```
print-toc(  
    lang: str,  
    serif-headings: bool  
) -> content
```

3.6.1.1.1 lang `str`

Document language — "de" or "en".

Default: `"de"`

3.6.1.1.2 serif-headings `bool`

Use serif font for the appendix section title when `true`.

Default: `false`

3.6.2 print-lof

Print the list of figures.

3.6.2.1 Parameters

```
print-lof(lang: str) -> content
```

3.6.2.1.1 lang `str`

Document language — "de" or "en".

Default: "de"

3.6.3 print-lot

Print the list of tables.

3.6.3.1 Parameters

```
print-lot(lang: str) -> content
```

3.6.3.1.1 lang `str`

Document language — "de" or "en".

Default: "de"

3.6.4 print-lol

Print the list of listings.

3.6.4.1 Parameters

```
print-lol(lang: str) -> content
```

3.6.4.1.1 lang `str`

Document language — "de" or "en".

Default: "de"

3.6.5 flex-caption

Two-part caption: short version for LoF/LoT, long version under the figure.

Usage: `#figure(..., caption: flex-caption(short: [Short], long: [Long.]))`

3.6.5.1 Parameters

```
flex-caption(  
  short: content,  
  long: content  
) -> content
```

3.6.5.1.1 short content

Short caption shown in List of Figures / Tables.

Default: **none**

3.6.5.1.2 long content

Full caption shown below the figure in the document body.

Default: **none**