kinetic-kit

API Reference

v0.1.0

This document lists all public functions exported by `kinetic-kit` with their parameters and types, as extracted from the source doc-comments.

1 Templates

1.1 dissertation

- dissertation()

1.1.1 dissertation

KIT doctoral dissertation template.

1.1.1.1 Parameters

```
dissertation(
  author-title: str,
  author-firstname: str,
  author-surname: str,
  author-male: bool,
  place-of-birth: str,
  title: content,
  doc-degree: str,
  doc-degree-f: str,
  department: str,
  university-genitive: str,
  status-approved: bool,
  exam-date: content,
  main-advisor: content,
  main-advisor-male: bool,
  co-advisor: content,
  co-advisor-male: bool,
  lang: str,
  margin-preset: str,
  binding-correction: length,
  colored-links: bool,
  draft: bool,
  draft-info: str,
  cv-name: str,
  cv-entries: array,
  abstract-en: content,
  abstract-de: content,
  acknowledgements: content,
  notation: content,
  abbreviations: content,
  show-lof: bool,
  show-lot: bool,
  show-lol: bool,
  own-publications: content,
  own-patents: content,
  supervised-theses: content,
  bibliography: content,
  appendix: content,
  doc: content
) -> content
```

1.1.1.1.1 author-title `str`

Academic title preceding the author's name (e.g. `"M.Sc."`).

Default: `"M.Sc."`

1.1.1.1.2 author-firstname `str`

Author's first name.

Default: `"Max"`

1.1.1.1.3 author-surname `str`

Author's surname.

Default: `"Mustermann"`

1.1.1.1.4 author-male `bool`

`true` for male, `false` for female grammatical forms.

Default: `true`

1.1.1.1.5 place-of-birth `str`

Author's place of birth. `none` = omit.

Default: `none`

1.1.1.1.6 title `content`

Dissertation title.

Default: `[Your Thesis Title]`

1.1.1.1.7 doc-degree `str`

Degree name in masculine form.

Default: `"Doktors der Ingenieurwissenschaften (Dr.-Ing.)"`

1.1.1.1.8 doc-degree-f `str`

Degree name in feminine form.

Default: `"Doktorin der Ingenieurwissenschaften (Dr.-Ing.)"`

1.1.1.1.9 department `str`

Faculty / department name.

Default: `"KIT-Fakultät für Maschinenbau"`

1.1.1.1.10 university-genitive `str`

University name in genitive case.

Default: `"des Karlsruher Instituts für Technologie (KIT)"`

1.1.1.1.11 status-approved `bool`

`false` = submitted, `true` = approved.

Default: `false`

1.1.1.1.12 exam-date `content`

Date of oral examination (when approved).

Default: `none`

1.1.1.1.13 main-advisor `content`

Main referee (when approved).

Default: `none`

1.1.1.1.14 main-advisor-male `bool`

Grammatical gender for main advisor label.

Default: `true`

1.1.1.1.15 co-advisor `content`

Co-referee (when approved).

Default: `none`

1.1.1.1.16 co-advisor-male `bool`

Grammatical gender for co-advisor label.

Default: `true`

1.1.1.1.17 lang `str`

Document language (`"de"` or `"en"`).

Default: `"de"`

1.1.1.1.18 margin-preset `str`

`"short"`, `"medium"`, or `"long"`.

Default: `"short"`

1.1.1.1.19 binding-correction `length`

BCOR added to inside margin. Default `0mm`.

Default: `0mm`

1.1.1.1.20 colored-links `bool`

KIT Blue links when `true`, black when `false`.

Default: `true`

1.1.1.1.21 draft `bool`

Show "ENTWURF" watermark when `true`.

Default: `false`

1.1.1.1.22 draft-info `str`

Optional version string below watermark. Default `none`.

Default: `none`

1.1.1.1.23 cv-name `str`

Name for CV section heading. `none` = omit CV.

Default: `none`

1.1.1.1.24 cv-entries `array`

List of `(year, description)` pairs for the CV.

Default: `()`

1.1.1.1.25 abstract-en `content`

English abstract. `none` = omit.

Default: `none`

1.1.1.1.26 abstract-de `content`

German abstract. `none` = omit.

Default: `none`

1.1.1.1.27 acknowledgements `content`

Acknowledgements. `none` = omit.

Default: `none`

1.1.1.1.28 notation `content`

Notation list. `none` = omit.

Default: `none`

1.1.1.1.29 abbreviations `content`

Abbreviations list. `none` = omit.

Default: `none`

1.1.1.1.30 show-lof `bool`

Include List of Figures.

Default: `true`

1.1.1.1.31 show-lot `bool`

Include List of Tables.

Default: `true`

1.1.1.1.32 show-lol `bool`

Include List of Listings.

Default: `false`

1.1.1.1.33 own-publications `content`

Own publications content (heading added by template). `none` = omit.

Default: `none`

1.1.1.1.34 own-patents `content`

Own patents content (heading added by template). `none` = omit.

Default: `none`

1.1.1.1.35 supervised-theses `content`

Supervised theses content (heading added by template). `none` = omit.

Default: `none`

1.1.1.1.36 bibliography `content`

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. `none` = omit.

Default: `none`

1.1.1.1.37 appendix `content`

Appendix chapters. Template applies `A`, `A.1`, … numbering and places the appendix at the very end, after all back-matter lists. `none` = omit.

Default: `none`

1.1.1.1.38 doc `content`

Main document body (chapters only).

1.2 thesis

- thesis()

1.2.1 thesis

KIT Master's / Bachelor's / Diploma thesis template.

1.2.1.1 Parameters

```
thesis(
  author-firstname: str,
  author-surname: str,
  title: content,
  thesis-type: str,
  department: str,
  university-genitive: str,
  examiner: content,
  supervisor: content,
  date-submitted: content,
  lang: str,
  margin-preset: str,
  binding-correction: length,
  colored-links: bool,
  draft: bool,
  draft-info: str,
  abstract-en: content,
  abstract-de: content,
  acknowledgements: content,
  abbreviations: content,
  show-lof: bool,
  show-lot: bool,
  show-lol: bool,
  bibliography: content,
  appendix: content,
  doc: content
) -> content
```

1.2.1.1.1 author-firstname `str`

Author's first name.

Default: `"Max"`

1.2.1.1.2 author-surname `str`

Author's surname.

Default: `"Mustermann"`

1.2.1.1.3 title `content`

Thesis title.

Default: `[Your Thesis Title]`

1.2.1.1.4 thesis-type `str`

e.g. `"Masterarbeit"`, `"Bachelorarbeit"`.

Default: `"Masterarbeit"`

1.2.1.1.5 department `str`

Faculty / department name.

Default: `"KIT-Fakultät für Maschinenbau"`

1.2.1.1.6 university-genitive `str`

University name in genitive case.

Default: `"des Karlsruher Instituts für Technologie (KIT)"`

1.2.1.1.7 examiner `content`

First examiner. `none` if unknown.

Default: `none`

1.2.1.1.8 supervisor `content`

Supervisor. `none` if unknown.

Default: `none`

1.2.1.1.9 date-submitted `content`

Submission date string. `none` if unknown.

Default: `none`

1.2.1.1.10 lang `str`

Document language (`"de"` or `"en"`).

Default: `"de"`

1.2.1.1.11 margin-preset `str`

`"short"`, `"medium"`, or `"long"`.

Default: `"short"`

1.2.1.1.12 binding-correction `length`

BCOR added to inside margin. Default `0mm`.

Default: `0mm`

1.2.1.1.13 colored-links `bool`

KIT Blue links when `true`, black when `false`.

Default: `true`

1.2.1.1.14 draft `bool`

Show “ENTWURF” watermark when `true`.

Default: `false`

1.2.1.1.15 draft-info `str`

Optional version string below watermark. Default `none`.

Default: `none`

1.2.1.1.16 abstract-en `content`

English abstract. `none` = omit.

Default: `none`

1.2.1.1.17 abstract-de `content`

German abstract. `none` = omit.

Default: `none`

1.2.1.1.18 acknowledgements `content`

Acknowledgements. `none` = omit.

Default: `none`

1.2.1.1.19 abbreviations `content`

Abbreviations list. `none` = omit.

Default: `none`

1.2.1.1.20 show-lof `bool`

Include List of Figures.

Default: `true`

1.2.1.1.21 show-lot `bool`

Include List of Tables.

Default: `true`

1.2.1.1.22 show-lol `bool`

Include List of Listings.

Default: `false`

1.2.1.1.23 bibliography `content`

Bibliography content. Pass `bibliography("refs.bib", title: none, style: "ieee")`. The template adds a translated heading. `none` = omit.

Default: `none`

1.2.1.1.24 appendix `content`

Appendix chapters. Template applies `A`, `A.1`, … numbering and places the appendix at the very end, after all back-matter lists. `none` = omit.

Default: `none`

1.2.1.1.25 doc `content`

Main document body (chapters only).

2 Components

Individual building blocks for custom document composition. Import only what you need.

2.1 Page Setup

2.2 page-setup

- setup-page()
- setup-front-matter()
- setup-content()
- setup-appendix()

2.2.1 setup-page

Apply the full KIT document style: page geometry, running headers, KSP typography, heading styles, figure captions, equations, and code blocks. Use as a show rule: `#show: setup-page.with(...)`.

2.2.1.1 Parameters

```
setup-page(
  margin-preset: str,
  lang: str,
  binding-correction: length,
  colored-links: bool,
  draft: bool,
  draft-info: content,
  doc: content
) -> content
```

2.2.1.1.1 margin-preset `str`

Margin profile keyed on expected page count — `"short"` (under 200 pp), `"medium"` (200–399 pp), `"long"` (400+ pp).

Default: `"short"`

2.2.1.1.2 lang `str`

Document language — `"de"` or `"en"`.

Default: `"de"`

2.2.1.1.3 binding-correction `length`

Extra inside margin added for binding (e.g. `3mm`).

Default: `0mm`

2.2.1.1.4 colored-links `bool`

Render external hyperlinks in KIT blue when `true`.

Default: `true`

2.2.1.1.5 draft `bool`

Show the draft watermark on every page when `true`.

Default: `false`

2.2.1.1.6 draft-info `content`

Optional extra text appended to the watermark (e.g. a git SHA).

Default: `none`

2.2.1.1.7 doc `content`

Document body (injected automatically by the show rule).

2.2.2 setup-front-matter

Switch to Roman numeral page numbering and remove heading numbering. Apply before front-matter content: `#show: setup-front-matter`.

2.2.2.1 Parameters

```
setup-front-matter(doc: content) -> content
```

2.2.2.1.1 doc `content`

Document body (injected automatically by the show rule).

2.2.3 setup-content

Switch to Arabic page numbering and enable `1.1` heading numbering. Apply before the main content: `#show: setup-content`.

2.2.3.1 Parameters

```
setup-content(doc: content) -> content
```

2.2.3.1.1 doc `content`

Document body (injected automatically by the show rule).

2.2.4 setup-appendix

Switch to `A.1` heading numbering and reset the heading counter. Apply before appendix chapters: `#show: setup-appendix`.

2.2.4.1 Parameters

```
setup-appendix(doc: content) -> content
```

2.2.4.1.1 doc `content`

Document body (injected automatically by the show rule).

2.3 Title Pages

2.4 title-page

- print-dissertation-title()
- print-thesis-title()

2.4.1 print-dissertation-title

Render the KIT dissertation title page (German legal format). All text on this page is always in German regardless of document language.

2.4.1.1 Parameters

```
print-dissertation-title(
  title: content,
  author-title: content,
  author-firstname: str,
  author-surname: str,
  author-male: bool,
  place-of-birth: str,
  doc-degree: str,
  doc-degree-f: str,
  department: str,
  university-genitive: str,
  status-approved: bool,
  exam-date: content,
  main-advisor: content,
  main-advisor-male: bool,
  co-advisor: content,
  co-advisor-male: bool
) -> content
```

2.4.1.1.1 title `content`

Dissertation title.

2.4.1.1.2 author-title `content`

Academic title preceding the author's name (`none` = omit).

2.4.1.1.3 author-firstname `str`

Author's first name.

2.4.1.1.4 author-surname `str`

Author's surname.

2.4.1.1.5 author-male `bool`

Selects grammatical gender for the degree article.

2.4.1.1.6 place-of-birth `str`

Author's place of birth (`none` = omit).

2.4.1.1.7 doc-degree `str`

Degree name in masculine form (e.g. `"Doktor-Ingenieur"`).

2.4.1.1.8 doc-degree-f `str`

Degree name in feminine form (e.g. `"Doktor-Ingenieurin"`).

2.4.1.1.9 department `str`

KIT department or faculty.

2.4.1.1.10 university-genitive `str`

University name in genitive (e.g. `"des Karlsruher Instituts…"`).

2.4.1.1.11 status-approved `bool`

`false` = submitted version, `true` = approved version.

2.4.1.1.12 exam-date `content`

Date of oral examination — shown only when `status-approved` is `true`.

2.4.1.1.13 main-advisor `content`

Main referee — shown only when `status-approved` is `true`.

2.4.1.1.14 main-advisor-male `bool`

Selects gendered label for the main advisor.

2.4.1.1.15 co-advisor `content`

Co-referee — shown only when `status-approved` is `true`.

2.4.1.1.16 co-advisor-male `bool`

Selects gendered label for the co-advisor.

2.4.2 print-thesis-title

Render the KIT master's / bachelor's thesis title page (German legal format). All text on this page is always in German regardless of document language.

2.4.2.1 Parameters

```
print-thesis-title(
  title: content,
  thesis-type: str,
  author-firstname: str,
  author-surname: str,
  department: str,
  university-genitive: str,
  examiner: content,
  supervisor: content,
  date-submitted: content,
  lang: str
) -> content
```

2.4.2.1.1 title `content`

Thesis title.

2.4.2.1.2 thesis-type `str`

Thesis type (e.g. `"Masterarbeit"`, `"Bachelorarbeit"`).

2.4.2.1.3 author-firstname `str`

Author's first name.

2.4.2.1.4 author-surname `str`

Author's surname.

2.4.2.1.5 department `str`

KIT department or faculty.

2.4.2.1.6 university-genitive `str`

University name in genitive (e.g. `"des Karlsruher Instituts…"`).

2.4.2.1.7 examiner `content`

First examiner (Erstprüfer).

2.4.2.1.8 supervisor `content`

Supervisor (Betreuer).

2.4.2.1.9 date-submitted `content`

Submission date string.

2.4.2.1.10 lang `str`

Document language (currently unused — title page is always German).

2.5 Outlines

2.6 outlines

- print-toc()
- print-lof()
- print-lot()
- print-lol()
- flex-caption()

2.6.1 print-toc

Print the table of contents, including a separate appendix outline when present.

2.6.1.1 Parameters

```
print-toc(lang: str) -> content
```

2.6.1.1.1 lang `str`

Document language — `"de"` or `"en"`.

Default: `"de"`

2.6.2 print-lof

Print the list of figures.

2.6.2.1 Parameters

```
print-lof(lang: str) -> content
```

2.6.2.1.1 lang `str`

Document language — `"de"` or `"en"`.

Default: `"de"`

2.6.3 print-lot

Print the list of tables.

2.6.3.1 Parameters

```
print-lot(lang: str) -> content
```

2.6.3.1.1 lang `str`

Document language — `"de"` or `"en"`.

Default: `"de"`

2.6.4 print-lol

Print the list of listings.

2.6.4.1 Parameters

```
print-lol(lang: str) -> content
```

2.6.4.1.1 lang `str`

Document language — `"de"` or `"en"`.

Default: `"de"`

2.6.5 flex-caption

Two-part caption: short version for LoF/LoT, long version under the figure.

Usage: `#figure(…, caption: flex-caption(short: [Short], long: [Long.]))`

2.6.5.1 Parameters

```
flex-caption(
  short: content,
  long: content
) -> content
```

2.6.5.1.1 short `content`

Short caption shown in List of Figures / Tables.

Default: `none`

2.6.5.1.2 long `content`

Full caption shown below the figure in the document body.

Default: `none`